

57364-3, PM-31, 1/3

| | | |
|---|----------------------|------------------|
| US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i> | EPA REGISTRATION NO. | DATE OF ISSUANCE |
| | 57364-3 | AUG 18 1987 |
| | TERM OF ISSUANCE | |
| NAME OF PESTICIDE PRODUCT | | |
| Viracil | | |

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Allied Labs and Products, Inc.
 4815 South Harvard, Suite 400
 Tulsa, OK 74135

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:


1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 57364-3."
 - b. Refer to PR Notice 83-3 for acceptable Storage and Disposal statements for the larger size containers you propose to market (5-gallon and 55-gallon containers).
 - c. Move the referral statement "See side panel for additional precautionary statements" to appear directly below the "Note to Physician" section.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

| | |
|---------------------------------|------|
| SIGNATURE OF APPROVING OFFICIAL | DATE |
|---------------------------------|------|

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosures

BEST AVAILABLE COPY

VIRACIL

When used as directed, this product is an effective disinfectant, deodorant, and sanitizer. When used as a sanitizer, food contact surfaces, equipment, and utensils can be air dried after immersion in a 1 oz./4 gallon solution without a potable water rinse.

When used as directed, this product mixes with water to form clear, stable use solutions that are non-corrosive and non-staining to most common metals, plastics, and tile.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes eye damage and skin damage. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist. Wear goggles or face shield and rubber gloves when handling.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with an NPDES Permit. Do not contaminate water by cleaning of equipment or by disposing of wastes.

STORAGE AND DISPOSAL:

Store only in tightly closed, original container in a secure area inaccessible to children and away from food or feed.

Do not reuse empty container. Rinse thoroughly before discarding in trash.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTION IN HOSPITALS, RESTAURANTS, COMMERCIAL AND INDUSTRIAL OFFICES, RESTROOMS AND WORK AREAS. This product may be used on floors, walls, woodwork, bed frames, and furnishings. Types of surfaces suitable for disinfection include glass, smooth metal, washable painted wood or metal, vinyl, glazed porcelain, plastic, finished leather, finished wood and similar non-porous, hard, smooth surfaces.

Always pre-clean surfaces with a suitable detergent and rinse well with water before disinfection. After cleaning, apply a solution containing 1 ounce of disinfectant per gallon of water for general disinfecting applications. For disinfecting contagious disease areas, use 1 1/2 ounces per gallon of water.

ACTIVE INGREDIENT:

| | |
|---|---------|
| Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) | |
| dinethylenbenzyl ammonium chloride | 10.00% |
| INERT INGREDIENTS | 90.00% |
| TOTAL INGREDIENTS | 100.00% |

This product fulfills the criteria of Appendix F of the Grade "A" Pasturized Milk Ordinance 1965. Recommendations of the U.S. Public Health Service in waters up to 700 ppm of hardness calculated as CaCO₃ when tested by the A.O.A.C. Germicidal and Detergent Sanitizers - "Official Method".

*This disinfectant is effective at 1 oz./gal. against *Pseudomonas aeruginosa* PRD-10, *Salmonella choleraesuis* ATCC 10708, and *Staphylococcus aureus* ATCC 6538 when tested by the A.O.A.C. Use Dilution Test Method for pre-cleaned, non-porous hard surfaces.

*This disinfectant is an effective virucide against influenza virus, Type A, Brazil at 1 oz./gal. on pre-cleaned, non-porous hard surfaces.

When applied as directed to pre-cleaned hard, non-porous surfaces, this disinfectant also kills the following organisms at 1 ounce per gallon: *Candida albicans*, *Escherichia coli*, *Streptococcus pyogenes*, *Enterobacter aerogenes*, *Shigella sonnei*.

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution or, if these are not available, drink a large quantity of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Reg. No. 57364-

EPA Est. No. 57364-OK-1

FOR INDUSTRIAL, COMMERCIAL OR MEDICAL USE ONLY

Manufactured by:

NET CONTENTS:

Allied Labs and Products, Inc.

4815 S. Harvard, Suite 400

Tulsa, OK 74135

1 U.S. Gal.

The use solution of sponge, or by a must remain moist proper germicidal with this concentration with potable water daily. Discard solu

SANITIZATION OF GLASSWARE, SILVERWARE, MILK CAN PROCESSING PLANTS, RESTAURANTS. clean with a suitable potable water, the ounce of THIS PRODUCT active sanitizer). applied by immersion with a clean cloth thoroughly wet for. Allow treated items not use a towel. Immerse treated items (cans, etc.) and let surface. Prepare solutions become d

PLANK AND UDDER disinfectant per 4 gal. towel for each cow. the disinfectant solution each milking. Pre-tainers (stainless steel) they become visible in milk, allow udder before attaching to

FOR DEODORIZING TRUCKS, INDUSTRIAL GARBAGE HANDLING suitable detergent solution of 2 oz. of

with In E... AU... 5

material is applied, as watering will wash off weed killing material. For most effective broadleaf killing action, avoid unnecessary disturbance of treated areas for 48 hours after application. Avoid contact with valuable shrubs, plants, or flowers. Possible retreatment may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not overapply. Under conditions of adequate moisture, high temperature, and high humidity, over-application may cause minor transitory discoloration on St. Augustine.

CAUTION: It is recommended that during hot, dry conditions, application rates should be reduced by one half to avoid possible dehydration or browning of grass.

✓ Do not reseed for at least three to four weeks after application. Do not apply to newly seeded or sodded lawns until after three mowings.

HOW TO APPLY:

✓ Apply evenly with a lawn spreader either as one pass application or a two pass application, criss-crossing the area using a half rate each time. Lawns that are heavily over-run with weeds and are in poor condition may require more than one application of this product. A suggested second application should be made in approximately thirty days.

The following settings are approximate for applying contents of this package. Settings are based on average walking speed. Reduce setting for slower speed and raise setting for higher speed.

SPREADER SETTINGS:

| MAKE | SETTING |
|--|---------------|
| Cyclone | 5 1/4 - 5 3/4 |
| Scotts 35 | 5 1/2 |
| Scotts | C-1 J-1 |
| Central | 7 - 8 |
| K-Mart | 7 - 8 |
| Montgomery Wards (1091, 1093, 1095) | 6 3/4 |

These settings are approximate. Check your spreader ✓ on 250 Sq.Ft. and adjust to apply at the rate of 1 pound for 250 Sq.ft. Clean spreader thoroughly after each use.