U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA Reg. Number:	Date of Issuance:					
U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Biopesticides and Pollution Prevention Division (7511P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460	57538-60	8/4/2016					
NOTICE OF PESTICIDE: <u>X</u> Registration <u>Reregistration</u> (under FIFRA, as amended)	Term of Issuance: Unconditional						
	Name of Pesticide Product: Stimulate Root Growth Plus						
Name and Address of Registrant (include ZIP Code): Stoller Enterprises, Inc. 9090 Katy Freeway, Suite 400 Houston, TX 77055							
Note: Changes in labeling differing in substance from that accepted in connection with this registrati Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any corresp Registration Number.							
, ,	On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA or the Act).						
Registration is in no way to be construed as an endorsement or recommendation of this product by the U.S. Environmental Protection Agency (EPA). In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.							
This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:							
1. Submit and/or cite all data required for registration or registration review of your product when the EPA requires all registrants of similar products to submit such data.							
Signature of Approving Official:	Date:						
andrew Engelin	8/4/2016						
Andrew Bryceland, Team Leader Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P) Office of Pesticide Programs							

EPA Form 8570-6

Page 2 of 2 EPA Reg. No. 57538-60 OPP Decision No. 514789

- 2. Make the following labeling change before you release this product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 57538-60."
- 3. Submit one (1) copy of the final printed labeling for the record before you release this product for shipment.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6. A stamped copy of the labeling is enclosed for your records. Please also note that the record for this product currently contains the following acceptable Confidential Statement of Formula (CSF):

• Basic CSF dated 06/20/2016

Any CSFs other than those listed above are superseded.

If you have any questions, please contact Cody Kendrick of my team by phone at (703) 347-0468 or via email at kendrick.cody@epa.gov.

Sincerely,

andrew E. Kycelow

Andrew Bryceland, Team Leader Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P) Office of Pesticide Programs

Enclosure

STIMULATETM ROOT GROWTH PLUS



Under the Federal Insecticide, Fungicide pesticide registered under EPA Reg. No. 57538-60

ACTIVE INGREDIENTS:

Cytokinin (as Kinetin)	0.020%
Gibberellic Acid	
Indole-3-Butyric Acid	0.005%
OTHER INGREDIENTS:	
Total	100.000%

This product contains: 0.005953 grams cytokinin, 0.001488 grams gibberellic acid and 0.001488 grams indole-3-butyric acid per fluid ounce.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID							
If swallowed	 Call a poison control center or doctor immediately for treatment. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 						
If in eyes	 Bo not give anything by mount to an unconscious person. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice. 						
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 						
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 						
For emergency i	container or label with you when calling a poison control center or doctor, or going for treatment. nformation concerning this product, call the National Pesticides Information Center (NPIC) at 1- ven days a week, 6:30 am to 4:30 pm Pacific Time (NPIC web site: www.npic.orst.edu). See additional Precautionary Statements on left panel.						

EPA Reg. No. 57538-XX

EPA Est. Nos. 57538-FL-1, 57538-IA-1, 57538-TX-2

Read attached label before using.

Manufactured By STOLLER ENTERPRISES, INC. 9090 Katy Freeway, Suite 400 Houston, Texas 77055 U.S.A. Phone (713) 461-1493 Web: www.stollerusa.com

□ 1 Quart (2.16 lbs.) □ 1 Gallon (8.6 lbs.) □ 2.5 Gallons (21.5 lbs.) □ 5 Gallons (43 lbs.) □ 30 Gallons (258 lbs.) □ 55 Gallons (473 lbs.) □ 275 Gallons (2365 lbs.)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if inhaled. Avoid breathing vapor or spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Wear the appropriate Personal Protective Equipment (PPE).

PERSONAL PROTECTIVE EQUIPMENT

Waterproof gloves are sufficiently chemical-resistant for this product. If you want more options, follow the instructions for category A on the EPA chemical-resistance category selection chart.

Applicators, mixers, loaders, and other handlers must wear:

- long-sleeved shirt and long pants,
- chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride,
- shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENT

When handlers use closed systems, enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Users should:

USER SAFETY RECOMMENDATIONS

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water when cleaning equipment or disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours unless wearing appropriate PPE.

Exception: If the product is soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical-resistant gloves made of any waterproof material, and shoes plus socks.

CHEMIGATION: APPLICATION AND CALIBRATION TECHNIQUES FOR SPRINKLER IRRIGATION

Apply this product only through the following types of irrigation systems: center pivot, traveler, big gun, motorized lateral move, end tow, side (wheel) roll, solid set, and hand move irrigation equipment. Do not apply through any other types of irrigation systems. Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from non-uniform distribution of treated water. If you have questions about calibration, you should contact State Experiment Station specialists, equipment manufacturers or other experts. Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place. A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person shall shut the system down and make necessary adjustments should the need arise.

A. Center Pivot, Traveler, Big Gun, Motorized Lateral Move, End Tow, and Side (Wheel) Roll Irrigation

Equipment: Operate system and injection equipment at normal pressures recommended by the manufacturer of injection equipment used. Fill tank of injection equipment with water. Operate system for one complete circle for center pivot or one complete run for the other recommended equipment, measuring time required, amount of water injected, and acreage contained in circle or run. Mix recommended amount of Grain Filler for acreage to be covered into same amount of water used during calibration and inject into system continuously for one revolution or run, but continue to operate irrigation system until Grain Filler has been cleared from last sprinkler head. Spray mixture in the chemical supply tank must be agitated at all times, otherwise settling and uneven application may occur.

B. Solid Set and Hand Move Irrigation Equipment: Determine acreage covered by sprinkler. Fill tank of injection equipment with water and adjust flow to use contents over a thirty to forty-five minute period. Mix desired amount of Fortified Stimulate Yield Enhancer for acreage to be covered into quantity of water used during calibration and operate entire system at normal pressures recommended by the manufacturer of injection equipment used for amount of time established during calibration. Provide constant mechanical agitation in the mix tank to insure that Grain Filler will remain in suspension during the injection cycle. Grain Filler can be injected at the beginning or end of the irrigation cycle or as a separate application. Stop injection equipment after treatment is completed and continue to operate irrigation system until Grain Filler is cleared from last sprinkler head.

SAFETY DEVICES

(1) The systems designated above must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow. (2) All pesticide injection pipelines must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump. (3) The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down. (4) The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops. (5) The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected. (6) Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock. (7) Do not apply when wind speed favors drift beyond the area intended for treatment.

SYSTEMS CONNECTED TO PUBLIC WATER SOURCES

Public water system means a system for the provision to the public of piped water for human consumption if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days out of the year. Chemigation systems connected to public water systems must contain a functional, reduced-pressure zone, backflow preventer (RPZ) or the functional equivalent in the water supply line upstream from the point of pesticide introduction. As an option to the RPZ, the water from the public water system should be discharged into a reservoir tank prior to pesticide introduction. There shall be a complete physical break (air gap) between the outlet end of the fill pipe and the top or overflow rim of the reservoir tank of at least twice the inside diameter of the fill pipe. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops or, in cases where there is no water pump, when the water pressure decreases to the point where pesticide distribution is adversely affected.

For additional instructions on safety precautions, refer to statements (2), (3), (4) (6) and (7) in the section SAFETY DEVICES.

Mode of Action

Stimulate Root Growth is a biostimulant containing plant growth regulators. Stimulate Root Growth enhances plant growth and development by stimulating cell division, cell differentiation and enlargement, nutrient uptake and nutrient utilization. Stimulate Root Growth will enhance root growth when additional new root is needed such as during periods of excessive rainfall or flooding or during periods of drought. It is especially effective when applied with foliar fertilizer, but it is also compatible with pesticides. Applying Stimulate Root Growth with foliar herbicides will also help sustain root growth through the herbicide application.

MIXING INSTRUCTIONS: Stimulate Root Growth is water soluble and suitable for use in conventional liquid application systems including sprinkler irrigation systems. Shake Stimulate Root Growth thoroughly and dilute in sufficient water to assure adequate, even coverage without producing excessive runoff. Agitate the spray mixture during application and apply within 12 hours of dilution.

Stimulate Root Growth can be applied tank mixed with most insecticides, fungicides, herbicides and foliar fertilizers but must be the last addition to the spray mixture. If the tank mix combination has not been used previously, contact a Stoller representative or conduct a jar test to test for compatibility. Use a small jar and mix a small amount of spray, combining all ingredients in the same ratio as the anticipated use. If any indications of physical incompatibility develop, do not use this mixture for spraying. Indications of incompatibility usually will appear within 5 to 15 minute after mixing. To ensure maximum crop safety and product performance, follow all precautions and limitations on this label and labels of products used in the tank mixture.

APPLICATION INSTRUCTIONS

Apply Stimulate Root Growth (by ground or air) to foliage diluted in 2 to 10 gallons of water per acre. Larger volumes of water may be used if not associated with excessive runoff. For best results, apply in the early morning or late evening. When applying Stimulate Root Growth in a band or as a foliar-directed spray, reduce the application rate from the labeled broadcast rate in proportion to the percent of the field surface area covered by the foliar spray, but not below the minimum rate listed in the table. Apply at the rates indicated in the following tables.

VEGETABLES							
Crop	Number of	Broadcast	Broadcast	Band	Band	Spray Application Timing	
	Applications	Spray	Spray	Spray	Spray		
		Fl oz/acre	ml/ha	Fl oz/	ml/ha		
				acre			
Beans	1-4	4	280	3	210	Apply when additional root	
Broccoli	1-4	4	280	3	210	growth is desired. Repeat	
Brussel Sprouts	1-3	4	280	3	210	application at 5 day intervals	
Cabbage	1-4	4	280	3	210	during periods of stress, such as excessive rainfall or drought.	
Cauliflower	1-4	4	280	3	210		
Corn, Sweet	1-3	4	280	3	210		
Cucumber	1-4	4	280	3	210		
Lettuce	1-3	4	280	3	210		
Melons	1-4	4	280	3	210		
Onions	1-4	4	280	3	210		
Peppers	1-4	4	280	3	210		
Potatoes	1-4	4	280	3	210		
Squash	1-4	4	280	3	210		
Tomatoes	1-4	4	280	3	210		

FIELD CROPS

Crop	Number of	Broadcast	Broadcast	Band	Band	Spray Application Timing
	Applications	Spray	Spray	Spray	Spray	
		Fl oz/acre	ml/ha	Fl oz/	ml/ha	
				acre		
Alfalfa	1-5	4	280			Apply when additional root growth
Barley	1-3	4	280			is desired. Repeat application at 5
Beets, Sugar	1-3	4	280	3	210	day intervals during periods of
Canola	1-3	4	280	3	210	stress, such as excessive rainfall or drought.
Corn	1-3	4	280	3	210	
Cotton	1-4	4	280	3	210	
Oats	1-3	4	280			
Pasture Grasses	1-5	4	280			
Peanuts	1-3	4	280	3	210	
Rice	1-3	4	280			
Sorghum	1-3	4	280	3	210	

Soybeans	1-4	4	280	3	210
Sugar Cane	1-3	4	280	3	210
Tobacco	1-3	4	280	3	210
Wheat	1-3	4	280		

NOTICE: STIMULATE ROOT GROWTH IS NOT A FERTILIZER. USE IN COMBINATION WITH A GOOD FERTILIZER PROGRAM WHERE INDICATED.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Do not store in direct sunlight. Avoid freezing temperatures.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: [Use label language appropriate for container size and type.]

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying.

Nonrefillabel container equal to or less than 5 gallons. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 120 seconds after the flow begins to drip. Fill the container ¹/₄ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Nonrefillabel container greater than 5 gallons. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¹/₄ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure or accident, call CHEMTREC 1-800-424-9300

WARRANTY STATEMENT: To the fullest extent permitted by law, Stoller Enterprises, Inc. warrants that the product conforms to the description on the label and is reasonably fit for the purposes set forth on the label, when used according to directions under normal use conditions. Neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to the label instructions; the buyer assumes the risk of any such uses.

6