



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

57538-70

Date of Issuance:

05/16/2022

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Resist SA

Name and Address of Registrant (include ZIP Code):

Stoller Enterprises
9090 Katy Freeway, Suite 400
Houston, TX 77024

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA Registration Number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA or the Act).

Registration is in no way to be construed as an endorsement or recommendation of this product by the U.S. Environmental Protection Agency (EPA). In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration or registration review of your product when the EPA requires all registrants of similar products to submit such data.

Signature of Approving Official:

Gina Burnett, Senior Regulatory Advisor
Biochemical Pesticides Branch
Biopesticides and Pollution Prevention Division (7511P)
Office of Pesticide Programs

Date:

05/18/2022

EPA Form 8570-6

2. Make the following labeling change before you release this product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 57538-70”
3. Submit one (1) copy of the final printed labeling for the record before you release this product for shipment.

Should you wish to add/retain a reference to your company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6. A stamped copy of the labeling is enclosed for your records. Please also note that the record for this product currently contains the following acceptable Confidential Statement of Formula (CSF):

- Basic CSF dated 05/02/2022

Any CSFs other than those listed above are superseded.

If you have any questions, please contact Susannah Powell of my team via email at powell.susannah@epa.gov.


Sincerely,



Gina Burnett, Senior Regulatory Advisor
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511P)
Office of Pesticide Programs

Enclosure

[Brackets denote alternate text []]
{ Braces denote note to reviewer { } }
{front panel start}



REZIST SA

{Alternate Name Brands:
Re-Leaf SAR
ReZist SAR}

ACTIVE INGREDIENTS:

Salicylic Acid..... 0.68%

OTHER INGREDIENTS:.....99.32%

Total..... 100.00%

(Contains approx. 3.87 grams Salicylic Acid per pint)

KEEP OUT OF REACH OF CHILDREN WARNING

FIRST AID	
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or are going for treatment. For general information on product use, etc., call the National Pesticides Information Center at 1-800-858-7378. For emergencies, call the Poison Center at 1-800-222-1222.	
FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure or accident, call CHEMTREC 1-800-424-9300.	

See additional Precautionary Statements [inside] [on side] [on other] [panel] [booklet].
[Not for sale in California]

EPA Reg. No. 57538-XX

EPA Est. No. 57538-TX-2
 57538-FL-1
 57538-IA-1

Z-RESIZTSA

Rev: XXXXXX

Batch: _____

[NET WEIGHT: 10.0 lbs./Gal or 1.20 kg/L]

NET CONTENTS:

1 Gal (4 L) 2.5 Gal (10 L) 5 Gal (20 L) 55 Gal (208 L)

{end front panel}

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through the skin or swallowed. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Wear the appropriate Personal Protective Equipment (PPE). Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE)

Some materials that are chemical resistant to this product are any waterproof material. If you want more options, follow instructions for category A on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear:

- long-sleeved shirt and long pants,
- waterproof gloves such as polyethylene or polyvinyl chloride material and
- shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. When handlers use closed systems, enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

- Users should remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water or areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwater or rinsate. Exposed treated seed may be hazardous to birds and other wildlife. Treat only those seeds needed for immediate use and planting. Dispose of all excess treated seed and seed packaging by burial away from streams and bodies of water.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without prior notification to the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms and in forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box applies only to uses of this product as covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours. Exception: After treated seeds are planted, the Worker Protection Standard, under certain circumstances, allows workers to enter the planted areas if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- coveralls over long-sleeved shirt and pants,
- chemical-resistant gloves made of any waterproof material, and
- shoes plus socks.
- Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

Not for food use.

Do not use treated seed for food, oil or feed purposes.

Store treated seed away from food and feedstuffs.

Do not allow children, pets or livestock to have access to treated seeds.

Cover or collect treated seeds spilled during loading and planting (such as in row ends).

Dispose all excess treated seed by burying seed away from bodies of water.

Dispose of seed packaging or containers in accordance with local requirements.

GENERAL USE INSTRUCTIONS

Use REZIST SA to increase plant health and vigor, to increase root mass, and to enhance crop quality and production.

DIRECTIONS FOR USE

Use REZIST SA to increase plant health and vigor, to increase root mass, and to enhance crop quality and production.

USE RESTRICTIONS

Not for use on agricultural establishments in hopper-box, planter-box, slurry-box or other seed treatment applications at or immediately before planting.

Coloring

All seed treated commercially with this product must be colored with an EPA-approved dye or colorant of a suitable color to prevent accidental use as food for man or feed for animals.

Mixing with Other Seed Treatment Products

Read and follow the entire label of each product to be used in combination with this product.

Use Promptly

Use product within 8 hours of mixing with water. Reseal unopened containers to minimize exposure to air and moisture.

SEED TREATMENT[*]

Use only on seeds for crops listed on the label. REZIST SA may be applied as a seed treatment by commercial seed treatment facilities. Mix thoroughly and treat seed. Use application rates as specified on crops listed below. REZIST SA may be mixed with certain other commercial seed treatments. Use of the resulting mix must be in accordance with the more restrictive label limitations and precautions. Allow treated seeds to dry as appropriate before further handling.

Slurry Treatment

REZIST SA may be applied as a water-based slurry through standard slurry or mist-type commercial seed treatment equipment. Add an EPA-approved dye (40 CFR Section 180.910-920) or colorant that imparts unnatural color to resulting slurry. Mix the slurry thoroughly with the seeds to provide uniform coverage.

REZIST SA must be applied with a total slurry of at least 6.0 fluid ounces per 100 pounds of seeds. Note that this slurry volume may be composed of water or other EPA approved insecticides, fungicides, or other seed treatments. Always apply enough solution to ensure adequate seed coverage.

Per hundredweight (cwt.) of seed, dilute one fluid ounce of REZIST SA in 16 fluid ounces of water and mist spray on seed. REZIST SA can be poured on or mixed with the seed in the hopper at planting.

[*Not for Use in California]

Seed	Amount of diluted REZIST SA (fl oz per 100 lb weight)
Alfalfa	0.33 to 1 fl oz
Barley, millet, oats, rye, sorghum, triticale	0.33 to 1 fl oz
Bean (lima) and peas	0.33 to 1 fl oz
Beans (snap & dry, cowpeas)	0.33 to 1 fl oz
Broccoli, Brussels sprouts, cabbage, cauliflower, collards, kale, kohlrabi, mustard, turnip	0.33 to 1 fl oz
Beet (garden), sweet chard	0.33 to 1 fl oz
Canola	0.33 to 1 fl oz
Cantaloupe, cucumber, pumpkin, squash, watermelon	0.33 to 1 fl oz
Carrot, endive, lettuce, pepper, radish, spinach	0.33 to 1 fl oz
Clover, clover grown for seeds	0.33 to 1 fl oz
Corn (field), corn (sweet)	0.33 to 1 fl oz
Eggplants 0.33 to 1.00 fl oz	0.33 to 1 fl oz
Cotton (acid delinted, re-ginned, and fuzzy)	0.33 to 1 fl oz
Flax	0.33 to 1 fl oz
Grasses, grasses grown for seeds	0.33 to 1 fl oz
Onion	0.33 to 1 fl oz
Ornamental flower seed	0.33 to 1 fl oz
Peanuts	0.33 to 1 fl oz
Potatoes	0.33 to 1 fl oz
Rice	0.33 to 1 fl oz
Safflower, sunflower	0.33 to 1 fl oz
Small seed legumes	0.33 to 1 fl oz
Soybeans	0.33 to 1 fl oz
Sugar beets	0.33 to 1 fl oz
Tomato	0.33 to 1 fl oz
Wheat	0.33 to 1 fl oz
All other vegetable seed	0.33 to 1 fl oz

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool place and out of direct sunlight.

PESTICIDE DISPOSAL: To avoid wastes, use all of the material in this container by application according to label directions. If waste cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER HANDLING

Nonrefillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrcycle.org. If not recycled, then puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

For packages up to 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

For packages greater than 5 gallons and less than 56 gallons : Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

For packages greater than 56 gallons: To clean the container before final disposal empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

For refillable containers: Refill this container with REZIST SA only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. For final disposal offer for recycling or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

WARRANTY

To the fullest extent permitted by law, neither the manufacturers nor the seller make any warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use of this material when such use is contrary to label instructions. Read and follow the label directions carefully.

Manufactured by:

STOLLER ENTERPRISES, INC.
9090 Katy Freeway, Suite 400
Houston, TX 77024 U.S.A.

Toll Free 1-800-539-5283 Tel.: 1(713) 461-1493 • Fax: 1(713) 461-4467

[Label version date: 05/12/2022]