

DRAFT LABEL

**ACCEPTED**

JUL 1 0 1987

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 57559-1

**KENNECOTT  
SULFURIC ACID DESSICANT  
FOR ~~POTATO VINES~~**

RESTRICTED USE PESTICIDE

For sale to and application only by  
certified applicators or persons  
under their direct supervision

Active ingredient:	Sulfuric Acid	93.0%
Inert ingredients:		7.0%
		<u>100.0%</u>

KEEP OUT OF REACH OF CHILDREN

DANGER - POISON

<S/XB>

Causes severe burns. Contents may be under pressure of  
explosive hydrogen gas. Keep away from heat, sparks and flames.

Manufactured by:  
Kennecott  
10 East South Temple  
Salt Lake City, Utah 84147

**BEST AVAILABLE COPY**

Side Panel A

PRECAUTIONARY STATEMENTS

DANGER - POISON

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive, causes irreversible eye damage and skin burns.  
Fatal if swallowed, inhaled or absorbed through skin.

When handling, wear NIOSH/MSHA approved dust/mist respirator, face shield, rubber gloves and appropriate protective clothing. Wash thoroughly after handling and before eating, drinking or smoking. Do not eat, drink or smoke in work area. An adequate supply of water for drenching purposes should be immediately available. Do not add water to container because of violent reaction. Do not enter treated field within five (5) days after application without protective clothing.

STATEMENT OF PRACTICAL TREATMENT

IMMEDIATELY CALL A PHYSICIAN

INHALATION: remove to fresh air. If breathing stopped, give artificial respiration. If breathing with difficulty, give oxygen.

SWALLOWING: drink large amounts of water or milk. DO NOT INDUCE VOMITING.

SKIN OR EYES: immediately flush with plenty of water for at least fifteen minutes. Remove contaminated clothing.

ENVIRONMENTAL HAZARDS

This material is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Storage: Protect from physical damage. Keep away from combustibles and reactive chemicals. Do not store near feed or food.

Spills and Disposal: Dilute small spills with plenty of water, neutralize with alkali such as soda ash, lime or baking soda. Major spills must be handled by a predetermined plan; diking with soda ash is recommended.

Thoroughly clean equipment with suitable cleaner before using for other purposes. Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or State procedures under the Resource Conservation and Recovery Act (RCRA).

**BEST AVAILABLE COPY**

Side Panel B

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

To kill potato vines, apply undiluted sulfuric acid (93%) at a rate of 17-23 gallons per acre per application. Apply at least five (5) days prior to harvest to allow tubers to mature. Repeat after five (5) days if vines are not completely dessicated. Do not harvest within five (5) days of application.

EPA Registration No.  
EPA Establishment No.

**BEST AVAILABLE COPY**