

AUTOMATIC CHLORINATORS: Product is designed to work in many types of automatic erosion-type swimming pool chlorinators. For Guardex Chlorinators, be sure to cut off the protruding air vent at the top of the feeder cartridge. Then follow Guardex instructions as usual to maintain chlorine residual of 1.5-2ppm. For EZ Chlor Chlorinators, do not cut off air vent. Be sure to screw child resistant cap on tightly and follow EZ Chlor instructions as usual to maintain chlorine residual of 1.5-2 ppm. For best results: follow directions for the particular brand of chlorinator in use.

DIRECTIONS FOR USE:

It is a violation of Federal law to use the product in a manner inconsistent with its labeling. STABILIZED 1" TABLETS are slow dissolving tablets to provide continuous chlorination to control bacteria and algae.

RECOMMENDED DOSAGE: For each 15,000 gal. of pool water, place 10 tablets (0.5 oz. by wt. in the skimmer basket. Allow 6 to 12 hrs. for chlorine residual to equalize. Initial treatment will last from 2 to 4 days depending on water temperature and flow rate through the skimmer. Chlorine residual should be maintained between 1.5 and 2.0 ppm as determined by a suitable test kit. If daily testing indicates the chlorine level to be low, increase the number of tablets in the skimmer basket. If daily testing indicates the chlorine level to be higher than 2.0 ppm, reduce the number of tablets accordingly.

Once every two weeks a shock dose of 5 ppm chlorine should be made to prevent the development of resistant species of algae. 1" TABLETS are not recommended for this purpose. STABILIZED GRANULAR used at the rate of 1/2 lb. per each 10,000 gallons of water will satisfy this requirement when used in conjunction with 1" TABLETS. Keep pH of water between 7.2 and 7.6 as determined by a suitable test kit. Reentry into treated swimming pool is prohibited above levels of 3 ppm of chlorine.

PRECAUTIONARY STATEMENTS-HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER-CORROSIVE: Causes irreversible eye damage and skin lumps. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT (FIRST AID):

IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. AVOID ALCOHOL. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.


**An Organic
Conc...trate for
Swimming Pools**

ACTIVE INGREDIENT:
Trichloro-s-triazinetrione 99%
INERT INGREDIENT 1%
Each tablet weighs approx. 0.5 oz. and contains 80% available

KEEP OUT OF REACH OF CHILDREN
DANGER
See additional warnings on side panels

NET WT. 4 LBS. (1.814 kg)

HAVILAND



**Universal Feeder
Cartridge**

PM 32

SH787-12

Accepted stamp on pg. 9 of 2

2-3-98

1 of 2

NOTE TO PHYSICIAN: Probable mucosal damage may contaminate the use of gastric lavage.

PHYSICAL AND CHEMICAL HAZARDS-STRONG OXIDIZING AGENT.

Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 464°F with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. NEVER add water to product. Always add product to large quantities of water. Use clean, dry utensils. DO NOT add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic material or other chemicals may start a chemical reaction with generation of heat liberation of hazardous gases, and possible fire and explosion. **IN CASE OF FIRE OR SMOKE:** Call the fire department. Do not attempt to extinguish the fire without a self-contained breathing apparatus (SCBA). Do not let the fire burn. Flood with copious amounts of water. DO NOT use ABC or other dry chemical extinguishers since there is a potential for a violent reaction.

ENVIRONMENTAL HAZARDS; THIS PESTICIDE IS TOXIC TO FISH AND AQUATIC ORGANISMS. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional office of EPA.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Keep material dry in tightly closed container when not in use. Store in cool, dry well ventilated area away from heat or flame. **CONTAINER DISPOSAL:** Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in a trash collection or dispose in approved landfill area. **IN CASE OF CONTAMINATION OF DECOMPOSITION:** Do not reuse container, if possible. Isolate container in open air or well-ventilated area. Flood with large volume of water, avoid breathing fumes. Dispose of contaminated material in an approved landfill.

EPA Reg. No. 57787-12

EPA Est. No. 34298-MI-1

Packaged for: Haviland Consumer Products, Inc.
Grand Rapids, MI 49504

FEB 3 1998

Under The Federal Insecticide, Fungicide and
Rodenticide Act, as amended, for the
pesticide registered under

EPA Reg. No. 57787-12



0 25551 41735 0

2012