



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

57787-29

Date of Issuance:

December 8,
2004

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance: Conditional

Name of Pesticide Product: Pro Team
Power Magic Superoxidizer

Name and Address of Registrant (include ZIP Code):

Haviland Consumer Products, Inc.
421 Ann Street N.W.
Grand Rapids, MI. 49504-2075

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to the use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided you:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit one copy of the revised final printed label for the record changing the EPA File symbol 57787-EO to EPA Registration Number 57787-29.
3. Obtain and add your EPA establishment number.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

You must submit 2 copies of your finished label to this Office prior to your shipment of this product.

Signature of Approving Official:

Emily H. Mitchell
Emily H. Mitchell,
Acting Product Manager 32
Regulatory Management Branch II

Date:

DEC - 8 2004

ProTeam[®]

Front panel for ProTeam Power Magic Superoxidizer label.

S Power Magic[®] h Superoxidizer

- O Shock treatment kills bacteria and
- C controls algae. Restores a crystal clarity
- k to pool water and enhances water quality

TOTAL ACTIVE INGREDIENTS..77.4%

Calcium Hypochlorite.....	47.6%
Sodium Tetraborate Pentahydrate	29.8%
OTHER INGREDIENTS:.....	22.6%
TOTAL:.....	100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See additional precautionary statements on side label.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water of 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Chemtrec 1-800-424-9300. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water of 15-20 minutes. Call a poison control center or doctor for treatment advice. Chemtrec 1-800-424-9300. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Chemtrec 1-800-424-9300. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Chemtrec 1-800-424-9300. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

ACCEPTED
 INSTRUCTIONS
 DEC - 8 2004

57787-29

NET WT. 1 lb. (453g)

Manufactured by Haviland Consumer Products, Inc.
Grand Rapids, Michigan 49504 USA

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

DANGER

Highly corrosive, causes eye and skin damage. Wear goggles or face shield and rubber gloves when handling. Remove and wash contaminated clothing and shoes before reuse. May be fatal if swallowed. Irritating to nose and throat. Avoid breathing dust. Do not get in eyes, on skin, or on clothing.

PHYSICAL AND CHEMICAL HAZARDS:
Strong oxidizing agent. Mix only with water. Use only a clean, dry utensil made of metal or plastic each time product is taken from the container. **Do not add this product to any dispensing device containing remnants of any other product. Such use may cause violent reaction leading to fire or explosion.** Contamination with moisture, acids, organic matter, other chemicals or easily combustible materials such as petroleum or paint products may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of a fire or explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well-ventilated area. Flood with large volumes of water, if necessary.

Storage and Disposal

Keep in original container in a cool, dry, well-ventilated place. Keep container closed when not in use. Keep away from heat sources, sparks, open flames and lighted tobacco products. Use only a clean, dry utensil made of metal or plastic each time product is taken from the container.

Disposal – Do not reuse empty container. Disposal instructions; Call your local solid waste agency or 1-800-CLEANUP (253-2687) for proper disposal of empty containers and unused product.

In Case of Fire – Drench with water. Calcium hypochlorite supplies oxygen; therefore attempts to smother fire with a wet blanket, carbon dioxide, or a dry chemical extinguisher are ineffective.

In Case of Spill or Leak – Use extreme caution. Contamination may cause fire or violent reaction. If fire or reaction occurs in area of spill, douse with plenty of water. Otherwise sweep up spilled material, using a clean, dry shovel and broom and dissolve spilled material in water. Then immediately use solution as directed.

*Side panel for ProTeam Power
Magic Superoxidizer label.*

RECEIVED
DEC - 8 2004
57787-29

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Swimming pool water is subject to a build-up of a wide variety of organic contaminants including swimmer wastes, such as perspiration, ammonia compounds, and natural and synthetic oils and lotions. If left untreated, the build-up of these contaminants could lead to the development of noxious odors, irritation water, and unsightly water clarity problems. These organic wastes, which serve as nutrients for bacteria, algae, and other organisms should be removed from the pool on a regular basis to prevent their build up in pool water. This product will effectively reduce organic contamination in swimming pool water resulting in increased water clarity.

This product is a dry granular material in free flowing form, which contains a minimum of 45% available chlorine. It provides a rapid source of a chlorine containing disinfectant, which protects the pool against the growth of bacteria and algae to help keep the pool in a sanitary condition.

HOW TO APPLY: This product is best added to the pool as a solution. Pre-dissolve the required quantity of this product in a plastic pail or bottle using 1 gallon of water to dissolve every 2oz. (4 level tbsp.) of product. Allow the mixture to settle and decant off the clear solution into a plastic sprinkling can and use the clear solution for treatment. This product may also be added to the pool by broadcasting the dry granules over the pool water surface. No one should be in the pool when chemicals are being added.

REGULAR TREATMENT FOR POOLS IN USE: Maintain pool parameters in the ranges recommended below or at levels required by location regulations. Obtain and make use of a high quality pool test kit to measure pH, free chlorine residual, total alkalinity, water hardness, and cyanuric acid concentration.

Parameters

- 1. pH.....daily
 - 2. Free chlorine residual.....daily
 - 3. Total Alkalinity as CaCO₃.....weekly
 - 4. Stabilizer.....weekly
 - 5. Water hardness as CaCO₃ ..monthly
-
- 1. pH.....7.2 to 7.4
 - 2. Free Chlorine Residual...1 - 3 ppm
 - 3. Total Alkalinity.....80 - 100 ppm
 - 4. Stabilizer.....30 to 50 ppm
 - 5. Water hardness...200 ppm minimum

Initial Chlorination: Begin operation of your recirculation equipment. Superchlorinate the pool by following the directions given below. Wait at least 4 hours, preferably overnight, and then vacuum the pool bottom. Determine the free chlorine residual using your test kit. If no residual chlorine is found, superchlorinate the pool water again. Wait 30 minutes then retest. Repeat the treatment until a minimum of 1.5-ppm (parts per million) free chlorine residual has been established. Do not enter the water until the free chlorine residual is 3.0 ppm or less. Make certain the pool water parameters described above are in their proper ranges.

Routine Chlorination: The pH, total alkalinity, water hardness, and stabilizer concentration should

be maintained at the proper levels. Subsequently add 4.5 oz. of this product (1.5 oz. in stabilized pools) per 5,000 gallons of water daily or as often as needed to maintain the desired free chlorine residual whether the pool is in use or not. Actual dosages of product required to maintain the desired free chlorine residual will vary with sunlight, water temperature, bathing load, stabilizer concentration, and other factors. Use a test kit frequently to determine and maintain the proper free chlorine residual. For small changes in free chlorine residual once a free chlorine residual is detected, the addition of 1.5 oz. (3 level tbsp.) of this product to 5,000gallons of water will raise the free chlorine residual approximately 1.0 ppm.

HELPFUL AIDS IN SWIMMING POOL CARE

Superchlorination: Superchlorination is recommended to combat the growth of algae and other microorganisms and to destroy unfiltered organic contamination, which could build up in the pool water. Adjust pH between 7.2 and 7.4 prior to superchlorinating. Add 6 oz. of this product to every 5,000 gallons of water. Maintain operation of your pump and filter. Treatment should be done at night or during a period when the pool is not in use. Superchlorinate at least once per week during period of heavy usage or when water temperatures are above 80° F and once every two weeks in residential pools receiving normal usage. Do not enter the pool until the free chlorine residual has dropped to 3.0 ppm or less.

Shock Treatment: Shocking is recommended when certain pool water quality problems such as visible signs of algae growth, noxious odors, or other unusual water quality problems develop. Adjusting pH between 7.2 & 7.4 prior to shocking. Add 8 oz. of this product to every 5,000 gallons of water. Maintain operation of your pump and filter. Treatment should be done at night or during a period when the pool is not in use. Do not enter the pool until the free chlorine residual has dropped to 3.0 ppm or less as measured using your test kit.

Need for Control of pH, Total Alkalinity, Water

Hardness, and use of Stabilizer: Maintaining the proper pH, total alkalinity, and water hardness is necessary to obtain proper water balance, and help avoid problems such as cloudy water scaling, corrosion and swimmer discomfort. Stabilizers such as cyanuric acid slow down the rate at which chlorine is destroyed by sunlight. Follow carefully the directions given with the product when using a stabilizer. Kits for testing free chlorine, pH, total alkalinity, water hardness, and cyanuric acid concentration are an integral part of a proper program for controlling the quality of your pool water. The kits are inexpensive and available from most pool chemical dealers.

Us Patent Numbers 5676844, 4594091
EPA Reg. No.
EPA Est. No.

DEC - 8 2004

*Back panel for ProTeam Power Magic
Superoxidizer label.*