

57787-29

11/14/2007

176
FILE COPY

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460



Office of Pesticide Programs

November 14, 2007

Richard Westman
Haviland Consumer Products, Inc.
421 Ann Street, N.W.
Grand Rapids, MI 49504-2075

Subject: **ProTeam Power Magic Superoxidizer**
EPA Registration Number: 57787-29
Application Dated: October 25, 2007
Receipt Date: October 30, 2007

Dear Mr. Westman:

This acknowledges receipt of your notification, Submitted under the provision of PR Notice 98-10, FIFRA Section 3(c) 9.

Proposed Notification

- Insert the missing Environmental Hazards section on the label

General Comment

Based on a review of the material submitted, the following comment applies:

This notification is accepted and a copy has been inserted in your file for future reference.

Should you have any questions concerning this letter, please contact Wanda Henson at (703) 308-6345.

Sincerely,

Wanda Henson
Product Reviewer (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

 United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number _____
----------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------	-----------------------------

Application for Pesticide - Section I

1. Company/Product Number 57787-29	2. EPA Product Manager Ms. Emily Mitchell	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) ProTeam Power Magic Superoxidizer	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Insert the missing Environmental Hazards section (highlighted) between the PHYSICAL AND CHEMICAL HAZARDS section and the Storage and Disposal section. See the attached letter for the appropriate Notification Statement.

Section - III

1. Material This Product Will Be Packaged In:


Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted If "Yes" Unit Packaging wgt. No. per container		If "Yes" Package wgt No. per container	


3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container 1 lb., 5 lb. & 25 lb.	5. Location of Label Directions <input checked="" type="checkbox"/> _____
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input checked="" type="checkbox"/> Stenciled <input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Richard Westman	Title Mgr. Environment, Health, Safety & Compliance	Telephone No. (Include Area Code) (616) 361-6691 Ext. 209
-------------------------	--------------------------------------------------------	--------------------------------------------------------------

<p style="text-align: center;">Certification</p> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.	6. Date Application Received (Stamp)
2. Signature 	3. Title Mgr. Environmental, Health, Safety & Compliance
4. Typed Name Richard Westman	5. Date October 25, 2007



HAVILAND® CONSUMER PRODUCTS INC.

421 ANN ST. N.W. GRAND RAPIDS, MI 49504-2075



Richard Westman, Manager/Environmental, Health, Safety, & Compliance Department

Switchboard: (616) 361-6691 Ext. 209
(800) 456-1134 Ext. 209

Direct: (616) 365-3655
Cell Phone: (616) 291-6855



October 25, 2007

Ms. Emily Mitchell
US Environmental Protection Agency
Regulatory Management Branch II
Antimicrobial Division (7510P)
1200 Pennsylvania Ave.
Washington, DC 20460

RE: Notification Letter for Label Change (57787-29).

Ms. Mitchell,

This is a copy of the authorization letter needed for a notification to add an Environmental Hazard Statement to Haviland's ProTeam Power Magic Superoxidizer label. The EPA registration number for this base product registration is 57787-29. See the attached original EPA form 8570-1, dated 12.8.04 and three copies (one highlighted) of the new label.

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001, to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."


If I can be of further assistance, please call at any of the above telephone numbers.

Best Regards,

Richard Westman

Cc: File

Enclosures



ProTeam®

*Front panel for ProTeam Power
Magic Superoxidizer label.*

S Power Magic®

h Superoxidizer

O *Shock treatment kills bacteria and*
C *controls algae. Restores a crystal clarity*
k *to pool water and enhances water quality.*

TOTAL ACTIVE INGREDIENTS..77.4%	
Calcium Hypochlorite.....	47.6%
Sodium Tetraborate pentahydrate	29.8%
OTHER INGREDIENTS:.....	22.6%
TOTAL.....	100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

**See additional precautionary
statements on side label.**

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Chemtrec 1-800-424-9300. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. Chemtrec 1-800-424-9300. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Chemtrec 1-800-424-9300. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Chemtrec 1-800-424-9300. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

NET WT. 1 lb. (453 g)

Manufactured by Haviland Consumer Products, Inc.
Grand Rapids, Michigan 49504 USA

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

5 8 6

*Side panel for ProTeam Power
Magic Superoxidizer label.*

DANGER

Highly corrosive, causes eye and skin damage. Wear goggles or face shield and rubber gloves when handling. Remove and wash contaminated clothing and shoes before reuse. May be fatal if swallowed. Irritating to nose and throat. Avoid breathing dust. Do not get in eyes, on skin, or on clothing.

PHYSICAL AND CHEMICAL HAZARDS:

Strong oxidizing agent. Mix only with water. Use only a clean, dry utensils made of metal or plastic each time product is taken from the container. **Do not add this product to any dispensing device containing remnants of any other product. Such use may cause violent reactions leading to fire or explosion.** Contamination with moisture, acids, organic matter, other chemicals or easily combustible materials such as petroleum or paint products may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire or explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well-ventilated area. Flood with large volumes of water, if necessary.

Environmental Hazards


This product is toxic to fish and aquatic Organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries oceans, or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of EPA. Do not contaminate water by cleaning of equipment or disposal of waste.

Storage and Disposal

Keep in original container in a cool, dry, well-ventilated place. Keep container closed when not in use. Keep away from heat sources, sparks, open flames and lighted tobacco products. Use only a clean dry utensil made of metal or plastic each time product is taken from the container.

Disposal – do not reuse empty container.

Disposal instructions; Call your local solid waste agency or 1-800-CLEANUP (253-2687) for proper disposal of empty containers and unused product.



In Case of Fire – Drench with water.

Calcium hypochlorite supplies oxygen; therefore attempts to smother fire with a wet blanket, carbon dioxide, or a dry chemical extinguisher are ineffective.

In Case of Spill or Leak – Use extreme Caution.

Contamination may cause fire or violent reaction. If fire or reaction occurs in area of spill, douse with plenty of water. Otherwise sweep up spilled material, using a clean, dry shovel and broom and dissolve spilled material in water. Then immediately use solution as directed.

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Swimming pool water is subject to a build-up of a wide variety of organic contaminants including swimmer wastes, such as perspiration, ammonia compounds, and natural and synthetic oil and lotions. If left untreated, the build-up of these contaminants could lead to the development of clarity problems. These organic wastes, which serve as nutrients for bacteria, algae, and other organisms should be removed from the pool on a regular basis to prevent their build up in pool water. This product will effectively reduce organic contamination in swimming pool water resulting in increased water clarity.

This product is a dry granular material in free flowing form, which contains a minimum of 45% available chlorine. It provides a rapid source of a chlorine containing disinfectant, which protects the pool against the growth of bacteria and algae to help keep the pool in a sanitary condition.

HOW TO APPLY: This product is best added to the pool as a solution. Pre-dissolve the required quantity of this product in a plastic pail or bottle using 1 gallon of water to dissolve every 2 oz. (4 level tbsp.) of product. Allow the mixture to settle and decant off the clear solution into a plastic sprinkling can and use the clear solution for treatment. This product may also be added to the pool by broadcasting the dry granules over the pool water surface. No one should be in the pool when chemical are being added.

REGULAR TREATMENT FOR POOLS IN USE:

Maintain pool parameters in the ranges recommended below or at levels required by the local regulations. Obtain and make use of a high quality pool test kit to measure pH, free chlorine residual, total alkalinity, water hardness and cyanuric acid concentration.

Parameters

- 1. pH.....daily
- 2. Free chlorine residual..... daily
- 3. Total Alkalinity s CaCO₃.....daily
- 4. Stabilizer.....daily
- 5. Water hardness as CaCO₃..daily

- 1. pH.....7.2 to 7.4
- 2. Free Chlorine Residual... 1 – 3 ppm
- 3. Total Alkalinity.....80 – 100 ppm
- 4. Stabilizer..... 30 to 50 ppm
- 5. Water hardness...200 ppm minimum

Initial Chlorination: Begin operation of you recirculation equipment. Superchlorinate the pool by following the directions given below. Wait at least 4 hours, preferably overnight, and then vacuum the pool bottom. Determine the free chlorine residual using your test kit. If no residual chlorine is found, superchlorinate the pool water again. Wait 30

minutes then retest. Repeat the treatment until a minimum of 1.5-ppm (parts per million) free chlorine residual has been established. Do not enter the water until the free chlorine residual is 3.0 ppm or less. Make certain the pool water parameters described above are in their proper ranges.

Routine Chlorination: The pH, total alkalinity, water hardness, and stabilizer concentration should be maintained at the proper levels. Subsequently add 4.5 oz. of this product (1.5 oz. in stabilized pools) per 5,000 gallons of water daily or as often as needed to maintain the desired free chlorine residual whether the pool is in use or not. Actual dosages of product required to maintain the desired free chlorine residual will vary with sunlight, water temperature, bathing load, stabilizer concentration, and other factors. Use a test kit frequently to determine and maintain the proper free chlorine residual. For small changes in free chlorine residual once a free chlorine residual is detected, the addition of 1.5 oz. (3 level tbsp.) of this product to 5,000 gallons of water will raise the free chlorine residual approximately 1.0 ppm.

HELPFUL AIDS IN SWIMMING POOL CARE

Superchlorination: Superchlorination is recommended to combat the growth of algae and other microorganisms and to destroy unfiltered organic contamination, which could build up in the pool water. Adjust pH between 7.2 and 7.4 prior to superchlorinating. Add 6 oz. of this product to every 5,000 gallons of water. Maintain operation of your pump and filter. Treatment should be done at night or during a period when the pool is not in use. Superchlorinate at least once per week during periods of heavy usage or when water temperatures are above 80° F and once ever two weeks in residential pools receiving normal usage. Do not enter the pool until the free chlorine residual has dropped to 3.0 pp or less.

Shock Treatment: Shocking is recommended when certain pool water quality problems such as visible signs of algae growth, noxious odors, or other unusual water quality problems develop. Adjusting pH between 7.2 & 7.4 prior to shocking. Add 8 oz. of this product to every 5,000 gallons of water. Maintain operation of your pump and filter. Treatment should be done at night or during a period when the pool is not in use. Do not enter the pool until the free chlorine residual has dropped to 3.0 ppm or less as measured using your test kit.

Need for Control of pH, Total Alkalinity, Water

Hardness, and use of Stabilizer: Maintaining the proper pH, total alkalinity, and water hardness is necessary to obtain proper water balance, and help avoid problems such as cloudy water, scaling, corrosion and swimmer discomfort. Stabilizers such as cyanuric acid slow down the rate at which chlorine is destroyed by sunlight. Follow carefully the directions given with the product when using a stabilizer. Kits for testing free chlorine, pH total alkalinity, water hardness, and cyanuric acid concentration are an integral part of a proper program for controlling the quality of your pool water. The kits are inexpensive and available from most pool chemical dealer.

US Patent Numbers 5676844, 4594091

EPA Reg. No. 57787-29

EPA Est. No. 57787-MI-1

Back Panel for ProTeam Power Magic Superoxidizer label.