

57787-29

2-25-2008

1/4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460



February 25, 2008

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Milo Fortier
Environmental, Health, Safety, & Compliance Manager
Haviland Consumer Products, Inc.
421 Ann Street, NW
Grand Rapids, MI 49504-2075

Subject: ProTeam Power Magic Superoxidizer
EPA Registration No. 57787-29
Application Date: January 31, 2008
Receipt Date: February 4, 2008

Dear Mr. Fortier:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

- Addition of alternate brand name "Ultra Shock Plus"

General Comments

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson
Product Reviewer (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

CONCURRENCES							
YMBOL	7510P	7510P					
JRNAME	W. Berg	Henson					
DATE	2/25/08	2/25/08					



HAVILAND[®] CONSUMER PRODUCTS INC.

421 ANN ST. N.W. GRAND RAPIDS, MI 49504-2075

2/4
hep HAVILAND
CONTOURED PLASTICS

Milo Fortier, Manager / Environmental, Health & Safety Department

Switchboard: (616) 361-6691 Ext. 209
(800) 456-1134 Ext. 209

Fax: (616) 361-9772
Cell: (616) 477-5279



January 31, 2008

Ms. Emily Mitchell
US Environmental Protection Agency
Regulatory Management Branch II
Antimicrobial Division (7510P)
1200 Pennsylvania Ave.
Washington, DC 20460

RE: Notification Letter: New Alternate Brand Name for (57787-29)

Ms. Mitchell,

This is a copy of the authorization letter needed for a notification to add an Alternate Brand Name to our ProTeam Power Magic Superoxidizer base registration (57787-29). See the attached original EPA form 8570-1, dated 1-31-08.

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40CFR 152.46, and no other changes have been made to labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001, to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

If I can be of further assistance, please call at any of the above telephone numbers.

Best Regards,

Milo Fortier

cc: File

Enclosure

A SUBSIDIARY OF HAVILAND ENTERPRISES, INC.

Phone 616•361•2929 www.havilandusa.com Fax 616•361•7801

3/4



United States
Environmental Protection Agency
 Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 57787-29	2. EPA Product Manager Emily Mitchell	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) ProTeam Power Magic Superoxidizer	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Haviland Consumer Products, Inc. 421 Ann Street N.W., Grand Rapids, MI 49504 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

To include Alternate Brand Name "Ultra Shock Plus".
 Please make this item part of the record for this registration.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input checked="" type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container
1lb. and 25 lb.

5. Location of Label Directions
 On Label
 On Labeling accompanying product

6. Manner in Which Label is Affixed to Product
 Lithograph
 Paper glued
 Stenciled Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Milo Fortier	Title EHS Manager	Telephone No. (Include Area Code) (616) 361-6691
----------------------	----------------------	---

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Environmental Health & Safety Manager	6. Date Application Received (Stamped)
4. Typed Name Milo Fortier	5. Date Jan 31, 2008	

4/4

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
DANGER**

Highly corrosive, causes eye and skin damage. Wear goggles or face shield and rubber gloves when handling. Remove and wash contaminated clothing and shoes before reuse. May be fatal if swallowed. Irritating to nose and throat. Avoid breathing dust. Do not get in eyes, on skin, or on clothing.

PHYSICAL AND CHEMICAL HAZARDS:
Strong oxidizing agent. Mix only with water. Use only a clean, dry utensil made of metal or plastic each time product is taken from the container. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause violent reaction leading to fire or explosion. Contamination with moisture, acids, organic matter, other chemicals or easily ignitable combustible materials such as petroleum or paint products may start a chemical reaction with generation of heat, liberation of hazardous gases and possible ignition of a fire or explosion. In case of contamination or decomposition, do not reseat container. If possible isolate container in open air or well-ventilated area. Flush with large volumes of water, if necessary.

Environmental Hazards
This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of EPA. Do not contaminate water by cleaning of equipment or disposal of waste.

Storage and Disposal
Keep in original container in a cool, dry, well-ventilated place. Keep container closed when not in use. Keep away from heat sources, sparks, open flames and lighted tobacco products. Use only a clean, dry utensil made of metal or plastic each time product is taken from the container.
Disposal - Do not reuse empty container. Disposal instructions: Call your local solid waste agency or 1-800-CLEANUP (253-2687) for proper disposal of empty container and unused product. In Case of Fire - Drench with water. Calcium hypochlorite supplies oxygen; therefore, attempts to smother fire with a wet blanket, carbon dioxide, or a dry chemical extinguisher are ineffective. In Case of Spill or Leak - Use extreme caution. Contamination may cause fire or violent reaction. If fire or reaction occurs in area of spill, douse with plenty of water. Otherwise sweep up spilled material, using a clean dry straw and broom and dissolve spilled material in water. Then immediately use solution as directed.

Shock treatment kills bacteria and controls algae. Restores a crystal clarity to pool water and enhances water quality.



TOTAL ACTIVE INGREDIENTS: 27.4%
Calcium Hypochlorite 47.5%
Sodium Tetraborate Pentahydrate 26.5%
OTHER INGREDIENTS 22.6%
TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See additional precautionary statements on back label.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Chemtrec 1-800-424-9300.
If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Chemtrec 1-800-424-9300.
If swallowed: Call a poison control center or doctor immediately for treatment advice. Chemtrec 1-800-424-9300. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Chemtrec 1-800-424-9300.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

NET WT. 1 lb. (453g)

Manufactured by Haviland Consumer Products, Inc.
Grand Rapids, Michigan 49504 USA

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Swimming pool water is subject to a build-up of a wide variety of organic contaminants including swimmer wastes, such as perspiration, ammonia compounds, and natural and synthetic oils and lotions. If left untreated, the build-up of these contaminants could lead to the development of noxious odors, irritating water and unsightly water clarity problems. These organic wastes which serve as nutrients for bacteria, algae, and other organisms should be removed from the pool on a regular basis to prevent their buildup. This product will effectively reduce organic contamination in swimming pool water resulting in increased water clarity.

HEALTHFUL AIDS IN SWIMMING POOL CARE:

Superchlorination: is recommended to combat the growth of algae and other micro-organisms and to destroy sunbather organic contamination, which could build up in the pool water. Adjust pH between 7.2 and 7.4 prior to superchlorinating. Add 6 oz. of this product to every 5,000 gallons of water. Maintain operation of your pump and filter. Treatment should be done at night or during a period when the pool is not in use. Superchlorinate at least once per week during periods of heavy usage or when water temperatures are above 80° F and once every two weeks in residential pools receiving normal usage. Do not enter the pool until the free chlorine residual has dropped to 3.0 ppm or less.

Shock Treatment: Shocking is recommended when certain pool water quality problems such as visible signs of algae growth, noxious odors or other unusual water quality problems develop. Adjusting pH between 7.2 & 7.4 prior to shocking. Add 6 oz. of this product to every 5,000 gallons of water. Maintain operation of your pump and filter. Treatment should be done at night or during a period when the pool is not in use. Do not enter the pool until the free chlorine residual has dropped to 3.0 ppm or less as measured using your test kit.

Need for Control of pH, Total Alkalinity, Water Hardness and use of Stabilizer:
Maintaining the proper pH, total alkalinity and water hardness is necessary to obtain proper water balance, and help avoid problems such as cloudy water scaling, corrosion and swimmer discomfort. Stabilizers such as cyanuric acid slow down the rate at which chlorine is destroyed by sunlight. Follow carefully the directions given with the product when using a stabilizer. Kits for testing free chlorine, pH, total alkalinity, water hardness and cyanuric acid concentrations are an integral part of a proper program for controlling the quality of your pool water. The kits are inexpensive and available from most pool chemical dealers.



0 25551 74002 1

US Patent Numbers 5676844, 4594091
EPA Reg. No. 57787-29
EPA Est. No. 57787-MI-1