## PRECAUTIONARY STATEMENT

## HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes or clothing. When handling, wear safety glasses. Wash thoroughly with soap and water after handling.

#### **ENVIRONMENTAL HAZARDS**

For terrestrial uses, do not apply directly to water, to areas when surface water is present, or to intertidal areas below the mean high water mark. This pesticide is slightly toxic to aquatic invertebrates.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### LANDFILLS AND NON-FISHBEARING BODIES OF WATER

USE RESTRICTIONS: This product may be used to repel starlings, brown-headed cowbirds, ring-billed gulls, Canada geese, and mallards from landfills: nonfishbearing bodies of water (tailing ponds, commercial or industrial water impoundments); and temporary pools of standing water located at or near airports.

[New York only . This product may only be used on landfills; non-fishbearing bodies of water and temporary pools of standing water on payed areas or construction sites at or near airports.]

#### **APPLICATION DIRECTIONS:**


Non-fishbearing bodies of water (tailing ponds, commercial or industrial water impoundments... Apply ReJeX-IT TP-40 at a rate of 20 lbs per acra (8 lbs z i, per acre) of water surface at 3-4 week intervals. Adjust bining of subsequent applications as required by bi.d activity and anticipated seasonal migrations. Best applied by spray equipment directly without further dilution.

Landfills: Apply ReJeX-iT TR-40 at a cate of 20.1bs per acre (8 lbs a.l. per acre) directly to the active face as econas the birds start to arrive. Repeat application as long as birds persists.

#### MASTER LABEL

This master label bears directions for both 1)landfills and non-fishbearing bodies of water and 2) fogging use with various environmental hazards, application direction, and dilution directions specific to use pattern.

> Rejex-it® TP-40 Bird Repellent



## **ACTIVE INGREDIENT:**

Methyl Anthranilate(MA), methyl 2-aminobenzoate	40.0 %
INERT INGREDIENTS	60.0 %

TOTAL

This product contains 3.16 pounds of Methyl Anthranilate per gallon of product.

ReJeX-iT®TP-40 has been formulated from Food Grade ingredients with an active ingredient that exceeds US Food Chemical Codex (FCC) specifications.

# KEEP OUT OF REACH OF CHILDREN CAUTION

See Left Panel for additional precautionary statements.

Manufactured for:

# Becker Underwood, Inc.

801 Dayton Avenue, PO Box 667, Ames, IA 50010 www.bucolor.com

NET CONTENT: \_\_\_\_ NET WEIĞHT: \_\_\_\_

## STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store only in original container, in a dry place inaccessible to children, pets and domestic animals. Store apart from pesticides, fertilizers, food or feed that cause m a v cross-contamination from odor. Keep container closed when not in use.

REPELLENT DISPOSAL: Avian Aversion Agent, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse. The offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedure approved by State and local authorities.

100.0 %

#### WARRANTY STATEMENT

NOTICE: The manufacturer warrants that this product conforms to the chemical description on its label. When used in accordance with label directions under normal conditions. this product is fit for its intended purpose. Since timing, method of application, weather and ground conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions, or under conditions which are abnormal or not reasonably foreseeable. The buyer and/or user assumes all risks of any such use.

## **FOGGING**

USE RESTRICTIONS: This product may be used in area applications to repel nuisance birds from 1) electrical substations and structures; 2) buildings and structures that are not in/on or adjacent to natural or fish-bearing bodies of water; and 3) landfills. Use caution when there are risks of direct exposure to humans, pets, domestic animals, or nontarget wildlife. Do not apply this product in areas where plant toxicity is likely to occur. Use caution when there are risks of discoloration of plants, painted structures, or other valuable property. Do not smoke while applying this product.

APPLICATION DIRECTIONS: Apply this formulation undiluted by use of thermal or mechanical fog/smoke generators that can deliver particles within the aerosol size range (below 30 microns). Birds must be exposed to airborne TP-40 if it is to achieve lasting results.

-Withhold treatment until conditions favoring successful use arise. TP-40 should be applied when birds have settled down in the roosting areas.

Apply undiluted TP-40 at rates of 1 to 4 ounces per 10,000 cubic feet of space to be treated. Hold fog generator's applicator at least 5 feet from objects to be fogged. Repeat treatment as necessary to achieve desired results. Several treatment, 1 to 4 days apart, may be needed.

Submitted 1/13/00