

58035-9

10/30/2009

1/15



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

October 30, 2009

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Michael Kellogg, Agent
Ceannard, Inc.
c/o Pyxis Regulatory Consulting, Inc.
4110 136th St. NW
Gig Harbor, WA 98332

RE: Product Name: Rejex-it AG-36
EPA Reg. No: 58035-9
Application for Notification Dated October 5, 2009 to add language
required by the state of California per PR-Notice 98-10

Dear Mr. Kellogg:

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under Pesticide Registration (PR) Notice 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PR Notice 98-10 and it has been determined that the action(s) requested falls within the scope of PR Notice 98-10. Our records have been duly noted, and the label submitted with this application has been stamped "Notification, received and reviewed" and will be placed accordingly in our records.

If you have any questions concerning this action, please feel free to contact Ms. Menyon Adams at (703) 347-8496 or email at adams.menyon@epa.gov.

Sincerely,

Linda Hollis
Linda Hollis, Chief
Biochemical Pesticides Branch
Biopesticides and Pollution Prevention
Division (7511P)



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 58035-9	2. EPA Product Manager L. Hollis	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Ceannard, Inc. / Rejex-it AG-36	PM# 91	
5. Name and Address of Applicant (Include ZIP Code) Ceannard, Inc. c/o Pyxis Regulatory Consulting, Inc. 4110 136th St. NW Gig Harbor, WA 98332 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

NOTIFICATION

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Date Reviewed: 10/5/09
 Reviewed By: MKA

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of minor label revisions per PRN 98-10 to facilitate registration in the state of California. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container 1 pint, 1 quart, 1 gallon, 2.5 gallons	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product			
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Michael Kellogg	Title Agent	Telephone No. (Include Area Code) (253) 853-7369
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Agent	
4. Typed Name Michael Kellogg	5. Date 10/5/09	

PYXIS REGULATORY CONSULTING, INC.

4110 136th St. NW
Gig Harbor, WA 98332

Phone: 253-853-7369
Fax: 253-853-5516
www.PyxisRC.com

October 5, 2009

COURIER DELIVERY

Linda Hollis (Chief - BPPD)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

RE: Ceannard, Inc. - Rejex-it AG-36 (EPA Reg. No. 58035-9)
Notification of Minor Label Revisions per PRN 98-10 to Facilitate Registration in the State of California

Dear Ms. Hollis,

On behalf of Ceannard, Inc. please find the enclosed label notification adding language **required by the state of California** to facilitate state registration of Rejex-it AG-36.

Changes made to the enclosed label include (changes are only required to be made to Sub-label #1: Commercial and Agricultural Market):


- For the commodities apples, cereal grains and sunflowers added the following language as **required by the state of California** – “California only: Mixers/handlers and air blast applicators must wear coveralls over normal work clothes and gloves. Harvesters must wear gloves and long-sleeved shirt. For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres.”
- For the commodities stone fruits, blueberries and grapes added the following language as **required by the state of California** – added “gloves” as required PPE for mixers/handlers and air blast applicators and added the restriction “For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres.”

In support of this notification, please find the enclosed:

1. Completed Application for Registration (EPA Form 8570-1)
2. One (1) copy of the Rejex-it AG-36 revised labeling with changes tracked
3. One (1) copy of the Rejex-it AG-36 revised labeling with changes incorporated
4. Certification With Respect to Label Integrity
5. One (1) copy of the Rejex-it AG-36 revised labeling on CD
6. Letter of Authorization

Please feel free to contact me if you have any questions or need any additional information.

Sincerely,



Michael Kellogg

Enclosures

cc: D. Reynolds; Ceannard, Inc.

3/15

4/15

Certification with Respect to Label Integrity

version: 9/11/02

I certify that the information (including, but not limited to, text, tables, and graphics) contained in the electronic file identified below by file name and submitted with this certification is the same information as that on the paper copies of these documents included with this submission.

PROPOSED LABEL		
EPA Registration #	Date Submitted to EPA	Electronic file name
58035-9	October 5, 2009	058035-00009.20091005.Rejex-it AG-36 label notification.pdf

I certify that the statements that I have made on this form are true, accurate, and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law.



 Signature

10/5/09

 Date

Michael Kellogg

Name (typed)

Agent

Title

5/15

Rejex-it AG-36
[MASTER LABEL]
[ABN: Rejex-it Migrate]
Goose and Bird Repellent

For Commercial, Agricultural and Home Use
To be used on Agricultural Commodities (Berries, Apples, Stone Fruits, Cereal Grains, and Sunflowers)
and Non-Agricultural Sites including Turf, Hydroseeding,
Garbage, Food Stuffs, Waste & Trash, and Spot Repelling

ACTIVE INGREDIENT:	
Methyl Anthranilate (MA), methyl 2-aminobenzoate	14.5%
OTHER INGREDIENTS:	85.5%
TOTAL	100.0%

This product contains 1.23 pounds/0.31 pounds/0.15 pounds of Methyl Anthranilate per gallon/quart/pint of product.

KEEP OUT OF REACH OF CHILDREN
CAUTION

[Sub-label #1: Rejex-It AG-36; ABN Rejex-It Migrate; Commercial and Agricultural Market]
For Commercial and Agricultural Use

To be used on Agricultural Commodities (Berries, Apples, Stone Fruits, Cereal Grains, and Sunflowers)
and Non-Agricultural Sites including Turf, Hydroseeding,
Garbage, Food Stuffs, Waste & Trash, and Spot Repelling

[Sub-label #2: Rejex-It AG-36; ABN Rejex-It Migrate; Residential Market]
For Home Use

To be used on Agricultural Commodities (Berries, Apples, Stone Fruits, Cereal Grains, and Sunflowers)
and Non-Agricultural Sites including Turf, Hydroseeding,
Garbage, Food Stuffs, Waste & Trash, and Spot Repelling


FIRST AID	
If in eyes	- Hold eye open and rinse slowly and gently with water for 15-30 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. - Call a poison control center or doctor for treatment advice.
If on skin or clothing	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	

Ceannard, Inc.
PO Box 2404
Gastonia, NC 28053
Toll Free 866-532-4737
260-447-6190
FAX 260-447-7827

EPA Reg. No. 58035-9

EPA Est. No. 71638-OH-001
or 73273-PX-001

NET CONTENTS: 1 pint, 1 quart, 1 gallon, 2.5 gallons



6/15

Sub-label #1: Commercial and Agricultural Market

Rejex-it AG-36

[MASTER LABEL]

[ABN: Rejex-it Migrate]

Goose and Bird Repellent

For Commercial and Agricultural Use

To be used on Agricultural Commodities (Berries, Apples, Stone Fruits, Cereal Grains, and Sunflowers) and Non-Agricultural Sites including Turf, Hydroseeding, Garbage, Food Stuffs, Waste & Trash, and Spot Repelling

ACTIVE INGREDIENT:

Methyl Anthranilate (MA), methyl 2-aminobenzoate 14.5%

OTHER INGREDIENTS: 85.5%

TOTAL 100.0%

This product contains 1.23 pounds/0.31 pounds/0.15 pounds of Methyl Anthranilate per gallon/quart/pint of product.

KEEP OUT OF REACH OF CHILDREN CAUTION


FIRST AID	
If in eyes	- Hold eye open and rinse slowly and gently with water for 15-30 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. - Call a poison control center or doctor for treatment advice.
If on skin or clothing	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	

Ceannard, Inc.
PO Box 2404
Gastonia, NC 28053
Toll Free 866-532-4737
260-447-6190
FAX 260-447-7827

EPA Reg. No. 58035-9

EPA Est. No. 71638-OH-001
or 75275-TX-001

NET CONTENTS: 1 pint, 1 quart, 1 gallon, 2.5 gallons



7/15

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/ maintaining PPE. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users Should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS


Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this labeling about PPE, restricted-entry intervals, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS).

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of zero (0) hours.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep unprotected persons out of treated areas until sprays have dried.



AGRICULTURAL CROPS

USE RESTRICTIONS:

Use this product to limit damage caused by birds on ripening crops. This product must be applied using appropriate spray equipment. Do not apply when crop is wet or rain is expected. Withhold treatment until fruit is susceptible to bird damage. Do not apply through any type of irrigation system.

COMPATIBILITY WITH OTHER PESTICIDES:

Compatibility with other adjuvants has not been tested. If adding other adjuvants or products, test for compatibility first or ask your representative for advice. Do not mix with dry formulations such as wettable powder formulations which may result in residue on the crop.

DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. For better coverage, add a super wetter (such as a non-ionic, organofunctional silicone surfactant, or sticker spreader), as directed on the label. Mix product outside or in a ventilated area. For ground application, mix Rejex-it AG-36 with water at a ratio of 1 part product to 10-20 parts water. For aerial application, mix Rejex-it AG-36 with water at a ratio of 1 part product to 1-3 parts water.

APPLICATION DIRECTIONS:

- Apply spray mixture so that crop receives thorough coverage.
- Repeat treatment if significant bird damage begins to occur.
- This product may be applied up to the day of harvest

USE SITE	APPLICATION DIRECTIONS	NOTES
Apples	Apply by ground application at a rate of 2.5 – 5 gallons of Rejex-it AG-36 (3.1-6.2 lbs a.i.) per acre or 7.5-15 fl. oz. per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water and apply at rates of 27.5-55 gallons or 52.5-100 gallons, respectively, of spray mixture per acre.	<u>California only: Mixers/handlers and air blast applicators must wear coveralls over normal work clothes and gloves. Harvesters must wear gloves and long-sleeved shirt. For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres.</u>
Stone Fruits Apricots Cherries Peaches Plums	Apply by ground application at a rate of 2.5 – 5 gallons of Rejex-it AG-36 (3.1-6.2 lbs a.i.) per acre or 7.5-15 fl. oz. per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water and apply at rates of 27.5-55 gallons or 52.5-100 gallons, respectively, of spray mixture per acre.	<u>California only: Mixers/handlers and air blast applicators must wear gloves and coveralls over normal work clothes and not prepare spray solutions using more than 50 gallons of concentrate per day. Harvesters must wear gloves and long-sleeved shirt. For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres.</u>
Blueberries	Apply by ground application at a rate of 2.5 – 5 gallons of Rejex-it AG-36 (3.1-6.2 lbs a.i.) per acre or 7.5-15 fl. oz. per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water and apply at rates of 27.5-55 gallons or 52.5-100 gallons, respectively, of spray mixture per acre.	<u>California only: Mixers/handlers and air blast applicators must wear gloves and coveralls over normal work clothes and not prepare spray solutions using more than 50 gallons of concentrate per day. Harvesters must wear gloves and long-sleeved shirts. For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres.</u>

USE SITE	APPLICATION DIRECTIONS	NOTES
Grapes (Table)	Apply by ground application at a rate of 2.5 – 5 gallons of Rejex-it AG-36 (3.1-6.2 lbs a.i.) per acre or 7.5-15 fl. oz. per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water and apply at rates of 27.5-55 gallons or 52.5-100 gallons, respectively, of spray mixture per acre.	<p>California only: Mixers/handlers and air blast applicators must wear <u>gloves and coveralls</u> over normal work clothes and not prepare spray solutions using more than 50 gallons of concentrate per day. Harvesters must wear gloves and long-sleeved shirts. <u>For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres.</u></p> <p>New York only: Aerial application is prohibited. This product is not to be used on grapes within Suffolk County.</p>
Cereal grains Corn (including sweet and pop) Millet Oats Sorghum	Apply by aerial application at a rate of 2.5 – 5 gallons of Rejex-it AG-36 (3.1-6.2 lbs a.i.) per acre or 7.5-15 fl. oz. per 1000 sq. ft. Use a 1:3 dilution with water and apply at rates of 10-20 gallons of spray mixture per acre.	<p>Begin applications when birds begin feeding or crop begins to ripen.</p> <p>California only: Mixers/handlers and air blast applicators must wear <u>coveralls over normal work clothes and gloves.</u> Harvesters must wear <u>gloves and long-sleeved shirt.</u> <u>For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres.</u></p> <p>New York only: Aerial application is prohibited.</p>
Sunflowers	Apply by aerial application at a rate of 2.5 – 5 gallons of Rejex-it AG-36 (3.1-6.2 lbs a.i.) per acre or 7.5-15 fl. oz. per 1000 sq. ft. Use a 1:3 dilution with water and apply at rates of 10-20 gallons of spray mixture per acre.	<p>Reapply: 22 days after application.</p> <p>California only: Mixers/handlers and air blast applicators must wear <u>coveralls over normal work clothes and gloves.</u> Harvesters must wear <u>gloves and long-sleeved shirt.</u> <u>For mixers/loaders, daily usage of this product is limited to a maximum of 40 acres.</u></p> <p>New York only: Aerial application is prohibited.</p>

TURF AND HYDROSEEDING

USE RESTRICTIONS:


Use this product to repel birds from golf courses, other turf areas (including around agricultural buildings and farmsteads), and hydroseeded areas. This product must be applied using appropriate spray equipment. Do not apply when grass is wet or rain is expected.

DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. For better coverage, add a super wetter (such as a non-ionic, organofunctional silicone surfactant, or sticker spreader), as directed on the label. Mix product outside or in a ventilated area. Mix Rejex-it AG-36 with water at a ratio of 1 part product to 20 parts water. For example, mix 2 pints of product with 5 gallons of water to make 5.25 gallons of spray mixture.

APPLICATION DIRECTIONS:

Apply at a rate of 1.2 gallons of spray mixture (0.07 lbs. a.i.) per 1000 sq. ft. of turf. Spray evenly on area to be protected to provide thorough coverage and allow material to dry before permitting human activity on the treated area. Repeat application in 4 days or as warranted by Canada goose activity. Do not mow treated area for several days after application.



GARBAGE, FOOD STUFFS, WASTE, AND TRASH

USE RESTRICTIONS:

Use this product to repel birds from garbage, spilled grain, and other waste food stuffs. This product must be applied using appropriate spray equipment. Do not apply if rain is expected.

DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. For better coverage, add a super wetter (such as a non-ionic, organofunctional silicone surfactant, or sticker spreader), as directed on the label. Mix product outside or in a ventilated area. Mix Rejex-it AG-36 with water at a ratio of 10-50% v/v with water. To make a 20% v/v mixture, mix 1 gallon of product with 5 gallons of water. To make a 50% v/v mixture, mix 1 gallon of product with 1 gallon of water.

APPLICATION DIRECTIONS:

Spray mixture evenly on area to be protected to provide thorough coverage and allow material to dry before permitting human activity on the treated area. Repeat application as warranted by bird activity.

SPOT REPELLING

USE RESTRICTIONS:

Use this product to immediately repel birds from in or on structures, turf areas, landfills, and other outdoor areas (including around agricultural buildings and farmsteads). This product must be applied using appropriate spray equipment.

DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. Mix product outside or in a ventilated area. Mix Rejex-it AG-36 with water at a ratio of 10-50% v/v with water. To make a 20% v/v mixture, mix 1 gallon of product with 5 gallons of water. To make a 50% v/v mixture, mix 1 gallon of product with 1 gallon of water.

APPLICATION DIRECTIONS:

Spray mixture evenly on area to be protected to provide thorough coverage and allow material to dry before permitting human activity on the treated area. Repeat application as warranted by bird activity.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Rejex-it AG-36 should be stored in its original container in a cool, dry locked place out of reach of children and out of direct sunlight. Do not use or store near heat or open flame.

PESTICIDE DISPOSAL: To avoid wastes, use all material in this container by application according to label directions. If waste cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).


CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds, after the flow begins to drip. Fill the container 1/4 full with water and soap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances. If burned, stay out of smoke.

WARRANTY STATEMENT

Notice: The statements on this label are believed to be true and accurate, but because conditions are beyond our control, Ceannard, Inc. does not make, nor does it authorize any agent or representative to make any oral, or written warranty, guarantee, or representation, express or implied, concerning this

material or the use thereof beyond the statements of the label. Ceannard, Inc. and the seller disclaim liability for, and expect the buyer to assume all risk for any claim or personnel injury or property damage or loss resulting from handling, storage, or use of this material not in accordance with the written directions. No other warranty exists.

EPA 20091005



Sub-label #2: Residential Market

Rejex-it AG-36

[ABN: Rejex-it Migrate]
Goose and Bird Repellent

For Home Use

To be used on Agricultural Commodities (Berries, Apples, Stone Fruits, Cereal Grains, and Sunflowers) and Non-Agricultural Sites including Turf, Hydroseeding, Garbage, Food Stuffs, Waste & Trash, and Spot Repelling

Table with 2 columns: Ingredient Name and Percentage. Rows include ACTIVE INGREDIENT: Methyl Anthranilate (MA), methyl 2-aminobenzoate (14.5%), OTHER INGREDIENTS (85.5%), and TOTAL (100.0%).

This product contains 1.23 pounds/0.31 pounds/0.15 pounds of Methyl Anthranilate per gallon/quart/pint of product.

KEEP OUT OF REACH OF CHILDREN
CAUTION


Table with 2 columns: Situation and First Aid Instructions. Rows include 'If in eyes', 'If on skin or clothing', and general instructions to have the product container on hand.

Ceannard, Inc.
PO Box 2404
Gastonia, NC 28053
Toll Free 866-532-4737
260-447-6190
FAX 260-447-7827

EPA Reg. No. 58035-9

EPA Est. No. 71638-OH-001
or 73273-TX-001

NET CONTENTS: 1 pint, 1 quart, 1 gallon



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wear gloves when handling and applying this product. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

AGRICULTURAL CROPS

USE RESTRICTIONS:

Use this product to limit damage caused by birds on ripening crops. This product must be applied using appropriate spray equipment. Do not apply when crop is wet or rain is expected. Withhold treatment until fruit is susceptible to bird damage.

COMPATIBILITY WITH OTHER PESTICIDES:

Compatibility with other adjuvants has not been tested. If adding other adjuvants or products, test for compatibility first or ask your representative for advice. Do not mix with dry formulations such as wettable powder formulations which may result in residue on the crop.


DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. For better coverage, add a super wetter (such as a non-ionic, organofunctional silicone surfactant, or sticker spreader), as directed on the label. Mix product outside or in a ventilated area. For ground application, mix Rejex-it AG-36 with water at a ratio of 1 part product to 10-20 parts water. For example, mix 1 fl. oz. of Rejex-it AG-36 with 2 cups of water to make a spray mixture of 1 part product and 16 parts water.

APPLICATION DIRECTIONS:

- Apply spray mixture so that crop receives thorough coverage.
- Repeat treatment if significant bird damage begins to occur.
- This product may be applied up to the day of harvest
- To cover 100 square feet, 1 fl. oz. of Rejex-it AG-36 with the appropriate dilution of water is required (1:10 or 1:20).

USE SITE	APPLICATION DIRECTIONS	NOTES
Apples	Apply by ground application at a rate of 7.5-15 fl. oz. of Rejex-it AG-36 per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water.	



USE SITE	APPLICATION DIRECTIONS	NOTES
Stone Fruits Apricots Cherries Peaches Plums	Apply by ground application at a rate of 7.5-15 fl. oz. of Rejex-it AG-36 per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water.	
Blueberries	Apply by ground application at a rate of 7.5-15 fl. oz. of Rejex-it AG-36 per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water.	
Grapes (Table)	Apply by ground application at a rate of 7.5-15 fl. oz. of Rejex-it AG-36 per 1000 sq. ft. Use a 1:10 or 1:20 dilution with water.	New York only: This product is not to be used on grapes within Suffolk County.

TURF

USE RESTRICTIONS:

Use this product to repel Canada Geese from golf courses and other turf areas (including around agricultural buildings and farmsteads). This product must be applied using appropriate spray equipment, such as a hand, backpack, or pump sprayer. Do not apply when grass is wet or rain is expected.

DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. Mix product outside or in a ventilated area. Mix Rejex-it AG-36 with water at a ratio of 1 part product to 12 parts water. For example, mix 8 fl. oz. of product with 96 fl. oz. (3 qts.) of water to make 104 fl. oz. of spray mixture.

APPLICATION DIRECTIONS:

Apply at a rate of 1.2 gallons spray mixture (0.07 lbs. a.i.) per 1000 square feet of turf. Spray evenly on area to be protected to provide thorough coverage and allow material to dry before permitting human activity on the treated area. Repeat application in 4 days or as warranted by Canada goose activity. Do not mow treated area for several days after application.

GARBAGE, FOOD STUFFS, WASTE, AND TRASH

USE RESTRICTIONS:


Use this product to repel birds from garbage, trash, spilled grain, and other waste food stuffs. This product must be applied using appropriate spray equipment. Do not apply rain if expected.

DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. For better coverage, add a super wetter (such as a non-ionic, organofunctional silicone surfactant, or sticker spreader), as directed on the label. Mix product outside or in a ventilated area. Mix Rejex-it AG-36 with water at a ratio of 10-50% v/v with water. To make a 20% v/v mixture, mix 1 pint of product with 4 pints of water. To make a 50% v/v mixture, mix 1 pint of product with 1 pint of water.

APPLICATION DIRECTIONS:

Spray mixture evenly on area to be protected to provide thorough coverage and allow material to dry before permitting human activity on the treated area. Repeat application as warranted by bird activity.



SPOT REPELLING

USE RESTRICTIONS:

Use this product to immediately repel birds from in or on structures, turf areas, and other outdoor areas. This product must be applied using appropriate spray equipment.

DILUTION DIRECTIONS:

Shake or stir Rejex-it AG-36 container well prior to diluting. Mix product outside or in a ventilated area. Mix Rejex-it AG-36 with water at a ratio of 10-50% v/v with water. To make a 20% v/v mixture, mix 1 pint of product with 4 pints of water. To make a 50% v/v mixture, mix 1 pint of product with 1 pint of water.

APPLICATION DIRECTIONS:

Spray mixture evenly on area to be protected to provide thorough coverage and allow material to dry before permitting human activity on the treated area. Repeat application as warranted by bird activity.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Rejex-it AG-36 should be stored in its original container in a cool, dry locked place out of reach of children and out of direct sunlight. Do not use or store near heat or open flame.


PESTICIDE DISPOSAL: To avoid wastes, use all material in this container by application according to label directions. If waste cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

WARRANTY STATEMENT

Notice: The statements on this label are believed to be true and accurate, but because conditions are beyond our control, Ceannard, Inc. does not make, nor does it authorize any agent or representative to make any oral, or written warranty, guarantee, or representation, express or implied, concerning this material or the use thereof beyond the statements of the label. Ceannard, Inc. and the seller disclaim liability for, and expect the buyer to assume all risk for any claim or personnel injury or property damage or loss resulting from handling, storage, or use of this material not in accordance with the written directions. No other warranty exists.

EPA 20091005



NOTIFICATION

Date Reviewed: 10/30/09

Reviewed By: MKT

4
5
6
7
8

9
0