



United States  
Environmental Protection Agency  
Washington, DC 20460

 Registration  
 Amendment  
 Other

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number 58035-13	2. EPA Product Manager Jim Downing	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Rejex-it AG-145	PM# BPPD	
5. Name and Address of Applicant (Include ZIP Code) Becker Underwood, Inc. 801 Dayton Avenue, PO Box 667 Ames, IA 50010 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Response to PR Notice 2001-1 - added a First Aid Statement

Revised the "Large Areas" dilution and application directions  
- re-ordered the ground and aerial directions  
- added the phrase "per acre" to clarify the application rate in the 1:10 application directions

### NOTIFICATION

Reviewed: 9/27/01  
Reviewed By: Blancardi

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No			
* Certification must submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
				<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____	

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Catherine Rice	Title Regulatory Affairs Specialist	Telephone No. (Include Area Code) 703-847-7407
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Catherine Rice</i>	3. Title Regulatory Affairs Specialist	
4. Typed Name Catherine Rice	5. Date 3-12-01	



2/4

March 12, 2001

Document Processing Desk (NOTIF)  
Office of Pesticide Programs  
US Environmental Protection Agency  
Ariel Rios Building  
1200 Pennsylvania Avenue, NW  
Washington, DC 20460

Reference: Rejex-it<sup>®</sup> AG-145 (EPA Reg. No. 58035-13)  
Response to PR Notice 2001-1  
Revision to the "Large areas" dilution and application directions

Dear Sir/Madam:

Becker Underwood, Inc. is notifying the Agency that we are revising our Rejex-it<sup>®</sup> AG-145 (EPA Reg. No. 58035-13) label to comply with PR Notice 2001-1. Specifically, we are adding a first aid statement.

Additionally, we are also revising the "Large areas" dilution and application directions. Since most users will be ground applying this product, we have re-ordered these sections to list the ground directions before the aerial directions. Further, to clarify the 1:10 application rate, we have added the language "per acre" to the end of the phrase "apply at rates of 27.7-55 gallons of spray mixture."

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR Part 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is violation of 18 USC Section 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR Part 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please call me at 703-847-7407 if you have any questions or if I may be of further assistance.

Sincerely,

A handwritten signature in cursive script that reads "Catherine B. Rice".

Catherine B. Rice  
Regulatory Affairs Specialist  
[Cathy.Rice@bucolor.com](mailto:Cathy.Rice@bucolor.com)

**PRECAUTIONARY STATEMENT  
HAZARDS TO HUMANS & DOMESTIC  
ANIMALS**

**CAUTION:** Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS**

For terrestrial uses, do not apply directly to water, to areas when surface water is present, or to intertidal areas below the mean high water mark.

**FIRST AID**

If on skin or clothing	-	Take off contaminated clothing.
	-	Rinse skin immediately with plenty of water for 15-20 minutes.
	-	Call a poison control center for doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**STORAGE & DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**STORAGE:** Store only in original container, in a dry place inaccessible to children, pets, and domestic animals. Store apart from pesticides, fertilizers, food or feed that may cause cross-contamination from odor.

**Store above 32 Deg. F.** Keep container closed when not in use.

**REPELLENT DISPOSAL:** Product that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures. Water resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

**MASTER LABEL**

This master label bears directions for both agricultural/commercial and homeowner use with various application rates specific to the associated container sizes.

**Rejex-it® AG-145  
Bird Repellent for Blueberries,  
Cherries & Grapes**

**ACTIVE INGREDIENT:**

Methyl Anthranilate (MA),  
methyl 2-aminobenzoate 14.5%

**OTHER INGREDIENTS** 85.5%

**TOTAL** 100%

This product contains 1.23 pounds/0.31 pounds/0.15 pounds of Methyl Anthranilate per gallon/quart/pint of product.

Rejex-it® AG-145 has been formulated from Food Grade ingredients with an active ingredient that exceeds US Food Chemical Codex (FCC) specifications.

**KEEP OUT OF REACH OF  
CHILDREN**

**CAUTION**

See left panel for additional precautionary statements.

**Becker Underwood, Inc.**

801 Dayton Avenue, PO Box 667  
Ames, IA 50010  
www.bucolor.com

EPA Est. No. 71638-OH-001

EPA Reg. No. 58035-13

NET CONTENTS: \_\_\_\_\_ NET WEIGHT: \_\_\_\_\_

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**COMPATIBILITY WITH OTHER INGREDIENTS:** Compatibility with other adjuvants has not been tested. If adding other adjuvants or products, test for compatibility first or ask your field man for advice. Do not mix with dry formulations such as wettable powder formulations which may result in residue on the fruit.

**CHERRIES**

**USE RESTRICTIONS:** This product may be used to limit damage to ripening cherries caused by American robins (*Turdus migratorius*), European starlings (*Stumus vulgaris*), mockingbirds (*Mimus polyglottos*), sparrows (*Spizella, Melospiza, and Zonotrichia* spp.) gray catbirds (*Dumetella carolinensis*), cardinals (*Cardinalis cardinalis*), American goldfinches (*Carduelis tristis*), house finches (*Carpodacus mexicanus*), and gulls (*Larus* spp.). This product must be applied using appropriate spray equipment, such as a pump sprayer or a power-blast sprayer. Do not apply when fruit is wet or rain is expected. Withhold treatment until fruit is susceptible to bird damage.

[New York Only: Aerial application is prohibited.]

**DILUTION DIRECTIONS:** Shake or stir Rejex-it® AG-145 container well prior to diluting. Mix product outside or in ventilated areas.

- Small areas (ie, application by pump sprayer): Mix AG-145 with water at a ratio of 1 part product to 10-20 parts water (for example, mix 1 ounce AG-145 with 2 cups of water to make a spray mixture of 1 part product and 16 parts water). Mix product outside or in ventilated areas.
- Large areas (ie, application by power-blast sprayer): For ground application, mix AG-145 with water at a ratio of 1 part product to 10-20 parts water. For aerial application, mix AG-145 with water at a ratio of 1 part product to 1-3 parts water.

**APPLICATION DIRECTIONS:** Apply spray mixture so that fruit receives thorough coverage. This product may be applied up to the day of harvest. Treatment may be repeated if significant bird damage begins to occur.

- Small areas (ie, application by pump sprayer): To cover 100 square feet, 1 ounce of AG145 with the appropriate dilution of water is required.
- Large areas (ie, application by power-blast sprayer): Apply at a rate of 2.5-5 gallons AG-145 (3.1-6.2 lbs a.i.) per acre. For ground applications of 1:10 dilutions with water, apply at rates of 27.5-55 gallons of spray mixture per acre. At 1:20 dilutions, apply at rates of 52.5-105 gallons of spray mixture per acre. For aerial applications (1:3 dilutions with water), apply at rates of 10-20 gallons of spray mixture per acre.

3/4

### WARRANTY STATEMENT

NOTICE: The statements on this label are believed to be true and accurate, but because use conditions are beyond our control, Becker Underwood, Inc. does not make, nor does it authorize any agent or representative to make any oral or written warranty, guarantee, or representation, express or implied, concerning this material or the use thereof beyond the statements of the label. Neither Becker Underwood, Inc. nor the seller shall be held responsible in any manner for any claim personal injury or property damage or loss resulting from handling, storage, or use of this material not in accordance with the written directions. The buyer assumes all risk and liability resulting from handling, storage, or use, or purchaser accepts and uses this material on these conditions. No other warranty exists.

Notification 3/12/01

### BLUEBERRIES AND GRAPES

**USE RESTRICTIONS:** This product may be used to limit damage to ripening blueberries and grapes caused by American robins (*Turdus migratorius*), cedar waxwings (*Bombycilla cedrorum*), European starlings (*Stumus vulgaris*), common grackles (*Quiscalus quiscula*), brown thrashers (*Toxostoma rufum*), mockingbirds (*Mimus polyglottos*), mourning doves (*Zenaida macroura*), cardinals (*Cardinalis cardinalis*), blackbirds (*Icteridae*), house finches (*Carpodacus mexicanus*), and gulls (*Lafus* spp.). This product must be applied using appropriate spray equipment, such as a pump sprayer or a power-blast sprayer. Do not apply when fruit is wet or rain is expected. Withhold treatment until fruit is susceptible to bird damage.

[New York Only: Aerial application is prohibited. This product is not to be used on grapes within Suffolk County.]

**DILUTION DIRECTIONS:** Shake or stir Rejex-it® AG-145 container well prior to diluting. For better coverage, add a super wetter (such as a non-ionic, organofunctional silicone surfactant), as recommended on the label. Mix product outside or in ventilated areas.

- Small areas (ie, application by pump sprayer): Mix AG-145 with water at a ratio of 1 part product to 10-20 parts water (for example, mix 1 ounce AG-145 with 2 cups of water to make a spray mixture of 1 part product and 16 parts water).
- Large areas (ie, application by power-blast sprayer): For ground application, mix AG-145 with water at a ratio of 1 part product to 10-20 parts water. For aerial application, mix AG-145 with water at a ratio of 1 part product to 1-3 parts water.

**APPLICATION DIRECTIONS:** Apply spray mixture so that fruit receives thorough coverage. This product may be applied up to the day of harvest. Treatment may be repeated if significant bird damage begins to occur.

- Small areas (ie, application by pump sprayer): To cover 100 square feet, 1 ounce of AG145 with the appropriate dilution of water is required.
- Large areas (ie, application by power-blast sprayer): Apply at a rate of 2.5-5 gallons AG-145 (3.1-6.2 lbs a.t.) per acre. For ground applications of 1:10 dilutions with water, apply at rates of 27.5-55 gallons of spray mixture per acre. At 1:20 dilutions, apply at rates of 52.5-105 gallons of spray mixture per acre. For aerial applications (1:3 dilutions with water), apply at rates of 10-20 gallons of spray mixture per acre.

4/4