58035-13	11/20/2001	Approved. OMB No. 2070-0	080 Annroyal avoiras 2-28-9
United Sta Environmental Prote Washington, Di	ection Agency	Registration Amendment U Other	OPP Identifier Number
Applic	ation for Pesticide - S	ection I	
1. Company/Product Number 58035-13	2. EPA Product Manager Jim Downing 3. Proposed Classification Restrict R		Proposed Classification None Restricted
4. Company/Product (Name) Reiex-it AG-145 (ABN: Reiex-it Crop Guardian)	ardian) PM# BPPD		
5. Name and Address of Applicant (Include ZIP Code) Becker Underwood, Inc. 801 Dayton Avenue, PO Box 667 Ames, IA 50010	(b)(i), my prod to:	Reveiw. In accordance wind uct is similar or identical in the control of the cont	composition and labeling
Check if this is a new address	Product Nan	ne	
	Section - II		
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.	Agency "Me To	rinted labels in repsonse to y letter dated po" Application. Explain below.	
2) deleted the statement "Rejex-it AG-145 has been formulate	d from Food Grade ingredients'		rication red: 11 20 0
	Section - III	Reviewed E	3v: Downing
1. Material This Product Will Be Packaged In:			sah(far)
Child-Resistant Packaging Yes No No If "Yes" Unit Packaging Wo. pe Unit Packaging wgt.		Metal Plasti Glass	c
Label Container) Retail Container	5. Location of Label Direc	tions
6. Manner in Which Label is Affixed to Product	ithograph Caper glued tenciled	Other	
	Section - IV		
1. Contact Point	cation of individual to be contac	ted, if necessary, to process th	his application.)
Name Catherine Rice	Title Regulatory Affairs Specia		one No. (Include Area Code) 7-7407
Cert I certify that the statements I have made on this form I acknowledge that any knowlingly false or misleading both under applicable law.			6. Data Application "Received (Stamped)
2. Signature (Athlera R.	3. Title Regulatory Affairs Specialis	•	* · · · · · · · · · · · · · · · · · · ·

5. Date

9-17-01

4. Typed Name

Catherine Rice



September 17, 2001

Document Processing Desk (NOTIF)
Office of Pesticide Programs
US Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Avenue, NW
Washington, DC 20460

Reference:

Rejex-it[®] AG-145 (EPA Reg. No. 58035-13)

ABN: Rejex-it® Crop Guardian

Notification

Dear Sir/Madam:

Becker Underwood, Inc. is notifying the Agency that we are revising our label for Rejex-it AG-145 (EPA Reg. No. 58035-13). Specifically, the revisions outlined in this notification are:

- In response to an August 27, 2001 telephone conversation with Jim Downing, we are revising the terms used in the dilution and application directions from "small areas" and "large areas" to "household use" and "agricultural/commercial use." This revision is to correct a change made in our February 13, 2001 notification.
- We are deleting the statement "Rejex-it AG-145 has been formulated from Food Grade ingredients ... " This revision is based on a June 20, 2001 letter we received from the Agency on a similar product (Rejex-it TP-40; EPA Reg. No. 58035-7).

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR Part 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is violation of 18 USC Section 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR Part 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please call me at 703-847-7407 if you have any questions or if I may be of further assistance.

Sincerely,

Catherine B. Rice

Regulatory Affairs Specialist Cathy.Rice@bucolor.com

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, to areas when surface water is present, or to intertidal areas below the mean high water mark.

j	FIRST AID
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center for doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store only in original container, in a dry place inaccessible to children, pets, and domestic animals. Store apart from pesticides, fertilizers, food or feed that may cause cross-contamination from odor.

Store above 32 Deg. F. Keep container closed when not in use.

REPELLENT DISPOSAL: Product that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures. Water resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

JUASTER LABEL

This master label bears directions for both agricultural/commercial and homeowner use with various application rates specific to the associated container sizes.

Rejex-it® AG-145 Bird Repellent for Blueberries, Cherries & Grapes

ACTIVE INGREDIENT:
Methyl Anthranilate (MA),
methyl 2-aminobenzoate

OTHER INGREDIENTS

14.5% 85.5%

TOTAL

100%

This product contains 1.23 pounds/0.31 pounds/0.15 pounds of Methyl Anthranilate per gallon/quart/pint of product.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See left panel for additional precautionary statements.

Becker Underwood, Inc.

801 Dayton Avenue, PO Box 667 Ames, IA 50010 www.bucolor.com

EPA Est. No. 71638-OH-001
EPA Reg. No. 58035-13
NET CONTENTS: _____ NET WEIGHT: _____

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

COMPATIBILITY WITH OTHER INGREDIENTS: Compatibility with other adjuvants has not been tested. If adding other adjuvants or products, test for compatibility first or ask your representative for advice. Do not mix with dry formulations such as wettable powder formulations which may result in residue on the fruit.

CHERRIES

USE RESTRICTIONS: This product may be used to limit damage to ripening cherries caused by American robins (Turdus migratorius), European starlings (Stumus vulgaris), mockingbirds (Mimus polyglottos), sparrows (Spizella, Melospiza, and Zonotrichia spp.) gray catbirds (Dumetella carolinensis), cardinals (Cardinalis cardinalis), American goldfinches (Carduelis tristis), house finches (Carpodacus mexicanus), and gulls (Larus spp.). This product must be applied using appropriate spray equipment, such as a pump sprayer or a power-blast sprayer. Do not apply when fruit is wet or rain is expected. Withhold treatment until fruit is susceptible to bird damage.

[New York Only: Aerial application is prohibited.]

DILUTION DIRECTIONS: Shake or stir Rejex-it® AG-145 container well prior to diluting. Mix product outside or in ventilated areas.

- Household use (ie, application by pump sprayer): Mix AG-145 with water at a ratio of 1 part product to 10-20 parts water (for example, mix 1 ounce AG-145 with 2 cups of water to make a spray mixture of 1 part product and 16 parts water). Mix product outside or in ventilated areas.
- Agricultural/commercial use (ie, application by power-blast sprayer): For ground application, mix AG-145 with water at a ratio of 1 part product to 10-20 parts water. For aerial application, mix AG-145 with water at a ratio of 1 part product to 1-3 parts water.

APPLICATION DIRECTIONS: Apply spray mixture so that fruit receives thorough coverage. This product may be applied up to the day of harvest. Treatment may be repeated if significant bird damage begins to occur.

- Household use (ie, application by pump sprayer): To cover 100 square feet, 1 ounce of AG145 with the appropriate dilution of water is required.
- Agricultural/commercial use (ie, application by power-blast sprayer): Apply at a rate of 2.5-5 gallons AG-145 (3.1-6.2 lbs a.i.) per acre. For ground applications of 1:10 dilutions with water, apply at rates of 27.5-55 gallons of spray mixture per acre. At 1:20 dilutions, apply at rates of 52.5-105 gallons of spray mixture per acre. For aerial applications (1:3 dilutions with water), apply at rates of 10-20 gallons of spray mixture per acre.

NOTIFICATION


Date Reviewed: 11 20 0)

Reviewed By: Downing

WARRANTY STATEMENT

NOTICE: The statements on this label are believed to be true and curate, but because use conditions are beyond our control. Becker Underwood, Inc. does not make, nor does it authorize any agent or representative to make any oral or written warranty, quarantee, or representation, express or implied, concerning this material or the use thereof beyond the statements of the label. Neither Becker Underwood. Inc. nor the seller shall be held responsible in any manner for any claim personal injury or property damage or loss resulting from handling, storage, or use of this material not in accordance with the written directions. The buyer assumes all risk and liability resulting from handling, storage, or use, or purchaser accepts and uses this material on these conditions. No other warranty exists.

Notification 9/18/01



BLUEBERRIES AND GRAPES

USE RESTRICTIONS: This product may be used to limit damage to ripening blueberries and grapes. caused by American robins (Turdus migratorius), cedar waxwings (Bombycilla cedrorum), European starlings (Stumus vulgaris), common grackles (Quiscalus guiscula), brown thrashers (Toxostoma rufum), mockingbirds (Mimus polyglottos), mourning doves (Zenaida macroura), cardinals (Cardinalis cardinalis), blackbirds (Icteridae), house finches (Carpodacus mexicanus), and gulls (Larus spp.). This product must be applied using appropriate spray equipment, such as a pump sprayer or a power-blast sprayer. Do not apply when fruit is wet or rain is expected. Withhold treatment until fruit is susceptible to bird damage.

[New York Only: Aerial application is prohibited. This product is not to be used on grapes within Suffolk County.1

DILUTION DIRECTIONS: Shake or stir Rejex-it® AG-145 container well prior to diluting. For better coverage, add a super wetter (such as a non-ionic, organofunctional silicone surfactant), as recommended on the label. Mix product outside or in ventilated areas.

Household use (ie. application by pump sprayer). Mix AG-145 with water at a ratio of 1 part product to 10-20 parts water (for example, mix 1 ounce AG-145 with 2 cups of water to make a spray mixture of 1 part product and 16 parts water).

Agricultural/commercial use (ie. application by power-blast sprayer). For ground application, mix AG-145 with water at a ratio of 1 part product to 10-20 parts water. For aerial application, mix AG-145 with water at a ratio of 1 part product to 1-3 parts water.

APPLICATION DIRECTIONS: Apply spray mixture so that fruit receives thorough coverage. This product may be applied up to the day of harvest. Treatment may be repeated if significant bird damage begins to occur.

Household use (ie, application by pump sprayer): To cover 100 square feet, 1 ounce of AG145

with the appropriate dilution of water is required.

Agricultural/commercial use (ie, application by power-blast sprayer): Apply at a rate of 2.5-5 gallons AG-145 (3.1-6.2 lbs a.i.) per acre. For ground applications of 1:10 dilutions with water. apply at rates of 27.5-55 gallons of spray mixture per acre. At 1:20 dilutions, apply at rates of 52.5-105 gallons of spray mixture per acre. For aerial applications (1:3 dilutions with water), apply at rates of 10-20 gallons of spray mixture per acre.