

**Rejex-it<sup>®</sup> Crop Guardian  
Bird Repellent  
For Blueberries .. Cherries .. Grapes**

ACTIVE INGREDIENT:	
Methyl Anthranilate (MA), methyl 2-aminobenzoate	14.5%
<u>OTHER INGREDIENTS</u>	<u>85.5%</u>
TOTAL	100%

This product contains 1.23 pounds/0.31 pounds/0.15 pounds of Methyl Anthranilate per gallon/quart/pint of product.


**Becker Underwood, Inc.**  
801 Dayton Avenue  
PO Box 667  
Ames, IA 50010  
www.beckerunderwood.com

EPA Est. No. 71638-OH-001  
EPA Reg. No. 58035-13  
NET CONTENTS: \_\_\_\_\_  
NET WEIGHT: \_\_\_\_\_

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back panel for additional precautionary statements.



58035-13

01/10/2005

1/3

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

**FIRST AID**

If on skin or clothing	-	Take off contaminated clothing.
	-	Rinse skin immediately with plenty of water for 15-20 minutes.
	-	Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

You may also contact 1-800-424-9300 for emergency medical treatment information.

**ENVIRONMENTAL HAZARDS**

For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**COMPATIBILITY WITH OTHER INGREDIENTS:** Compatibility with other adjuvants has not been tested. If adding other adjuvants or products, test for compatibility first or ask your representative for advice. Do not mix with dry formulations such as wettable powder formulations which may result in residue on the fruit.

**CHERRIES**

**USE RESTRICTIONS:** Use this product to limit damage to ripening cherries caused by American robins (*Turdus migratorius*), European starlings (*Stumus vulgaris*), mockingbirds (*Mimus polyglottos*), sparrows (*Spizella*, *Melospiza*, and *Zonotrichia* spp.) gray catbirds (*Dumetella carolinensis*), cardinals (*Cardinalis cardinalis*), American goldfinches (*Carduelis tristis*), house finches (*Carpodacus mexicanus*), and gulls (*Larus* spp.). This product must be applied using appropriate spray equipment, such as a pump sprayer or a power-blast sprayer. Do not apply when fruit is wet or rain is expected. Withhold treatment until fruit is susceptible to bird damage.

**[New York Only: Aerial application is prohibited.]**

**DILUTION DIRECTIONS:** Shake or stir Rejex-it<sup>®</sup> Crop Guardian container well prior to diluting. Mix product outside or in ventilated areas.

- Household use (ie, application by pump sprayer): Mix Crop Guardian with water at a ratio of 1 part product to 10-20 parts water (for example, mix 1 fl. oz. Crop Guardian with 2 cups of water to make a spray mixture of 1 part product and 16 parts water).
- Agricultural/commercial use (ie, application by power-blast sprayer): For ground application, mix Crop Guardian with water at a ratio of 1 part product to 10-20 parts water. For aerial application, mix Crop Guardian with water at a ratio of 1 part product to 1-3 parts water.

**APPLICATION DIRECTIONS:** Apply spray mixture so that fruit receives thorough coverage. This product may be applied up to the day of harvest. Repeat treatment if significant bird damage begins to occur.

- Household use (ie, application by pump sprayer): To cover 100 square feet, 1 fl. oz. of Crop Guardian with the appropriate dilution of water is required.
- Agricultural/commercial use (ie, application by power-blast sprayer): Apply at a rate of 2.5-5 gallons Crop Guardian (3.1-6.2 lbs a.i.) per acre. For ground applications of 1:10 dilutions with water, apply at rates of 27.5-55 gallons of spray mixture per acre. At 1:20 dilutions, apply at rates of 52.5-105 gallons of spray mixture per acre. For aerial applications (1:3 dilutions with water), apply at rates of 10-20 gallons of spray mixture per acre.

## BLUEBERRIES AND GRAPES

**USE RESTRICTIONS:** Use this product to limit damage to ripening blueberries and grapes caused by American robins (*Turdus migratorius*), cedar waxwings (*Bombycilla cedrorum*), European starlings (*Stumus vulgaris*), common grackles (*Quiscalus quiscula*), brown thrashers (*Toxostoma rufum*), mockingbirds (*Mimus polyglottos*), mourning doves (*Zenaida macroura*), cardinals (*Cardinalis cardinalis*), blackbirds (*Icteridae*), house finches (*Carpodacus mexicanus*), and gulls (*Larus* spp.). This product must be applied using appropriate spray equipment, such as a pump sprayer or a power-blast sprayer. Do not apply when fruit is wet or rain is expected. Withhold treatment until fruit is susceptible to bird damage.

**[New York Only: Aerial application is prohibited. This product is not to be used on grapes within Suffolk County.]**

**DILUTION DIRECTIONS:** Shake or stir Rejex-it<sup>®</sup> Crop Guardian container well prior to diluting. For better coverage, add a super wetter (such as a non-ionic, organofunctional silicone surfactant), as directed on the label. Mix product outside or in ventilated areas.

- Household use (ie, application by pump sprayer): Mix Crop Guardian with water at a ratio of 1 part product to 10-20 parts water (for example, mix 1 fl. oz. Crop Guardian with 2 cups of water to make a spray mixture of 1 part product and 16 parts water).
- Agricultural/commercial use (ie, application by power-blast sprayer): For ground application, mix Crop Guardian with water at a ratio of 1 part product to 10-20 parts water. For aerial application, mix Crop Guardian with water at a ratio of 1 part product to 1-3 parts water.

**APPLICATION DIRECTIONS:** Apply spray mixture so that fruit receives thorough coverage. This product may be applied up to the day of harvest. Repeat treatment if significant bird damage begins to occur.

- Household use (ie, application by pump sprayer): To cover 100 square feet, 1 fl. oz. of Crop Guardian with the appropriate dilution of water is required.
- Agricultural/commercial use (ie, application by power-blast sprayer): Apply at a rate of 2.5-5 gallons Crop Guardian (3.1-6.2 lbs a.i.) per acre. For ground applications of 1:10 dilutions with water, apply at rates of 27.5-55 gallons of spray mixture per acre. At 1:20 dilutions, apply at rates of 52.5-105 gallons of spray mixture per acre. For aerial applications (1:3 dilutions with water), apply at rates of 10-20 gallons of spray mixture per acre.

## STORAGE & DISPOSAL

**PESTICIDE STORAGE:** Store only in original container, in a dry place inaccessible to children, pets, and domestic animals. Store apart from pesticides, fertilizers, food or feed that may cause cross-contamination from odor.

**Store above 32 Deg. F.** Keep container closed when not in use.

### PESTICIDE DISPOSAL:

**[Household use: 1 gallon and smaller] If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**[Agricultural/commercial use: 2.5 gallon and larger]** Product or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures. Water resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

### CONTAINER DISPOSAL:

**[Agricultural/commercial use only]** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

## WARRANTY STATEMENT

**NOTICE:** The statements on this label are believed to be true and accurate, but because conditions are beyond our control, Becker Underwood, Inc. does not make, nor does it authorize any agent or representative to make any oral or written warranty, guarantee, or representation, express or implied, concerning this material or the use thereof beyond the statements of the label. Becker Underwood, Inc. and the seller disclaim liability for, and expect the buyer to assume all risk for any claim or personal injury or property damage or loss resulting from handling, storage, or use of this material not in accordance with the written directions. No other warranty exists.

12-1-2004