


Please read Instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input checked="" type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number 194533
	Application for Pesticide:		

Section I

1. Company/Product Number 58185-9	2. EPA Product Manager Mr. Clarence Lewis	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Fungo 50 Systemic Turf Fungicide	PM# 21	
5. Name and Address of Applicant (Include ZIP Code) GRACE-SIERRA Crop Protection Company 1001 Yosemite Drive Milpitas, CA 95035 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION

Compliance to PR Notice 93-3 Revised Statement


**NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 93-3**

DATE 8/3/93

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted.		If "Yes," Unit Package wgt.	No. per container	Other (Specify) _____	
		If "Yes," Package wgt.	No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other (_____)	

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name John A. Francis, Jr.	Title Registration Specialist	Telephone No. (Include Area Code) 408/263-8080
2. Signature 		6. Date Application Received (Stamped)
3. Title Registration Specialist		
4. Typed Name John A. Francis, Jr.		
5. Date July 6, 1993		

ACTIVE INGREDIENT:

Dimethyl (1,2-phenylene)bis (imino-carbonothioyl)bis (carbamate)50%

INERT INGREDIENTS:50%

Total100%

**NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 88-6**

DATE. 8/3/93

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with water for 15 minutes. **Get medical attention.**

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Wash off with soap and water. Remove contaminated clothing, and wash before reuse.

IF SWALLOWED: Induce vomiting immediately by giving two glasses of water and sticking finger down throat. Never give anything by mouth to an unconscious person.

OBTAIN MEDICAL ATTENTION IMMEDIATELY.

**SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

**EPA Registration No. 58185-9
EPA Establishment No. 228-IL-1**

5081

**2 LB.
(900 g)**

GRACE  SIERRA

**CROP PROTECTION COMPANY
1001 YOSEMITE DRIVE, MILPITAS, CA 95035**

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

In case of contact, immediately flush eyes or skin with water. Get medical attention if irritation persists. May be harmful if swallowed or inhaled. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Do not contaminate feed or food. Keep children and pets off treated area until dry or material has washed into the soil. Always wear protective clothing and respirator when mixing and applying pesticides.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply directly to water or wetlands. Drift and runoff from treated areas may be hazardous to fish in adjacent areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM.

Add recommended amount to a partially filled spray tank under agitation. Complete filling to the desired volume. Keep agitated to insure even suspension of material. Make fresh daily. Spray uniformly over the area with a boom-type or other power sprayer. Apply after mowing or avoid mowing for 12 hours after application. Apply in sufficient water to obtain thorough coverage, usually 5 gal. per 1000 sq. ft. of turf area. Always treat aprons and approaches to golf greens. Under conditions of severe disease, apply every 5 to 7 days. Note to user: Do not apply to areas likely to be grazed

livestock or poultry.

FUNGO® 50 is a wettable powder for use on golf course greens, tees, lawn and fairways of Bentgrasses, Bluegrasses, Fescues, Bermudagrasses, Ryegrasses, St. Augustine grass or their mixtures to be used for the prevention and control of the below mentioned diseases. NOTE: For the following diseases, the spray should dry on the leaves, with no "watering in."

ANTHRACNOSE (*Colletotrichum graminicola*), **DOLLAR SPOT** (*Sclerotinia homoeocarpa*)— Apply at 1 oz. per 1000 sq. ft. beginning when the disease first appears and continue at 10-14 day intervals as needed. As a curative, where preventive schedule is not followed, use 2 oz. per 1000 sq. ft.

COPPER SPOT (*Gloeocercospora sorghi*), **LARGE BROWN PATCH** (*Rhizoctonia solani*), **RED THREAD** (*Corticium fuckiforme*), **FUSARIUM PATCH** (*Fusarium nivale*)— Apply at 2 oz. per 1000 sq. ft. beginning when the disease first appears and continue at 10-14 day intervals. Re-treat at 5 to 7 day intervals under severe disease conditions.

NOTE: For the following diseases, "watering in" is required:

FUSARIUM BLIGHT (*Fusarium roseum*) **NECROTIC RING SPOT** (*Leptosphaeria korræ*), and **SUMMER PATCH** (*Phialophora graminicola*) — Apply at 4-8 oz. per 1000 sq. ft. Water into root zone by irrigating thoroughly immediately after application. Apply two applications at 10-14 day intervals, beginning application when the disease first appears.

STRIPE SMUT (*Ustilago striiformis*) — Apply at 4-8 oz. per 1000 sq. ft. Water into the root zone thoroughly immediately after application. Apply in October or early spring just before grass begins growth.

STORAGE AND DISPOSAL

STORAGE: Store in a dry place in a well-closed container. Keep away from fire or sparks. Do not allow to become wet or overheated in storage. This may cause chemical changes which will impair the fungicidal effectiveness of Fungo® 50.

PESTICIDE DISPOSAL. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue to application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

WARRANTY

This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the disease problem, or condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.



Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

