

For control of damping-off, root and stem rot diseases
caused by *Pythium*, *Phytophthora*, *Rhizoctonia*, *Fusarium*,
and *Thielaviopsis* in ornamental and nursery crops.

ACTIVE INGREDIENTS:

5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole*	15%
Thiophanate-methyl, (Dimethyl [(1,2-phenylene) bis (imino- carbonothioyl)] bis [carbamate])	25%
INERT INGREDIENTS	60%
TOTAL	100%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

**CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION
HARMFUL IF SWALLOWED**

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes immediately with plenty of water for at least 15 minutes. **Get medical attention.**

IF SWALLOWED: Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. **Call a physician immediately.**

IF INHALED: Induce coughing immediately.

IF ON SKIN: Wash thoroughly with soap and water. If irritation persists, get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

*Licensed under U.S. Patent No. 3,260,588; 3,260,725

EPA REG. NO. 58185-10

EPA EST. NO. 228-IL-1

4322

**32 OZ (2 LB)
(900 g)**

GRACE SIERRA

Grace-Sierra Crop Protection Company • 100* Yosemite Drive, Milpitas, CA 95035
Barrot® is a registered trademark of Grace-Sierra Crop Protection Company for its brand of fungicide products

BEST AVAILABLE COPY

bag and water after removing, wash contaminated clothing before re-use. Do not contaminate feed or food. Keep children and pets out of treated area during application.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply directly to water or wetlands (swamps, bays, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near fire or open flame.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

CHEMIGATION

Refer to supplemental labeling entitled Chemigation Information for use directions for chemigation. Do not apply this product through any irrigation system unless the supplemental labeling on chemigation is followed.

BANROT® is a broad spectrum fungicide for the control of soil borne diseases. It contains the active ingredient of Truban® plus a systemic fungicide for the control of Pythium, Phytophthora, Rhizoctonia, Fusarium and Thielaviopsis. It may be used as a soil drench at the time of seeding and transplanting as well as a periodic drench throughout the plant's life cycle for the control of problem fungi in greenhouses and outdoors.

BANROT suspensions in water should be constantly agitated to assure uniform applications. BANROT suspensions do not need to be protected from light. Re-application, if necessary, at label recommendation, will not result in buildup, which may cause plant damage. Use at recommended rates. Overdosage may result in toxicity to sensitive plants. If plants are suspect of being sensitive, apply fungicide to a small number to insure safety. BANROT should not be mixed with other pesticides or nutrients.

Thoroughly rinse BANROT residues out of all equipment after use.

Dusty Miller Zinnia
Gynura

Foliage Plants

Aglaonema
Anala
Cactus
Caladium
Dieffenbachia
Dracaena
Epipremnum
Fern
Ficus
Fittonia
Hoya
Maranta
Nasturtium
Peperomia
Philodendron
Pilea
Schefflera
Syngonium
Tradescantia

BENCH PLANTINGS OF TROPICAL FOLIAGE PLANTS

(peat and other high organic growth media 6" deep)

Mix 6-12 oz. of BANROT with 100 gal. of water and apply to 400 sq. ft. of bench area. Irrigate immediately with additional water equal to at least half the volume of the fungicidal drench for improved soil penetration of the fungicide. Re-treat at 2-3 month intervals to maintain disease control.

BEDGROWN PLANTS

Mix 6 to 12 oz. of BANROT with 100 gal. of water per 400 sq. ft. or apply in sufficient amount to saturate the soil mixture. Re-treat at 4 to 12 week intervals if necessary.

Container & Bedgown HERBACEOUS

African Violet - Begonia -
Calendula - Carnation -
Chrysanthemum - Coleus -
Dahlia - Delphinium -
Easter Lily - Geranium -
Gerbera - Gloriosa -
Gynura - Gypsophila - Ivy -
Kalanchoe - Lobelia -
Statice - Zygocactus

WOODY

Acer - Aucuba - Azalea -
Boxwood - Camellia - Cedar -
Chamaedorea palm -
Crape Myrtle - Croton -
Euonymus - Fatsia - Ficus -
Fir - Gardenia - Hydrangea -
Ilex - Ixora - Juniper -
Leucothea - Ligustrum -
Photinia - Pine -
Pittosporum - Podocarpus -
Poinsettia - Rhododendron -
Spruce - Taxus - Thuja

CONTAINER & BEDGROWN PLANTS

Mix 6 to 12 oz. of BANROT with 100 gal. of water per 400 sq. ft. or apply in sufficient amount to saturate the soil mixture, such as ½ pint per 6" pot. Irrigate immediately with additional water equal to at least half the volume of the fungicidal drench for improved soil penetration of the fungicide. Re-treat at 4 to 12 week intervals if necessary with a 6 to 12 oz. per 100 gal. rate.

STORAGE AND DISPOSAL

STORAGE: Not sensitive to light. Stable at normal temperatures and humidities. Store in a dry place in a well-closed container.

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

WARRANTY

This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, culture of soil or setting medium, the disease involved, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given hereon. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.

BANROT® is a registered trademark of Grace/Sheila Crop Protection Company for its brand of Fungicide products.

05 92AP 80M

BEST AVAILABLE COPY