JUL 29 1993

Mr. John A. Francis Grace-Sierra Crop Protection Co. P.O. Box 4003 1001 Yosemite Dr. Milpitas, CA 95035

Dear Mr. Francis:

Subject: BANROT● Broad Spectrum Fungicide 40% Wettable Powder

EPA Reg. No. 58185-10

Your submission dated July 2, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next printing of your label, or within 6 months, whichever comes first, please revise your label as follows:

Delete "Bogs and marshes" statement and change the Environmental Hazards statement to read "For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark".

This acceptance of your label does not relieve you of any obligation to comply with the Worker Protection Standard (WPS). Under the WPS labeling regulations at 40 CFR part 158, subpart K, § 156.200(c)(3), you are prohibited form distributing or selling any product within the scope of the WPS requirements after April 21, 1994, without amended labeling accepted by the Agency.

Sincerely yours,

Robert J. Taylor Product Manager 25 Fungicide-Herbicide Branch Registration Division (H7505C)

Enclosure

BANROT

Broad Spectrum Fungicide 40% Wettable Powder

(4) Fig. 1. A second of the property of the control of the cont

ACTIVE INGREDIENTS

5-Ethoxy-3-trichloromethyl-1,2, 4-thindiazole	15%
Thiophenate-methyl, Dimethyl [(1,2-phenylene)-ble(imino-carbonothloyl)] ble (carbamate)	
carbonothoyl) bis (carbamate)	25%
MERT INGREDIENTS	60%

KEEP OUT OF REACH OF CHILDREN

DANGER CORROSIVE

CAUSES EYE DAMAGE AND SKIN IRRITATION HARMFUL IF SWALLOWED

STATEMENT OF PRACTICAL TREATMENT

IF III EYES, flush eyes immediately with plenty of water for at least 15 minutes. GET MEDICAL ATTENTION.

IF SWALLOWED, drink promptly a large quantity of milk, egg white, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. CALL A PHYSICIAN IMMEDIATELY.

IF INHALED, induce coughing immediately.

IF ON SKIN, wash harroughly with soap and water. If irritation persists, get medical attention.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

*Licensed under U.S. Patent No. 3,260,588; 3,260,725

EPA Registration No. 58185-10 EPA Establishment No. 228-IL-1

4322

2 LB. (900 g)

GRACE SIERRA

CROP PROTECTION COMPANY
1001 YOSEMITE DRIVE, MILPITAS, CA 98036

ACCULTED

WITH COMMENTS

IN EPA Letter Dates:

.....

JUL 29 1993

Under the Policy I Interticide, Fungicide, and Act as mornited and in ide registered 88185-10

74	1
Books Place Appeller Supplem Appeller Su	
Fullage Plants Apleasemen Andre Cardene Cardene Disfuscioni Semina Spirostopin Form Plants Plants Plants Plants	SHICKS PLANTINGS OF THE PROPERTY OF THE PROPER
Marine Realizative Papirosite Prilindenium Princi Strip Strippinium Tradippinium	COMPANIE FLORIS No. 6 to 21 cs. of postery was We get, of many of the cs. to which the companie of the cs. to get to 12 cash respect of manuscry
Container & Bedgeenn HETBACTURE African Visital-Beggerin- Colonials-Correction-	Continues a section of the Publish of the Continues of th

RAIS THE

COPPER
SEEDLINGS
(Propagation)
(Propagation)
(Propagation)
(Policy Per man-bearing servicings
only. Do not apply
offer field
transplanting and
widths two years of
the field coeffer bean
harvest. Do not apply
to bouring certifie
plants."

Band Balo
Part is passed and - blue 113
prime (4 mercin) of BANROT
with 190 Hom (50 gellion) of
with mad upply 3/2 home (em
gellion) par meter (12 mercin
path) year meter (12 mercin
path) provide prime to covering
mode, thereughly varieting the
primetry modelion.
Bandy, mentionely, same, - blue 65
prime (2 meters) of BANROT
prime (3 meters) of BANROT
primetry modelion.
Bandy, mentionely, same, - blue 65
prime (2) meters) of GANROT
primetry modelion.
Bandy, mentionely (12 meters)
paths) per model (12 meters)
points) if mentioning have
mentionely there operated in