

PM 21

58185-10

3/21/97

1/6

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

EPA United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration	OPP Identifier Number 246037
	<input type="checkbox"/> Amendment	
	<input checked="" type="checkbox"/> Other	

Application for Pesticide - Section I

1. Company/Product Number 58185-10	EPA Product Manager Connie Welch	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Banrot Broad Spectrum Fungicide 40% Wettable Powder	PM# PM-21	
5. Name and Address of Applicant (Include ZIP Code) Scotts-Sierra Crop Protection Company 14111 Scottslawn Road Marysville, OH 43041 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated XX-XX-XX. <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated XX-XX-XX <input type="checkbox"/> "Me Too" Application <input type="checkbox"/> Other - Explain below.
--	---

NOTIFICATION

MAR 21 1997

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION of change in packaging and related label statements and change in advisory statements per PR Notice 95-2 (see attached letter).

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
*Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per Container	If "Yes" Package wgt.	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify)	
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container 2.0 lbs		5. Location of Label Directions <input type="checkbox"/> On Label <input checked="" type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Other directions for use affixed (glued) to lid of container <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Chris J. Wible	Title Senior Regulatory Specialist	Telephone No. (Include Area Code) (937) 644-7214
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature The Scotts-Sierra Crop Protection Company BY:	3. Title Senior Regulatory Specialist	
4. Typed Name Chris J. Wible	5. Date March 12, 1997	

The Scotts Company

2/16
Scotts

March 12, 1997

Ms. Connie Welch, PM-21
Registration Division, H7505C
Office of Pesticide Programs
Environmental Protection Agency
401 M Street, SW
Washington, DC 20460

Subject: Banrot® Broad Spectrum Fungicide 40% Wettable Powder
EPA Reg. No.: 58185-10

**NOTIFICATION: change in packaging and related label statements and
addition/deletion of advisory statements per PR Notice 95-2**

Gentlemen:

Attached are five (5) copies of final printed labels for the subject product which contains revised Container Disposal instructions. The subject product will be offered in 2.0 lb. plastic jugs. The Container Disposal statement has been changed to read:

“Triple rinse (or equivalent). Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.”


We are also notifying the Agency of revisions to advisory statements related to use precautions and product incompatibilities and providing equivalencies for application rates. All revisions have been highlighted on the top copy to facilitate your review.

If you have any questions regarding this NOTIFICATION, please contact me at (937) 644-7214.

This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA

Respectfully,

Scotts-Sierra Crop Protection Company

By: 
Chris J. Wible
Senior Regulatory Specialist

Bottle



Banrot®

Broad Spectrum Fungicide 40% Wettable Powder

For control of damping-off, root and stem rot diseases caused by *Pythium*, *Phytophthora*, *Rhizoctonia*, *Fusarium*, and *Thielaviopsis* in ornamental and nursery crops.

95200

ACTIVE INGREDIENTS:	
5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole*	15%
Thiophanate-methyl (Dimethyl [1,2-phenylene] bis (iminocarbonothioyl) bis (carbamate))	25%
INERT INGREDIENTS	60%
TOTAL 100%	

*Licensed under U.S. Patents 3,260,588 and 3,260,725

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO
 CORROSIVE, CAUSES EYE DAMAGE AND SKIN IRRITATION
 HARMFUL IF SWALLOWED

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
CAREFULLY READ AND FOLLOW ATTACHED LABELING FOR DIRECTIONS FOR USE

EPA REG. NO. 58185-10

EPA EST. NO. 228-JL-1

NET WT. 2 LBS. (907g)

NOTIFICATION
MAR 2 1991

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes immediately with plenty of water for at least 15 minutes. Get medical attention.

IF SWALLOWED: Drink promptly a large quantity of milk, egg white, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

IF INHALED: Induce coughing immediately.

IF ON SKIN: Wash thoroughly with soap and water. If irritation persists, get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions For Use section for information about this standard.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE! Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes and on clothing. **IN CASE OF CONTACT,** immediately flush eyes or skin with plenty of water. **GET MEDICAL ATTENTION.** Do not contaminate feed or food.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame.

© 1997, The Scotts Company. World Rights Reserved.

970166

3/10



Banrot®

Broad Spectrum Fungicide 40% Wettable Powder

For control of damping-off, root and stem rot diseases caused by *Pythium*, *Phytophthora*, *Rhizoctonia*, *Fusarium*, and *Thielaviopsis* in ornamental and nursery crops.

95200

ACTIVE INGREDIENTS:	
5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole*	15%
Thiophanate-methyl (Dimethyl (1,2-phenylene) bis (iminocarbonothioyl)) bis (carbamate)	25%
INERT INGREDIENTS	60%
TOTAL 100%	

*Licensed under U.S. Patents 3,260,588 and 3,260,725


**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

**CORROSIVE, CAUSES EYE DAMAGE AND SKIN IRRITATION
HARMFUL IF SWALLOWED**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
CAREFULLY READ AND FOLLOW ATTACHED LABELING FOR DIRECTIONS FOR USE
EPA REG. NO. 58185-10 EPA EST. NO. 228-IL-1

NET WT. 2 LBS. (907g)



DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Distributed by:
Scotts-Sierra Crop Protection Company
14111 Scottslawn Road
Marysville, Ohio 43041

BANROT® is a registered trademark of Scotts-Sierra Crop Protection Company for its brand of Fungicide products.

STORAGE AND DISPOSAL

STORAGE: Not sensitive to light. Stable at normal temperatures and humidities. Store in a dry place in a well-closed container.

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ST

IF IN EYES: Fl. Get medical at. IF SWALLOWED: or, if these are physician imm. IF INHALED: If IF ON SKIN: W attention. NOTE TO PHY: gastral lavage convulsion may

Use this prod. Standard, 40 C. Requirements

BANROT®

BROAD SPECTRUM FUNGICIDE 40% WETTABLE POWDER

For control of damping-off, root and stem rot diseases caused by *Pythium*, *Phytophthora*, *Rhizoctonia*, *Fusarium*, and *Thielaviopsis* in ornamental and nursery crops.

ACTIVE INGREDIENTS:

5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole* 15%
Thiophanate-methyl (Dimethyl (1,2-phenylene) bis (iminocarbonothioyl)) bis (carbamate) 25%

INERT INGREDIENTS: 60%
TOTAL 100%

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO
CORROSIVE, CAUSES EYE DAMAGE AND SKIN IRRITATION
HARMFUL IF SWALLOWED**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes immediately with plenty of water (for at least 15 minutes). Get medical attention.

IF SWALLOWED: Drink promptly a large quantity of milk, egg white, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

IF INHALED: Induce coughing immediately.

IF ON SKIN: Wash thoroughly with soap and water. If irritation persists, get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

*Licensed under U.S. Patent No. 3,260,538; 3,260,725

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA REG. NO. 58185-10

95200

EPA EST. NO. 228-IL-1

NET WEIGHT: 2 LBS. (907 g)



Distributed by: Scotts-Sierra Crop Protection Company
14111 Scotsman Rd., Marysville, OH 43041
© 1997, The Scotts Company, World Rights Reserved

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE! Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes and on clothing. **IN CASE OF CONTACT**, immediately flush eyes or skin with plenty of water. **GET MEDICAL ATTENTION**. Do not contaminate feed or food.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants. • Waterproof gloves. • Shoes plus socks. • Protective eyewear.
- For exposures in enclosed areas, a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G). For exposures outdoors, dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C). Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep PPE separately from other laundry.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers

AGRICULTURAL USE REQUIREMENTS continued

on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- Coveralls • Waterproof gloves • Shoes plus socks • Protective eyewear

CHEMIGATION

Refer to supplemental labeling entitled Chemigation Information for use directions for chemigation. Do not apply this product through any irrigation system unless the supplemental labeling on chemigation is followed.

BANROT® is a broad spectrum fungicide for the control of soil borne diseases. It contains the active ingredient of Truban® plus a systemic fungicide for the control of *Pythium*, *Phytophthora*, *Rhizoctonia*, *Fusarium* and *Thielaviopsis*. It may be used as a soil drench at the time of seeding and transplanting as well as a periodic drench throughout the plant's life cycle for the control of problem fungi in greenhouses and outdoors.

BANROT® suspensions in water should be constantly agitated to assure uniform mixing and application. BANROT® suspensions do not need to be protected from light. Re-application, if necessary, at label recommendation, will not cause plant damage. Use at recommended concentrations and rates. Overdosage may result in toxicity to sensitive plants. If plants are suspect of being sensitive, apply fungicide to a small number to insure safety. BANROT® should not be mixed with other pesticides or nutrients unless adequately tested first.

Thoroughly rinse BANROT® residues out of all equipment after use.

PLANT TYPE		REMARKS
BEDDING PLANTS		BEDDING PLANTS (soil 2" to 3" deep). Mix 4-8 oz. of BANROT with 100 gal. of water and apply to 800 sq. ft. of bed area (equivalent to 1 pint/sq. ft. of soil surface) and use at time of seeding and transplanting. Irrigate immediately with additional water equal to at least half the volume of the fungicide drench for improved soil penetration of the fungicide. Re-treat at 4 to 8 week intervals if additional application are necessary.
Ageratum	Coleus	
Ajuga	Dahlia	
Alyssum	Dusty Miller	
Aster	Gynera	
Balsam	Impatiens	
Begonia	Larkspur	
Coronilla	Marigold	
Celoxia	Nasturtium	
FOLIAGE PLANTS		
Aglaonema	Hoya	
Aralia	Maranta	
Cactus	Nautifolocalyx	
Caladium	Peperomia	

19904 95200 (Front)
F.C. 69336

5/6

AGRICULTURAL USE REQUIREMENTS continued

mark, forest, pasture, and hardy of agricultural pesticides. It contains instructions for mixing, application, and emergency assistance. It also contains the instructions and cautions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to this product that are covered by the Worker Protection Standard.

of enter or allow worker entry into treated areas during the restricted entry interval (REI) of this product.
 applied for each crop to be treated, that is permitted under the Worker Protection Standard. It involves contact with any plant that has been treated, such as plants, soil or water in which the product is used.
 results • Waterproof gloves • Shoes plus socks • Protective eye wear

CHEMIGATION

supplemental labeling entitled "Chemigation Instructions" for use directions for chemigation. Do not apply this product through any irrigation system unless the supplemental labeling on the label is followed.

OT* is a broad spectrum fungicide for the control of soil borne diseases. It contains the active ingredients of Trifluralin, flutolanil, and thiocyanamide. It may be used as a soil drench at the time of seeding and during the life cycle of the plant's life cycle for the control of problems in greenhouse and outdoor.

OT* suspensions in water should be constantly agitated to ensure uniform mixing and application. BANROT suspensions do not need to be protected from light. Re-application, if necessary, should be made at 7-10 day intervals. Do not use in sensitive plants. Use at recommended concentrations. Overdosage may result in toxicity to sensitive plants. If plants are suspect of being sensitive to OT*, a small number to insure safety. BANROT should not be mixed with other pesticides or fertilizers unless adequately tested first.

Why use BANROT residues out of all equipment after use.

PLANT TYPE	REMARKS
BEDDING PLANTS Canna Cobea Dahlia Gypsophylla Larkspur Mandarin Mandarin Mandarin	Mix 4.8 oz. of BANROT with 100 gal. of water and apply to 800 sq. ft. of bed area (equivalent to 1 pint/100 sq. ft. of soil surface) and use at time of seeding and transplanting. Irrigate immediately with additional water equal to at least half the volume of the fungicide drench for improved soil penetration of the fungicide. Re-treat at 4 to 8 week intervals if additional applications are necessary.
FOLIAGE PLANTS Hoya Maranta Maurandia Peperomia	BENCH PLANTINGS OF TROPICAL FOLIAGE PLANTS (per and other high organic growth media) 6" deep or more. Mix 6.12 oz. of BANROT with 100 gal. of water and apply to 800 sq. ft. of bench area (equivalent to 1 quart/ft. of soil surface). Irrigate

FOLIAGE PLANTS continued
 Dieffenbachia
Dracaena
Epiphyllum
Fern
Ficus
Fittonia
Gardenia
Hibiscus
Philodendron
Pilea
Schefflera
Spathoglottis
Tradescantia
Zinnia

CONTAINER & BEDGROWN
HERBACEOUS
 African Violet • Begonia • Calceolaria
 Carnation • Chrysanthemum • Coleus
 Dahlia • Delphinium • Eranthis Lily
 Geranium • Gerbera • Gloxinia • Gynura
 Gypsophylla • Ivy • Kalanchoe • Lobelia
 Saintpaulia • Zygocarpus

WOODY
 Acer • Aucuba • Azalea • Borwick
 Camellia • Cedar • Chamaecrista palm
 Crane Myrtle • Croton • Eucalyptus
 Ficus • Ficus • Ficus • Gardenia • Ivy
 Ligustrum • Phlox • Poinsettia • Pinus
 Podocarpus • Potamogeton • Rhododendron
 Spruce • Taxus • Thuja

COFFEE SEEDLINGS
 (Propagating)
 "NOTE: For non-bearing seedlings only.
 Do not apply after field transplanting and
 within two years of the first coffee bean
 harvest. Do not apply to bearing coffee
 plants."

CONTAINERIZED CITRUS SEEDLINGS AND LINERS
 (Propagating)
 "NOTE: For non-bearing containerized citrus seedling and liner use only. Do not apply after field transplanting and within two years of the first citrus fruit harvest. Do not apply to fruit bearing citrus trees."

BENCH PLANTINGS OF TROPICAL FOLIAGE PLANTS cont.
 immediately with additional water equal to at least half the volume of the fungicide drench for improved soil penetration of the fungicide. Re-treat at 4 to 8 week intervals to maintain disease control.

BEDGROWN PLANTS
 Mix 4.8 oz. of BANROT with 100 gal. of water and apply to 800 sq. ft. of bed area (equivalent to 1 quart/100 sq. ft. of soil surface) and use at time of seeding and transplanting. Irrigate immediately with additional water equal to at least half the volume of the fungicide drench for improved soil penetration of the fungicide. Re-treat at 4 to 8 week intervals if necessary.

CONTAINER & BEDGROWN PLANTS
 Mix 6 to 12 oz. of BANROT with 100 gal. of water per 400 sq. ft. (equivalent to 1 quart/100 sq. ft. of soil surface) or apply in sufficient volume to saturate the soil surface. Re-treat at 4 to 8 week intervals if necessary.

SEED BEDS
 Prior to sowing seeds • Mix 1.13 grams (4 ounces) of BANROT with 100 liters (90 gallons) of water and apply 2.3 liters (one gallon) per meter (1.2 square yards) two days prior to sowing seeds, thoroughly mixing the planting medium.
 Seedlings have emerged • Mix 8.5 grams (3 ounces) of BANROT with 100 liters (90 gallons) of water and apply 2.3 liters (one gallon) per meter (1.2 square yards). If seedlings have emerged, follow application immediately by irrigating with additional water equal to at least 1/2 the volume of the fungicide drench for improved soil penetration and to line (soil). Re-treat at 4 to 8 week intervals if necessary.

CONTAINER SEEDLINGS
 Mix 170 grams (6 ounces) of BANROT with 100 liters (90 gallons) of water. Apply 50 cc (1.7 oz.) of this mixture to a 1 liter (1 quart) container. Follow up application by immediately irrigating with additional water equal to at least 1/2 the volume of the fungicide drench for improved soil penetration and to line (soil). Re-treat at 4 to 8 week intervals if necessary.

CONTAINERIZED SEEDLINGS AND LINERS
 Mix 6-10 oz. of BANROT in 100 gal. water and apply to 800 sq. ft. of bench area (1 pint of solution per sq. ft.) at one and two months after seeding.
 With seedlings scheduled for planting in ground liner beds out-of-doors, apply an additional drench, in the greenhouse, 1 to 2 weeks prior to field liner bed planting.
 With plants scheduled for replanting to larger containers in greenhouse culture, mix the bedding process, apply an additional drench upon transplanting. Mix 6 to 10 oz. BANROT with 100 gal. of water per 400 sq. ft. Re-treat at 6 to 12 week intervals if necessary. Discontinue any applications 2 months prior to grow phase.
 Follow-up all applications by irrigating with additional water equal to at least 1/2 the volume of the fungicide drench for improved soil penetration and to line (soil).

STORAGE AND DISPOSAL
 STORAGE: Not sensitive to light. Stable at normal temperatures and humidities. Store in a dry place in a well-sealed container.
 PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
 PESTICIDE DISPOSAL: Pesticide, spray mixture of insecticide that cannot be used according to label instructions must be disposed of, according to applicable federal, state or local procedures.
 CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT NOTICE: DISCLAIMER AND LIMITATION OF LIABILITY.
 This product has been researched to provide necessary data to support its use on ornamentals. However, it is understood that tests may not have been carried out on all varieties under all growing conditions. The user should always follow the label directions and exercise his judgment and caution when using this product on a given variety until familiar with the results under his growing conditions. **NO WARRANTY OR REPRESENTATION IS MADE EXPRESS OR IMPLIED CONCERNING THE RESULTS OBTAINED FROM THE USE OF THIS PRODUCT IF NOT USED IN ACCORDANCE WITH DIRECTIONS OR ESTABLISHED SAFE PRACTICE.** The exclusive remedy of the user or Buyer, and the liability of either The Scotts Company or Scotts-Sierra Crop Protection Company or any other seller, for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or Buyer for the quantity of this product involved. The Buyer and all users are deemed to have accepted the terms of this Notice, which may be varied only by agreement in writing, signed by a duly authorized representative of either The Scotts Company or Scotts-Sierra Crop Protection Company.

Scotts-Sierra Crop Protection Company
 14111 Scotts Lane, Rd.
 Marysville, OH 43041
 BANROT is a registered trademark of Scotts-Sierra Crop Protection Co. for its brand of Fungicide products.
 © 1997, The Scotts Company. World Rights Reserved (125960215)



6/6