

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. May cause irritation. Avoid breathing dust. **IN CASE OF CONTACT,** immediately flush eyes or skin with plenty of water. **GET MEDICAL ATTENTION** if irritation persists. Always wear protective clothing and respirator when mixing and applying pesticides. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Do not contaminate feed or food. Keep children and pets out of treated area during application.

**ENVIRONMENTAL HAZARDS**

**THIS PRODUCT IS TOXIC TO FISH.** Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE**

**IT IS A VIOLATION OF FEDERAL (U.S.A.) LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

**DRY SOIL MIX:** Incorporate recommended amount of TRUBAN 5-G in each cu. yd. when seeding or transplanting for control of damping-off and root rot diseases caused by Pythium and Phytophthora. Overdosage may result in phytotoxicity. If plants are suspected of being sensitive, apply fungicide to a small number to insure safety. Use in greenhouses and outdoors.

**BROADCAST AND SIDE-DRESS APPLICATIONS:** Incorporate recommended amount of TRUBAN 5-G. When side-dressing, use sharp sand, calcined clay or similar diluent to achieve good distribution. Open furrow — apply product — close — firm with packer wheel and irrigate to activate. When broadcasting, distribute evenly using cyclone or drop spreader to apply recommended amount. Harrow or till into the soil to incorporate the granules into the upper 2 to 6 in. of soil.

**STORAGE AND DISPOSAL**

**STORAGE:** Do not store near seeds or fertilizer. Keep container closed when not in use.

**PROHIBITIONS:** Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**PESTICIDE DISPOSAL:** Pesticide spray mixture or rinse water that cannot be used according to label directions must be disposed of according to the Federal, State or local procedures.

**CONTAINER DISPOSAL:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum cannot be reused, dispose of in the same manner.

# TRUBAN®

## 5-G Fungicide

For control of damping-off root and stem rot diseases caused by Pythium and Phytophthora in ornamental and nursery crops.

**ACTIVE INGREDIENT**  
5-Ethoxy-3-trichloro-  
methyl-1,2,4-thiadiazole\* ..... 5%  
**INERT INGREDIENTS** ..... 95%

KEEP OUT OF REACH OF CHILDREN

### CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES. Flush eyes with water for 15 minutes.

IF INHALED. Induce coughing.

IF ON SKIN. Wash off with soap and water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

\* Licensed under U.S. Patent No. 3,260,588 and 3,260,725

EPA REG. NO. 58185-13  
EPA EST. NO. 228-IL-1

6937 40 LB. (18 Kg)  
Manufactured For

# SIERRA

LEAF PROTECTANT COMPANY  
Redwood Drive, Malibu, CA 90265

**ACCEPTED**  
FEB 12 1990  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended  
58185-13

**RECOMMENDATIONS**

PLANT TYPE			
DECIDUOUS PLANTS			
Ageratum	Carnation	Impatiens	Salvia
Asysticum	Delphinium	Larkspur	Spazaderon
Aster	Geranium	Marigold	Stives a
Balsam	Dahlia	Pansy	Verbena
Belamcanda	Jasanthus	Petunia	Viola
	Forsythia	Portulaca	
FOLIAGE PLANTS			
Azalea	Chinese Evergreen	Epipremnum	Philodendron
Anthurium	Dietrichia	Heptanthesis	Zygocactus
Brassica	Dracaena	Peperomia	
Caladium	E. neveria	Pilea	
CONTAINER & BEDDING			
HERBACEOUS		WOODY	
African Violet	Begonia	Acrostaphyos	Azalea
Calceolaria	Canna	Camelia	Canna
Chrysanthemum	Easter Lily	Cornus	Ficus
Geranium	Gerbera	Geranium	Hydrangea
Gloxinia	Impatiens	Juniper	Leucodermis
Supponia	Orchids	Magnolia	Poinsettia
Sinningia		Rosemary	Southern Pine
		Western Pine	

**DRY SOIL MIX:** For BEDDING PLANTS: Mix 5oz TRUBAN 5-G with each cu. yd. of soil.

**DRY SOIL MIX:** For FOLIAGE and CONTAINER & BEDDING PLANTS: Mix 10 oz TRUBAN 5-G with each cu. yd. of soil mixture. Ingredients for the soil mix should be free of large clumps and dry enough to prevent clumping during mixing. Do not use mixed with Sierra's TRUBAN 5-G, Wettable Powder, TRUBAN 25% Emulsifiable Concentrate or BUD-ROT as indicated under appropriate soil drench recommendations.


**BROADCAST APPLICATIONS:** Apply 6 to 8 lb of TRUBAN 5-G per 1,000 sq. ft. using a cyclone or drop spreader as follows:

Make of Spreader	Desired Rate Per Acre	Desired Rate Per 1,000 Sq. Ft.	Spreader Settings (Inch Dye)	Spread Width
Cyclone	260 Lb 350 Lb	6 Lb 8 Lb	3 1/2 4 1/2	6 Ft 6 Ft
Scott	200 Lb 350 Lb	6 Lb 8 Lb	4 0 4 5	20 in 20 in

**SIDE-DRESS APPLICATIONS:** Open a furrow 8 to 10 in. to the side of the plant to a depth of 4 to 6 in. Band 4 oz. of TRUBAN 5-G per 100 linear ft. using suitable equipment and a dibble. Cover the band and pack firmly. Repeat the operations on the other side of the plant bed. Irrigate to ensure activation of the TRUBAN 5-G.

**WARRANTY**

This material conforms to the description on the label and is guaranteed for the purposes set forth in the directions for use. Fungus and insects of additional species not mentioned on the label or in the directions for use are not covered by this warranty. The user assumes all responsibility for the use of this product and for the results thereof. No warranty is made for the use of this product on any other crop or for any other purpose. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.



\* Where applicable, incorporate TRUBAN 5G after steam sterilization of soil mix.

**BEST AVAILABLE COPY**