Please read Instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval expires 11-30-93 OPP Identifier Number United States Environmental Protection Agency Registration Office of Pesticide Programs (H7505C) **Amendment** Washington, DC 20460 194536 Application for Pesticide: Other . Section I 3. Proposed Classification 2. EPA Product Manager 1. Company/Product Number 58185-16 Mr. Clarence Lewis X None Restricted 4. Company/Product (Name) Koban Turf Fungicide 1.3G 21 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) 5. Name and Address of Applicant (Include ZIP Code) (b)(i), ray product is similar or identical in composition and labeling GRACE-SIERRA Crop Protection Company 1001 Yosemite Drive EPA Reg. No.____ Milpitas, CA 95035 Check if this is a new address Product Name Section 11 Final printed labels in response to Amendment - Explain below Agency letter dated_ Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Other - explain below. Explanation: Use additional page(s) if necessary. (For section i and Section II.) **NOTIFICATION** Compliance to PR Notice 93-3 Revised Statement Section III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Metal Yes Yes* Yes Plastic No Glass No Paper If "Yes." If "Yes," No. per No. per Other (Specify) Unit Package wgt. container Package wgt. container Certification must be submitted. 3. Location of Net Contents Information 4. Size(s) of Retail Container 5. Location of Label Directions On Label Container On Labeling accompanying product 6. Manner In Which Label ! Affixed To Product Lithograph Paper glued Stenciled Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Telephone No. «(Include Area Code) John A. Francis, Jr. Registration Specialist 4¢8{263-808Q Commercion 6. Dute Application Heceived attachments thereto are true, accurate and complete. I certify that the statements I have made in Tacknowledge that any knowingly false of $m_0 = m_0 \sin \omega$ rent may be punishable by fine or imprisonment or (Staniped) both under applicable law Signature 3. Tide Registration Specialist yped Name 5 Date John A. Francis, Jr. July 6, 1993

58195 -16

EPA Form 8570-1 (Rev. 12-90)

Previous editions are obsolete.

EPA File Copy (original)

Yellow - Applicant copy

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful it inhaled or absorbed through skin. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling Wash contaminated clothing before reuse. Mixers, loaders and applicators; when mixing, loading and applying must wear chemical resistant gloves, protective boots or overshoes, long sleeved shirt and long pants (or coveralls). Leather or fabric gloves are not acceptable. Do not handle or apply product with bare hands. A dust mask must be worn when mixing and loading this product. Do not handle treated soil with bare hands. Workers planting in treated soil must wear chemical resistant gloves. Clothing worn while loading, mixing and applying this product must be laundered separately from other clothing before reuse. Rinse gloves with water before taking them off, then wash your hands. Check gloves for cuts or holes. If the gloves are damaged, dispose of properly, and get a new pair

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not graze treated areas. Do not leed clippings to lifestock.

PRODUCT INFORMATION

KOBAN® 13 • G is intended for use on ornamental turl which is subject to Pythium blights, damping-off, cottony blight, Pythium Root and Crown Rot. It may be used at time of seeding to control damping-off or on established turf to prevent or control Pythium blight (cottony blight), Pythium Root and Crown Rot.

KOBAN 13 • G does not afford broad spectrum lungus disease control for Rhizoctonia (brown patch), Sclerotinia (dollar spot), Gloeocercospora (copper spot), and similar turf diseases. A fungicide program to control these diseases should be followed if they co-exist with Pythium blight

STORAGE & DISPOSAL

STORAGE: Do not store near seeds or fertilizer. Keep container closed when not in use

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state or local authorities, by burning. If burned, stary out of smoke



LABEL NOT REVIEWED PER PR NOTICE 88-6

813193

ACTIVE INGREDIENT

5-Ethoxy-3-trichloro-

methyl-1,2,4-thiadiazole* 1.3%

INERT INGREDIENTS 98.7%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, Flush eyes with plenty of water. Call a physician if irritation persists.

IF INHALED, Remove victim to fresh air.

IF ON SKIN, Remove contaminated clothing and wash skin with plenty of soap and water.

> **SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.**

*Licensed under U.S. Patent No. 3.260,588 and 3,260,725

EPA REG. NO. 58185-16 EPA EST. NO. 4841-LA-1

5549

40 LB. (18 Kg)



DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

For control of Pythium blight (cottony blight, grease spot, damping-off). Pythium root and crown rot on lurf.

Night temperatures above 65°F (18.3°C) with high humidity are favorable for Pythium development

KOBAN 1.3 • G should be applied with a lawn spreader or any other applicator that will give uniform coverage. A more uniform coverage can be made by spreading half of the required amount of KOBAN 1.3 • G over the area to be treated than applying the remainder at right angles or crosswise. Avoid misses by overlapping

On established turf, apply 3 lb. per 1000 sq. ft. when disease or conditions favorable for Pythium exist. For Pythium Root and Crown Rot apply 8 lb./1000 sq. ft. followed by immediate irrigation. Re-treat in 5 to 10 days if conditions favorable for disease persist or when disease reappears. For control of damping-off in newly seeded areas Apply 8 lb. per 1000 sq. ft. and topdress lightly along with the seed. Re-treat at 5 to 7 day intervals at the 3 lb. rate to maintain a preventive disease control program after germination.

Spreaders should be calibrated for accurate output. The following settings: are suggested as approximations for catibration

Make of Spreader	Cleared Rate Pirt 1000 Sq. Ft	Spreader Settings	Soreed Width
Cyclone	30 % 80 %	4 6	6% F1 6% F1
Scott	30 % *0%	4 7	20 In 20 In

WARRANTY

This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application. weather, watering practices, nature of soil, the disease problem, condition of the crop, incompatibility with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith NO OTHER EXPRESS OR IM-PLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE

Kobanifi is a registered tradement of Grace. Sievia Crop. Protection Complete for its brand of Europyage groducity.



Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

