58185-34

11/26/2012



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Beth Sullivan Everris NA, Inc. 4950 Blazer Memorial Parkway Dublin, OH 43017

NOV 2 6 2012

Subject: EPA Reg. 58185-34 / Revoke Pre-emergent Herbicide Notification

Dear Ms. Sullivan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 9-22-12 for the product EPA Reg. 58185-34 / Revoke Preemergent Herbicide. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.

Sincerely, Keth Benton

Kathryn Montague Product Manager 23 Herbicide Branch Registration Division (7505P)

n Diana any isana amin'ny fisiana amin'ny fisiana amin'ny fisiana amin'ny fisiana amin'ny fisiana amin'ny fisiana	1				(° a m			70 000	
Please read instructions on reverse		, ,			rom	1 Appi			0. Approval expires 2-28-9
	United S vironmental Pro Washington, I	otection Ag	gency			x	Registratio Amendmen Other		OPP Identifier Number
<u> </u>	<u></u>	Applicatio	on for Pest	icide	- Sec	tior	n l		
. Company/Product Number				PA Prod			<u> </u>	3. Prop	oosed Classification
58185-34			<u>.</u> к	athryn N	/lontag	ue			None Restricted
4. Company/Product (Name)	/· · · ·		PM						
Revoke Pre-emergent He 5. Name and Address of Appli	and the second	(n)		M-23	d Davia				
3. Name and Address of Appli	cant (include Zir Cod						accordance with FI r or identical in com		
Everris NA Inc. P.O. Box 3310			to:	,, , p.o		oa		peener	
Dublin, Ohio 43016			EP	A Reg. N	о.				
Check if this is a	a new address		Pro	duct Nan	ne				
	<u></u>		Section	- 11					
					l printec	labei	s in response to		
Amendment - Explain be	low.		1		ncy lette				· · · · ·
Resubmission in response	se to Agency letter da	ted		"Me	Τοο" Αι	oplicat	tion.		
X Notification - Explain be	low.			Othe	ər - Expl	ain be	elow.		
Explanation: Use additional	· · · · · · · · · · · · · · · · · · ·	(For section I	and Section II.)						
			Section	- 111					
I. Material This Product Will	Be Packaged In:		000000						
Child-Resistant Packaging	Unit Packaging		Water Solub	le Packa	ging		2. Type of Contain	er	
Yes	Yes		Yes				Met		
No	No		No				Plas Glas		
* Certification must	If "Yes"	No. Per	If "Yes"		No. Pe	er	Pap	er	26 A
be submitted	Unit Packaging wgt.	Container	Package wgt		Contai	iner		er (Spec	
3. Location of Net Contents Ir	I Information	4. Size(s) Reta	ail Container		5	i. Loc	ation of Label Direc	tions	
Label · Co	ontainer	50 lb					On label. On label accompa		roduct
3. Manner in Which Label is A	Affixed to Product	Litho	graph		Other			nying p	
			r glued		Outor				
		Sten		1)/					ັງວາວ ງ່ວວ
1. Contact Point (Complete it	ems directly below for	r identification	Section		ad if ne	00000	ry to process this	annlicet	
Name	Series and only Delow 101		Title						lo. (Include Area Code)
Beth Sullivan			Regulatory Anal	yst			(614) 5 5 5 5)87 3 3 3 3 3 3
certify that the statements wh acknowledge that any knowing aw.			attachments the				and complete.	נ נ נ	6. Date Application Received (Stamped)
2. Signature MML			3. Title Regulatory Anal	yst					2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
4. Typed Name Beth Sullivan			5. Date September 22, 2	2012					
EPA Form 8570-1 (Rev. 3-94)	Previous editions a	are obsolete	L	·	White	- ÉPA	A File Copy (origin	nal)	Yellow - Applicant Cop

Everris NA, Inc. 4950 Blazer Memorial Parkway Dublin, Ohio 43017 USA 1 0 492 8255 F 888 329 4678 info@everris.us.com www.everris.us.com



September 22, 2012

Ms. Kathryn Montague Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202-4501

Subject: EPA Reg. No. 58185-34, REVOKE Pre-emergent Herbicide Notification of General Labeling Revisions

Dear Ms. Montague:

Please find attached an Application for Pesticide notification of general labeling revisions for the above referenced product registration. Included with this cover letter are the following:

- EPA Form No. 8570-1, Application for Pesticide Registration/Amendment
- Two copies of updated Master Label -- one with highlighted changes; the other a "clean copy"
- Emails between Everris and EPA dated 4/30/12 and 5/1/12

General labeling revisions are as follows:

Page 1: Updated "For sale to and use by professional applicators only. Not for sale to or use by homeowners/consumers" to "Intended for sale to and use by professional applicators only". **Background:** Mr. Jim Gray of the North Dakota Department of Agriculture has asked that we revise the statement, *For sale to and use by professional applicators only. Not for sale to or use by homeowners/consumers*, to one that is more in line with recent discussions between the State FIFRA Issues Research and Evaluation Group (SFIREG) and the EPA to improve pesticide labeling. Due to conflict between Mr. Gray's recommendation and language present on the Oxadiazon RED, Everris requested clarification from the Agency regarding how the statement should be revised. Enclosed EPA's email response (via Ms. Maggie Rudick), dated May 1, 2012, advising Everris to revise the statement to include the word "intended" and remove the homeowner/consumer statement. For this reason, Everris is submitting the notification to revise the labeling as requested.

Page 2: Updated phone number within "First Aid" section.

"This notification is consistent with the provisions of PR Notice 98-10, PR Notice 2001-5, 2007-4 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10, PR Notice 2001-5, 2007-4, and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA".

If you have any questions regarding this submission, please contact me by phone at 614-726-7087, or by email at Beth.Sullivan@everris.us.com.

Sincerely,

Hh.S.

Beth Sullivan, Regulatory Analyst Enclosures

NOTIFICATION

NOV 2 6 2012

Revoke Pre-emergent Herbicide

Alternate Brand Name (ABN):

JewelTM Pre-Emergent Herbicide

GROUP **3** 14 HERBICIDES

Note to PM: The target site of action identification symbol is placed on top right of front label.

Intended for sale to and use by professional applicators only.

ACTIVE INGREDIENTS:	
Oxadiazon†	2.00%
Pendimethalin ^{††}	1.25%
OTHER INGREDIENTS:	96.75%
TOTAL 1	00.00%

† CAS # 19666-30-9 †† CAS # 40487-42-1

EPA Reg. No. 58185-34

EPA Est. No. 538-OH-1 (S); EPA Est. No. 8378-IN-1 (K); EPA Est. No. 9198-OH-1 (M) EPA Est. No. 82757-OH-1(MF) Super/subscript is the first letter of run code on end of container.

CAUTION KEEP OUT OF REACH OF CHILDREN

[SEE ATTACHED LABELING FOR DIRECTIONS FOR USE AND A PRECAUTIONARY STATEMENTS]	DDITIONAL	0000 0000 0000
Net Weight 50 lb (22.68 kg)	3 3 3 3 3 3 3	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Stock #9XXXX	در د دورود د دورود	33 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Manufactured for: Everris NA Inc. PO Box 3310 Dublin, OH 43016	۲ <u>۲</u> ۲ ۲ ۲ ۲ ۲	2 2 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Page 1 of 13

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if swallowed. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 888-241-6409 for emergency medical assistance.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are made of any waterproof material. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks, and
- Chemical resistant gloves

In addition, mixers and loaders must wear a chemical-resistant apron.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the equirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240)(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS

))))))))))))

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing or PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards:

This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Intended for sale to and use by professional applicators only.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection s_{a}

- Coveralls
 Shoes plus socks
 - Chemical-resistant gloves made of any waterproof material

22222 1 22222

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forest, nurseries or greenhouses.

Keep all people, children, and pets out of the treated areas until dusts have settled.

GENERAL INFORMATION

Revoke Pre-emergent Herbicide is a granular herbicide with a combination of two active ingredients designed to control a broad spectrum of weeds in established landscape, field grown, and containergrown ornamental plants, including perennials. This product will not control established weeds. When applied according to the label directions, Revoke Pre-emergent Herbicide will prevent weed germination, depending on conditions. This product works well as a stand-alone product or as part of a rotational program to provide year-round weed control.

RESISTANCE MANAGEMENT

Unlike insects and disease causing organisms, weed populations develop resistance very slowly so the most common form of resistance encountered in nurseries and landscapes is inherent natural resistance. Though inherent, natural resistance poses the same threat as any form of resistance that develops on site. This inherent, natural resistance is often only associated with a particular herbicide compound and usually not to an entire "group" or class of herbicides. Due to the relatively small number of pre-emergent herbicide classes available, and the fact that evidence of cross-resistance within pre-emergent herbicide classes is uncommon, it is likely that rotating herbicides with different active ingredients, even if they are in the same group, will provide satisfactory weed control without causing the development of cross-resistance within the herbicide group.

Revoke Pre-emergent Herbicide is a combination product composed of a Group 3 and a Group 14 herbicide. Any weed population may contain or develop plants naturally resistant to Revoke Pre-emergent Herbicide and to other Group 3 and 14 herbicides. Weed species with acquired resistance to Revoke Pre-emergent Herbicide may eventually dominate the weed population if Group 3 or 14 herbicides are used repeatedly in the same field or in successive years as the primary method of weed control. This may result in partial or total loss of control of those species by Revoke Pre-emergent Herbicides.

To reduce the chance of herbicide resistance, consider the following:

- Base herbicide use on a comprehensive IPM program that focuses on prevention, thoreugh sanitation and the use of non-selective post emergent herbicides where possible, as well as other recognized IPM techniques.
- When possible on the same weed species, alternate applications of Reyoke Pre-emergent Herbicide with non-Group 3 or Group 14 herbicides.
- Use herbicides from different target site of action Groups registered for the same use that have different sites of action, and are both effective at the tank mix or pre-pack-rate on the weeds of concern.
- Monitor treated weed populations for loss of field efficacy.

52323

EPA Reg. No. 58185-34

- Contact your local extension specialist, certified crop advisors, and/or manufacturer for herbicide resistance management and/or integrated weed management recommendations for specific crops and resistant weed biotypes.
- Contact Everris at 800-492-8255 for further information or to report suspected resistance.

PRECAUTIONS/LIMITATIONS

- Do not apply to wet foliage.
- Do not apply product in enclosed greenhouses or polyhouse structures, as ornamental injury may occur.
- Do not apply in windy conditions that affect distribution of the product.
- Do not till or blend Revoke Pre-emergent Herbicide into soil or potting media or apply product directly to bare roots.
- The user assumes responsibility for any crop damage or other liability from the use of this product on ornamental plant species not recommended on this label.
- Avoid contamination of water for irrigation and domestic use.
- Avoid application to cement, stone, clothing or shoes. If contact occurs, brush off particles to prevent staining. If necessary, rinse with water.
- Not for use on vegetables. Do not use on fruit trees that will bear fruit within one year of application.
- This product does not control established weeds.

CONTAINER APPLICATION RECOMMENDATIONS

- Apply this product to dry foliage only.
- Remove established weeds from potted liners prior to transplanting into containers.
- After planting, irrigate with approximately ¹/₂ to 1 inch of water to firm potting media around root system.
- After two regular irrigation applications and after foliage has dried, broadcast product evenly over container growing area.
- Revoke Pre-emergent Herbicide should be applied at the recommended rate with a properly calibrated spreader, which will assure accurate, even particle distribution.
- For best results, water immediately (½ to 1 inch) after application to remove granules from plant foliage and activate the herbicide.
- Do not destroy the chemical barrier by disturbing the growing media (such as by pulling weeds).
- Allow at least 2-4 months span between any two applications of Revoke Pre-Emergent Herbicide or a rotational partner such as OH2 or Rout.
- Always read the entire product label prior to application to make sure the rotational partner is suited for the crop and use site.

FIELD GROWN NURSERY AND LANDSCAPE APPLICATION RECOMMENDATIONS

- Apply this product to dry foliage only.
- In newly planted areas, irrigate with approximately ½ to 1 inch of water from irrigation or rainfall to firm soil around the root system of transplants.
- Prior to applying Revoke Pre-emergent Herbicide in existing landscapes or field nurseries, remove established weeds from areas to be treated with light cultivation, post-emergent, herbicide, or an appropriate combination of both.

0

- This herbicide should be applied at the recommended rate with a properly calibrated spreader, which will assure accurate, even particle distribution.
- For best results, water immediately (½ to 1 inch) after application to remove granules from plant foliage and activate the herbicide. If no irrigation is available, try to time the application prior to expected rainfall. Failure to activate the herbicide with irrigation or rainfall may result in poor weed control.
- Do not destroy the chemical barrier by disturbing the soil (such as by pulling weeds, raking or tilling) within the effective period of control for this product.
- Allow at least 2-4 months span between any two applications of Revoke Pre-Emergent Herbicide or a rotational partner such as OH2 or Rout.
- Always read the entire product label prior to application to make sure the rotational partner is suited for the crop and use site.

The ornamental plants on the following list have been tested and shown to be safe when treated with **Revoke Pre-emergent Herbicide**. <u>Only one or two varieties of each species were tested</u>. Other species in a genus or different varieties in the same species may respond differently. Be cautious when treating annual plants.

Revoke Pre-emergent Herbicide may be used on plant species not listed on this label. All species and varieties of ornamental plant types have not been tested. If a user wishes to make an application to a similar ornamental plant type not listed on the label, it is suggested that a trial application be performed first. THE USER ASSUMES RESPONSIBILTY FOR ANY CROP DAMAGE OR OTHER LIABILITY. Do not treat plants grown for food or feed. Do not use treated plants for food or feed.

A trial application should be made by applying **Revoke Pre-emergent Herbicide** to a small number of plants (20 or more) and grown under conditions similar to those which will be treated full scale. Wait 7 days before monitoring for injury symptoms.

Plants that have been found to be tolerant to Revoke Pre-emergent Herbicide

There is limited data to support application to annuals.

TREES				
Apple	Malus	spp		
Crabapple	Malus	spp		
Arborvitae	Thuja	spp		
Ash	Franxinus	spp		ວງວວຸ
Bald Cypress	Takodium	distichum		و د د د ر
Leyland Cypress	Cupressocyparis	leylandii		2 2 2 2
Cedar	Thuja	spp	3 3 3 3 3 3 3	993 9 9
Cedar, Red	Juniperus	virginia	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	د زدر د رز
Cedar, Atlas	Cedrus	atlantica		5 33
Dogwood	Cornus	spp	ູ່ມ່	وزرز ورز
Elm	Ulmus	japonica	ננננ <u>נ</u> נננננ (ל	,, , , , ,
Fir, Douglas	Psudotsuga	menziesii		د د و و و ر
Gingko	Gingko	biloba	_	Ç
Hemlock, Canada	Tsuga	canadensis	ſ))))))))))))
Holly	Ilex	spp		-

10/

-	-		
Lilac	Syringa	spp	
Magnolia	Magnolia	spp	
Maple	Acer	spp	
Oak	Quercus	· spp	
Palm	several		
Pine	Pinus	spp	
Poplar	Populus	spp	
Redwood, dawn	Metasequoia	glyptostoboides	
Spruce	picea	spp	
SHRUBS			
Azalea	Rhododendron	spp	
Bamboo	Bambina	spp	
Barberry	Berberis	spp	
Boxwood	Buxus	spp	
Butterfly bush	Buddleia	davidii	
Camellia	Camellia	spp	
Cotoneaster	Cotoneaster	spp	·
Crepe myrtle	Lagerstoemia	spp	
Deutzia	Deutzia	gracilis	
Escallonia	Escallonia	spp	
Euonymus	Euonymus	spp	
Forsythia	Forsythia	intermedia	
Fothergilla	Fothergilla	gardenii	
Gardenia	Gardenia	jasminoides	
Hibiscus	Hibiscus	spp	
Honeysuckle	Diervilla / Lonicera	spp	
Holly	Ilex	spp	
Hydrangea	Hydrangea	arborescens	
Juniper	Juniperus	spp	
Laurel	Prunus .	spp	
Laurel	Kalmia	Latifolia	
Luecothoe	Luecothoe	spp	-
Lilac	Syringae	spp	
Lily of the Nile	Agapanthus	spp	
Grape Holly	Mahonia	aquafolium	
Mock Orange	Pittospirum	tobira	
Mock Orange	Philadelphus	virginialis	
Myrtle	Mutus	communis	
Nandina	Nandina	domestica	
Oleander	Nerium	oleander	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Osmanthus	Osmanthus	spp	<u>ລວັງວວ</u> ໌ -
Photinia, Fraser	Photinia	fraseri	ູ່ງ
Privet	Lygustrum	spp	00000
Pyracantha	Pyracanths	coccinea	1))))
Rhododendron	Rhododendron	spp	
Rose	Rosa	spp	
Sweet pepperbush	Clethera	spp	
Viburnum	Viburnum	spp	

20.May.2012

Page 7 of 13

) ())))

spp

Taxus

۱۱

Perennial and Annual	Ornamentals and Groun	dcovers
Acacia	Acacia	redolens
Ageratum	Ageratum	spp
Ajuga	Ajuga	spp
	Aquilegia	spp
Artemisia	Artemisia	schmidtiana
Asters	Aster	spp
Astilbe	Astilbe	spp
Baby's Breath	Gypsophilia	spp
Bee Balm	Monarda	didyma
Bergenia	Bergenia	spp
Blanket flower	Gaillardia	spp
Blue wild indigo	Baptisia	australis
Campanula	Campanula	carpaticia
Canna Lilies	Canna	spp
Cat mint	Nepeta	fassenii
Coneflower	Rudbeckia	spp.
Coreopsis	Coreopsis	lanceolata
Echinacea	Echinacea	purpurea
Epimedium	Epimedium	spp
Eupatorium	Eupatorium	rogusum
Dianthus	Dianthus	deltoides
Yellow foxglove	Digitalis	grandiflora
Gaillardia	Gaillardia	spp
Ganzania, trailing	Gazania	luecoleana
Gazania	Gazania	spp
Geraniums	Pelargonium	spp
Gladiolas	Gladiolus	spp
Gaura	Gaura	lindheimeri
Hosta	Hosta	spp
Heuchera	Heuchera	micantha
Ice Plant	Carpobrotus	edulis
Ivy	Hedera	spp
Jasmine	Jasminium	mesnyi
Jasmine Primrose	Trachelospermum	spp
	Lamiastrum	galaobdoion
Leopards-Bane	Doronicum	cordatum
	Lavandala	angustifolia
Liatrius	Liatrius ·	spicata
Lily	Lilium	orientalis
	Miscanthus	sinensis
Pachysandra	Pachysandra	terminalis
Penstemon	Penstemon	barbatus
Peony	Paeonia	Spp
Periwinkle	Vinca	Spp
Phlox	Phlox	Subulata

Δ	c	9	

Yew

20.May.2012

Page 8 of 13

5 3

))))) () ())))

EPA Reg. No. 58185-34

Potentilla	Potentilla	Spp
Rudbeckia	Rudbeckia	Fulgia
Russian sage	Perovskia	Atriplicifolia
Salvia	Salvia	Nemorosa
Scabiosa	Scabiosa	Spp
St. Johnswort	Hypericum	Spp
Veronica	Veronica	Spicata
Wisteria	Wisteria	Synesis
Yarrow	Achillea	Millefolium

Ornamental Grasses

Blue Fescue	Festuca	Ovina	
Calamagrostis	Calamagrostis	Acutiflora	
Purple Fountain	Pennisetum	Rubrum	• .

Plants that have shown injury from Revoke Pre-emergent Herbicide

Begonia	Begonia	Spp		
Campanula	Campanula	persicifolia	·	
Dianthus	Dianthus	caryophyllus		
•	Calluna	spp		
	Carex	spp		
	Catharanthus	roseus		
Chrysanthemum	Chrysanthemum	spp		
Clematis	Clematis	spp		
Delphinium	Delphinium	spp		
	Echinacea	spp		
Heather	Calluna	spp	•	
Lupines	Lupinus	spp		
	Ligustrum	vicaryi		
	Oenethera	missouriensis		
	Heuchera	spp		
Geranium	Geranium	sanguinea		
	Monarada	spp		
Phlox	Phlox	panicculata		
Sedum	Sedum	brevifolium		
Shasta daisy	Leucanthemum	maximum		2222 2 3
Petunia	Petunia	spp		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Marigolds	Tagetes	spp		2 2 2 2
Vinca	Vinca	minor	222922	Э
Zinnia	Zinnia	spp	a 5	ງວີອ ເຊີ້ມ ເຊີ້ອອ
			5 3 3 3 3 3	و و ر

55

Revoke Pre-emergent Herbicide provides pre-emergence control of the following broadleaf weeds and grasses:

	Re	When applied as described on the label, woke Pre-emergent Herbicide controls these weeds		•
[Common Name]	[Genus]	[Species]		······
<u> </u>	<u>ka</u>	Grassy Weeds		
Annual Bluegrass	Poa	annua		
Annual sedge	Cyperus	compressus		<u> </u>
Barnyardgrass	Echinochloa	crusgalli		
Crabgrass, Large	Digitaria	sanguinalis		
Crabgrass, Smooth	Digitaria	ischaemum	·····	
Fall Panicum	Panicum	dichotomiflorum		
Field Sandbur	Cenchrus	incertus		
Foxtail, Bristly	Setaria	verticillata		
Foxtail, Green	Setaria	viridis		
Foxtail, Yellow	Setaria	lutescens	· · ·	
Goosegrass	Eleusine	indica		······································
Ripgut Bromegrass	Bromus	catharticus		
Wild Oats	Avena	fatua		
<u> </u>		Broadleaf Weeds	•	
Bittercress	Cardamine	pensylvanica		
Bristly Oxtongue	Picris	echioides		
Carpetweed	Mollugo	verticillata		
Cheeseweed	Malva	parviflora		
Common Chickweed	Stellaria	media		
Common Groundsel	Senecio	vulgaris		
Fiddleneck	Amsinckia	intermedia		
Fireweed	Epilobium	angustifolium		
Knotweed, Prostrate	Polygonum	aviculare		
Lambsquarters	Chenipodium	album		
Niruri	Phyllanthus	niruri		
Oxalis	Oxalis	stricta		
Purslane	Portulaca	oleracea		
Pigweed	Amaranthus	retroflexus		
Shepardspurse	Capsella	Bursa-pastoris		3337
Sow Thistle	Sonchus	oleraceus		2273
Speedwell	Veronica	spp.		ງ ອີ່ວ ອີ່ອີ່ວ ອີ່ອີ່ວ
Spiny Amaranth	Amaranthus	spinosus	12.2249	Ð
Spotted Catsear	Hyupochaeris	radicata))))))	9) 7 3 8 8
Spurge, Prostrate	Euphorbia	maculata	227282	5 30
Spurge, Roundleaf	Euphorbia	cordifolia	<u> </u>	
Yellow Woodsorrel	Oxalis	stricta	<u>))))))</u>) -)-)-)-)-)-	3
	· · · · · · · · · · · · · · · · · · ·			۵ ۵ ۶ ۶ ډ ډ ډ ډ ډ

APPLICATION RATE

Do not exceed 100 lbs per acre per application.

Application Rate Table					
Per	Square Foot	100 Square Feet	1000 Square Feet	Per Acre	
Metric	1 G	100 G	1 KG	45.4 KG	
Pounds (Lbs)		0.23	2.3	100	
Lbs of Active Ingredient per Acre				2.0 lbs (Oxadiazon) 1.25 lbs (Pendimethalin)	

APPLICATION LIMITATIONS

- Do not apply more than 4 pounds of oxadiazon per acre for a single application.
- Do not apply more than 6 pounds of oxadiazon per acre per year except in areas where there is heavy weed infestations.
- In areas of heavy weed infestations, the maximum application rate is 8 pounds oxadiazon per acre per year.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative of the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.



Page 11 of 13

DISCLAIMER AND LIMITATION OF LIABILITY

IMPORTANT NOTICE FROM EVERRIS NA INC. ("EVERRIS"). PLEASE READ BEFORE USE.

To the extent consistent with applicable law, user or buyer accepts the conditions, disclaimer of warranties and limitations of liability. Read the entire directions for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once for full refund.

CONDITIONS: The directions for use of this product are believed to be adequate and the user or buyer must always follow the label directions carefully and exercise judgment and caution when using this product under their growing conditions. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, unsatisfactory or substandard results or other unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of use or application, all of which are beyond the control of Everris. All such risks shall be assumed by the user or buyer.

WARRANTY: This product corresponds to all claims and descriptions set forth on the label and is reasonably fit for the purposes set forth in the directions for use on the label when used in accordance with those directions. This warranty is subject to the conditions and limitations stated herein. Everris recognizes that the rights and remedies of the user or buyer are subject to the provisions of the applicable law, but makes no other warranties or representations, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Everris is authorized to make any warranties beyond those contained herein or to modify the warranties contained therein. Subject to the user's or buyer's rights and remedies under the applicable law, Everris disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: Subject to the user's or buyer's rights and remedies under the applicable law, the exclusive remedy of the user or buyer and the liability of Everris or its affiliates, for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid by the user or Buyer for the quantity of this product involved or, at Everris' election, the replacement of the product. To the extent consistent with applicable law, Everris must have prompt notice of any claim so that a timely investigation of buyer's or user's claim can be made. Buyer and all users shall promptly notify Everris of any claims, whether based on contract, negligence, strict liability, other tort or otherwise or be barred from any remedy.

Attention: This product contains a chemical known to the State of California to cause cancer.



Manufactured for: **EVERRIS NA Inc.** PO Box 3310 Dublin, OH 43016

If you have [any] questions regarding the use of this product, call TOLL FREE 1-800-XXX-XXXX.

© 2012 EVERRIS NA INC. World rights reserved.

[Art: Made in the USA logo]

[Jewel[™] is a registered trademark of Everris International BV, used under license.]

OPTIONAL CLAIMS -- claims may appear on any or all label panel(s) [Provides preemergence control of weeds in container and field grown ornamentals.] [Controls 35 grassy and broadleaf weeds]

[Combination product of Oxadiazon and Pendimethalin]

3.3 2.22

Page 13 of 13