58225-1, PM-31. 1/L

	EPA REGISTRATION	TOAN BESTAMERURY				
US ENVIRONMENTAL PROTÈLITON AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	58225~1 TERM OF ISSUANCE					
WASHINGTON, DC 20400	NAME OF PESTICIDE PRODUC	<del></del>				
NOTICE OF PESTICIDE: REGISTRATION		'				
(Under the Federal Insecticide, Fundicide, and Rodenticide Act, as amended)	WES 610					
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)						
r-		·				
Wesco Chemicals, Inc. P.O. Box 2506	. '	·				
Waxahachie, TX 75165						
	_					
L	٦					
NOTE: Changes in labeling formula differing in substance submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration numbers.	or to use of the label in commerce	with this registration mus; be e. In any correspondence on this				
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.						
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is retu	rned herewith.				
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his moticide in accordance with the Act. The acceptance of any not is not to be construed as giving the registrant a right to by others.	on, may at any time suspend or ca ame in connection with the regist	nce the registration of a pest- tration of a product under this				
This product is conditionally reg section 3(c)(7)(A) provided that you:	istered in accordance	with FIFRA				
1. Submit/cite all data required of your product under FIFRA section 3(	c)(5) when the Agency					
registrants of similar products to sub 2. Add the phrase "EPA Registrat you release the product for shipment.		our label before				
3. Submit five (5) copies of you release the product for shipment. Ref	=					
description of final printed labeling.						
If these conditions are not compl subject to cancellation in accordance	with FIFRA section 6(e	e). Your release				
for shipment of the product constitute A stamped copy of the label is en	<del>-</del>					
	M. Lee					
(y <sub>1</sub>	oduct Manager (31) sinfectants Branch	::::::767c \				
Registration Division (TS~767C)						
Enclosures						
ATTACHMENT IS APPLICABLE						
SIGNATURE OF APPROVING OFFICIAL		DATE				

with COMMENTS in EPA Letter Dated:

**WES 610** 

AUG 18 1987

INDUSTRIAL MICROBICIDE amended, for the partial strength of the partial streng

## KEEP OUT OF REACH OF CHILDREN DANGER

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes irreversible eye damage and causes skin damage. Harmful or fatal if swallowed or absorbed through the skin. This product is a potential skin sensitizer. Workmen handling this product or treated material should wear impervious gloves, goggles or face shield, and protective clothing. All protective clothing, work shoes or boots, and equipment must be left at the work site at the end of the day. Eating, drinking, or smoking during use of this product is prohibited.

FIRST A1D: In case of skin contact, wash promptly and thoroughly with soap and water and finally with glycerin. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for 15 to 30 minutes. Get medical attention immediately. If product is swaffowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply directly to water or wetlands. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: Do not expose to extreme temperatures.

## STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

## DIRECTIONS FOR

COOLING TOWERS: WES 610
wood against soft or surface rot and integral or dry rot. It is an
Commented End to End to
aces. The amount applied should provide 2.4 tr 3.2 lb
1000 ft? of wood surface. Soft or surface rot can also be WES 610 to the recirculating
well. The closage should provide 5.0 lb ofWES_6
vater and the bleedolf should be stopped for 4 to 6 hr after tre
enested every four months.
COOLING WATER: WES610
and fungl in industrial recirculating cooling water systems.
hould be cleaned thoroughly to remove old algal growth, micro
ystem should there he drained, flushed, relified with water, and
107per 1000 gal w
of 0.8 to 4.8 ft oz per 1000 gal should be made every 1 to 5 day
severity of microbiological fouling.
ORILLING FLUIDS: To inhibit becterial and jungel degreed willing of wells
frilling at wells, WES 510 is
entrations of 0.2 to 1.0% based on the total wet weight of th
PETROLEUM SECONDARY RECOVERY: WES
control sullate-reducing bacteria, slime-forming bacteria
nicellar floods, water-disposal systems, and other oil-field wate
l oz of <u>WES 610</u> per 1000
made Continuously or intermittently by means of a metering pur
ofter injection pumps and injection well headers. Continuous F
ouled, add 15.6 to 52.0 th ozWES_610
invovsty until desired degree of control is achieved.
WES_DIVper 1000 gal of wall
WES 610 per 1000 gal of water control. Intermittent or Slug Method: When system is notic 15.6 to 52.0 fl oz WES 510
15.6 to 52.0 II oz WES GIU
and 1 to 4 times per week, or as needed to meintain control.  CRUDE AND REFINED OILS: WES 610
rative for the control of bacteria and funglithat cause the deg
furing storage. It should be added to the oil as it is being trans
furing storage. It should be added to the oil as it is being transitionage tank at the rate of 2.4 to 24.0 fl oz WES 6 LU
Addition should be made batchwise where mixing occurs or
tansfer pump.

It is a violation of Federal law to use this product in a m

WESCO	CHI	IME	CALS	ed by:
P.O. 1				
WAXAH	CHI	E,	TX	7516

EPA REG. NO. .

EPA ES

NET CONTENTS \_