

58225-2, PM-31, 1/2

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	58225-2	AUG 17 1987
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended)</i>		NAME OF PESTICIDE PRODUCT
		433 011

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[]

[]

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(C) provided that you:

1. Submit all data required for registration/reregistration of your product under FIFRA section 3(c)(3) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 58225-2" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling, before you release the product for shipment, refer to the 4-1/2 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A copy of each of the labels is enclosed for your records.

[Signature]
 John H. Lee
 Product Manager (31)
 Pesticide Control Branch
 Registration Division (TS-767)

ENCLOSURE

ATTACHMENT IS APPLICABLE

BEST AVAILABLE COPY

SIGNATURE OF APPROVING OFFICIAL _____ DATE _____

15000: I/P: Lee: L-14: KENCO: 08/11/87: 08/20/87: teg: sjh: lf: jh: cris

ACCEPTED
with COMMENTS
in EPA Letter Dated:

WES 611

AUG 17 1987

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
58225-2

DIRECTIONS FOR USE

It is a violation of Federal law to use this pesticide inconsistent with its labeling.

WES 611 is used in recirculating commercial and industrial water systems must be cleaned to remove algal growth and other deposits. An initial slug addition of WES 611 per 1000 gallons is recommended. Repeat initial dosage until control is achieved. Subsequent slug additions of 2.3 WES 611 per 1000 gallons every 1 to 5 days, or as needed. The frequency of additions should be made in the sump of water.

ACTIVE INGREDIENTS:

Disodium cyanodithioimidocarbonate 3.68 %

Potassium N-methyldithiocarbamate 5.07 %

INERT INGREDIENTS 91.25 %

TOTAL 100.0 %

This product contains 0.77 lb. of active ingredients per gallon and weighs 8.81 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Do not expose to extreme temperatures. Store in original container. Do not store in damaged drums. Drums should be opened in a well-ventilated area. Damaged drums should be placed in overpack and should not be absorbed in sawdust or sand and disposed of in a container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes, sludge, excess pesticide, spray mixture, or rinsate is a separate waste stream and must be disposed of by use according to label directions. Contact your State Pesticide or Environmental Control Agency, or the nearest EPA representative at your EPA Regional Office for more information.

CONTAINER DISPOSAL:

- METAL: Triple rinse (or equivalent). Then recycle where possible, or puncture and dispose of in a container approved by state and local authorities.
- PLASTIC: Triple rinse (or equivalent). Then recycle where possible, or puncture and dispose of in a container approved by state and local authorities, but do not burn or incinerate.

Manufactured by
WESCO CHEMICALS, INC.
P.O. BOX 2506
WAXAHACHIE, TX 75150

EPA REG. NO. _____

NET CONTENTS

ly after handling. Causes moderate eye injury.
IF SWALLOWED: Get Medical Attention.
IF ON SKIN: Wash Skin with Soap and Water.
IF IN EYES: Flush Eyes with Water for 15 Minutes. Get Medical Attention.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Do not apply when conditions favor drift to target areas.

Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product.

SHAW'S PREMIUM WEED & FEED - FORMULA 1 is a stable mixture of three phenoxy herbicides. It is for use on Lawns, Ornamental Turf (not pastures) and Golf Fairways, Aprons, Tees and Roughs.

This product may be used on Blue Grass, Fescue, Rye, Bermuda, Bahia, Zoysia, Centipede, and St. Augustine grass. DO NOT USE on Dichondra and Carpet Grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

This product is designed for control of broadleaf weeds in lawns. Some of these weeds are:

Black Medic, Buckhorn, Burdock, Chicory, Chickweed, Clover, Dock, Dandelion, English Daisy, Ground Ivy, Healall, Lambsquarter, Mallow, Morningglory, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Red Clover, Red Sorrel, Stitchwort, Speedwell, Spurge, White Clover, Wild Carrot, Wild Garlic, Wild Lettuce, Wild Onion, Yarrow, and other broadleaf weeds.

WHEN TO APPLY: Best results are obtained when weeds are growing rapidly in spring or early fall. IMPORTANT: Apply when grass is moist (after a rain, sprinkling or dew). DO NOT water lawn after material is applied. For most effective broadleaf weed killing action, avoid unnecessary disturbances, including watering, of treated areas for 48 hours after application. Watering will wash off weed killing material. Avoid contact with valuable shrubs, plants or flowers. Possible retreatment may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not over-apply. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration of Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 18 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is also acceptable. Lawns that are heavily overrun by weeds and that are in poor condition may require more than one application of the product. A suggested