

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS
AND DOMESTIC ANIMALS:**

DANGER

EXTREMELY HAZARDOUS LIQUID AND VAPOR UNDER PRESSURE. INHALATION MAY BE FATAL OR CAUSE SERIOUS ACUTE ILLNESS OR DELAYED LUNG OR NERVOUS SYSTEM INJURY. DO NOT BREATHE VAPORS. LIQUID OR EXCESSIVE VAPOR CAN CAUSE SERIOUS SKIN OR EYE INJURY WHICH MAY HAVE A DELAYED ONSET. DO NOT GET LIQUID ON SKIN, IN EYES, OR ON CLOTHING.

THIS PRODUCT CONTAINS CHLOROPICRIN WHICH MAY BE IRRITATING TO THE UPPER RESPIRATORY TRACT, AND EVEN AT LOW LEVELS CAN CAUSE PAINFUL IRRITATION TO THE EYES, PRODUCING TEARING. IF THESE SYMPTOMS OCCUR, LEAVE THE FUMIGATION AREA IMMEDIATELY. EARLY SYMPTOMS OF CHLOROPICRIN OVEREXPOSURE ARE LACHRYMATION, RESPIRATORY DISTRESS AND VOMITING.

OBSERVE THE FOLLOWING PRECAUTIONS

GENERAL PRECAUTIONS

1. Do not get in eyes, on skin, or on clothing.
2. Do not spill, or discharge contents outside of areas confined for treatment.
3. Comply with all applicable regulations and ordinances.
4. It is advisable to supply your physician with information on Chloropicrin and Methyl Bromide. Literature is available from your dealer or distributor.
5. Obtain medical assistance at the first sign of distress after exposure, and do not allow conditions which could accidentally cause further exposure until help is available. See Note to Physician.

RESPIRATORY PROTECTION

If the concentration of methyl bromide in the working area, as measured by a direct-reading detector device, such as a tracer gas detector, does not exceed 5 ppm (10 mg/m³), respiratory protection is required. If this concentration is exceeded at any time, all persons in the fumigation area must wear self-contained breathing apparatus (SCBA) approved equipment, or supplied SCBA respiratory equipment. SCBA or contractor air-supplied SA respiratory equipment is required for entry into an affected area in the event of a leak or spill.

Under normal soil fumigation conditions, the concentration of methyl bromide in the working area will not generally exceed 5 ppm as a time-weighted average and no respiratory protection is required. However, there is the possibility of a spill or leak during soil fumigation. Therefore, a SCBA or contractor air-supplied SCBA respiratory equipment is available and will be required for entry into an affected area in the event of a leak or spill.

CLOTHING PRECAUTIONS

1. Do not wear clothing that has been exposed to the fumigant.
2. Do not wear clothing that has been in contact with the fumigant.
3. Do not wear clothing that has been in contact with the fumigant.
4. Do not wear clothing that has been in contact with the fumigant.
5. Do not wear clothing that has been in contact with the fumigant.

SPILL OR LEAK PROCEDURE

1. If a spill or leak occurs, immediately evacuate the area.
2. If a spill or leak occurs, immediately evacuate the area.
3. If a spill or leak occurs, immediately evacuate the area.
4. If a spill or leak occurs, immediately evacuate the area.
5. If a spill or leak occurs, immediately evacuate the area.

**RESTRICTED USE PESTICIDE
DUE TO ACUTE TOXICITY**

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

**TRI-CON 80/20
PREPLANT SOIL FUMIGANT**

| | |
|----------------------------|---------------|
| ACTIVE INGREDIENTS: | |
| METHYL BROMIDE | 80.0% |
| CHLOROPICRIN | 19.8% |
| INERT INGREDIENTS: | |
| | 0.2% |
| TOTAL | 100.0% |

KEEP OUT OF REACH OF CHILDREN

DANGER



PELIGRO

POISON

PRECAUCION AL USUARIO Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

IN ALL CASES OF OVEREXPOSURE, GET MEDICAL ATTENTION IMMEDIATELY TAKE PERSON TO A DOCTOR OR TO AN EMERGENCY TREATMENT FACILITY

STATEMENT OF PRACTICAL TREATMENT

IF INHALED Get exposed person to fresh air. Keep warm. Make sure person can breathe freely. If breathing has stopped, give artificial respiration. Give oxygen if needed. Do not give anything by mouth to any unconscious person. Seek medical attention.

IF ON SKIN Immediately remove contaminated clothing, shoes and other items covering the skin. Wash contaminated skin area thoroughly with soap and water.

IF IN EYES Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes.

NOTE TO PHYSICIAN Early symptoms of overexposure are lizziness, headache, nausea and vomiting, weakness, and collapse. Lung edema may develop in 2 to 48 hours after exposure accompanied by cardiac irregularities. The effects are the usual cause of death. Repeated overexposure can result in blurred vision, staggering gait, and mental imbalance, with probable recovery after a period of exposure. Blood in urine levels suggest the occurrence but not the degree of exposure. Treatment is symptomatic.

See Side Panel For Additional Precautionary Statements

SHADOW MOUNTAIN PRODUCTS CORPORATION

P. O. BOX 1327 HOLLISTER, CA 95024

F.P.A. EST. 11220-CA-1,2,3,4:FL-1
F.P.A. REG. NO. 58266-01

NET CONTENTS LBS.

BEST AVAILABLE COPY

DOSAGE TABLE

| Land To Be Planted To: | Lbs. Per Acre |
|------------------------|---------------|
| Strawberries | 225 - 350 |
| Tomatoes | 225 - 350 |
| Flora. Crops | 225 - 350 |
| Nursery Crops | 225 - 350 |
| Plant & Seed Beds* | 225 - 350 |

* For production of plants only.

AERATION: Remove tarpaulin after 48 hours. Allow the soil to aerate for two weeks before planting. If odors or fumigant persist beyond this two-week period, disc or plow the soil to help aeration.

FOR USE WEST OF ROCKY MOUNTAINS
ONIONS, DIRECT SEEDED

APPLICATION: Treatment can be made whenever soil conditions are suitable. In northern states, late summer or early fall treatments are best for land to be planted to early spring crops. Follow application directions as described above.

USE For control of White Rot, weeds (grasses) and Nematodes.

DOSAGE 375 lbs/Acre

LIMITATION: Use restricted to west of the Rocky Mountains. Do not treat any field more than once every twelve months.


FOR USE IN CALIFORNIA ONLY
ASPARAGUS AND LETTUCE

APPLICATION: Follow application directions as described above.

| CROP | USE | DOSAGE AND USE TABLE | | AERATION |
|-----------|-----------------------------|----------------------|------|--------------------------------|
| | | | RATE | |
| Asparagus | Fungus diseases | 375-500 lbs/A | | Remove tarpaulin after 48 hrs. |
| | (damping off, Phythium spp) | | | |
| | Weeds (grasses) | | | |
| Lettuce | Nematodes | | | Remove tarpaulin after 48 hrs |
| | Weeds (including oxalis) | 375-500 lbs/A | | |
| | Nematodes | | | |
| | Big Vein | 250-375 lbs/A | | Remove tarpaulin after 48 hrs |

LIMITATIONS For use in California only. Do not harvest asparagus during year of treatment. Use on lettuce fields only once in 2 to 3 years.

SPECIMEN



POISON

BEST AVAILABLE COPY

INHALATION HAZARD

6

NA 1581
METHYL BROMIDE
AND MORE THAN
ONE CHILDREN'S
MIXTURE, LIQUID