



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
Ariel Rios Building
1200 Pennsylvania Avenue, NW
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

58266-5

APR 28 2000

Term of Issuance:

Conditional

Name of Pesticide Product:

Tri-Clor EC Fumigant

NOTICE OF PESTICIDE:

XX Registration
____ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Shadow Mountain Products Corporation
P.O. Box 1327
Hollister, CA 95024-1327

ATTN.: Ms. Mardel Belotinsky

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit data.
2. Revise the EPA Registration Number on the label to read, "EPA Reg. No. 58266-5".
3. Under the "Personal Protective Equipment" - Applicators and other handlers must wear:" section, change "one-piece garment" to "coveralls" for consistency with similar product labels.
4. Submit one (1) copy of the revised final printed label before you release your product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Mary L. Waller

Mary L. Waller, Product Manager (21)
Fungicide Branch, Registration Division (7505C)

Date:

APR 28 2000

Specimen Label

**RESTRICTED USE PESTICIDE
DUE TO ACUTE TOXICITY**

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

**Tri-Clor EC
FUMIGANT**

ACTIVE INGREDIENT: Chloropicrin 94%
OTHER INGREDIENTS: 6%
TOTAL: 100%

Weight = 12.58 lbs. active ingredient/gal. @ 25°C

**ACCEPTED
with COMMENTS
In EPA Letter Dated:
APR 28 2000**

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**

38266-5

Shadow
Mountain
Products
Corporation

P. O. Box 1327, Hollister, CA 95024

EPA File No. 58266-L — EPA Est. 11220-CA-1
CA-2
CA-3
CA-4 ←
FL-1

NET CONTENTS.....LBS.

KEEP OUT OF REACH OF CHILDREN

DANGER  **PELIGRO**
POISON

PELIGRO: Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**IN ALL CASES OF OVEREXPOSURE,
GET MEDICAL ATTENTION IMMEDIATELY.
TAKE PERSON TO A DOCTOR OR TO
AN EMERGENCY TREATMENT FACILITY.**


FIRST AID

IF INHALED: Get exposed person to fresh air. Keep warm. Make sure person can breathe freely. If breathing has stopped, give artificial respiration, preferably mouth-to-mouth. Do not give anything by mouth to an unconscious person.
IF ON SKIN: Immediately remove contaminated clothing, shoes, and other items covering the skin. Wash contaminated skin area thoroughly with soap and water.
IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes.

NOTE TO PHYSICIAN

Chloropicrin is a volatile liquid that is the active ingredient in tear gas. As a gas it is a powerful lachrymator. Early symptoms of overexposure are lachrymation, respiratory distress, and vomiting. Pulmonary edema may develop later. Treatment is symptomatic.

See side panels for additional precautionary statements.



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS: **DANGER**

THIS FUMIGANT IS A HIGHLY HAZARDOUS MATERIAL AND MUST BE HANDLED WITH CARE ONLY BY THOSE INDIVIDUALS EXPERIENCED WITH ITS PROPER USE. CONSULT YOUR DEALER REPRESENTATIVE OR THE DISTRIBUTOR FOR CORRECT PROCEDURE BEFORE USING. READ AND FOLLOW ALL LABEL DIRECTIONS AND PRODUCT LITERATURE SPECIFIC TO YOUR REQUIREMENTS.

POISONOUS LIQUID AND VAPOR. INHALATION MAY BE FATAL. CHLOROPICRIN IS READILY IDENTIFIABLE BY SMELL. EXPOSURE TO VERY LOW CONCENTRATIONS OF VAPOR WILL CAUSE IRRITATION OF EYES, NOSE, AND THROAT. CONTINUED EXPOSURES AFTER IRRITATION IS EVIDENT, OR HIGHER CONCENTRATIONS, MAY CAUSE PAINFUL IRRITATION TO EYES OR TEMPORARY BLINDNESS. LIQUID WILL CAUSE CHEMICAL BURNS TO SKIN OR EYES. DO NOT GET ON SKIN, IN EYES, OR ON CLOTHING. HARMFUL OR FATAL IF SWALLOWED.

CHLOROPICRIN FUMIGANT HAS THE CAPACITY TO CAUSE MARKED IRRITATION TO THE UPPER RESPIRATORY TRACT, AND IS A STRONG LACHRYMATOR (TEAR PRODUCING EYE IRRITANT). LOW CONCENTRATIONS, BELOW THOSE NECESSARY TO CAUSE SERIOUS SYSTEMIC INTOXICATION, ARE CAPABLE OF CAUSING SEVERELY PAINFUL EYE IRRITATION, HENCE WILL NOT BE VOLUNTARILY TOLERATED. HOWEVER, THE EFFECT MAY BE SO POWERFUL THAT A PERSON MAY BECOME TEMPORARILY BLINDED AND PANIC-STRICKEN AND THAT IN TURN MAY LEAD TO ACCIDENTS.

AIR CONCENTRATION LEVEL

The acceptable air concentration level for persons exposed to chloropicrin is 0.1 ppm (0.7 mg/m³). If the air concentration level exceeds 0.1 ppm, an air-purifying respirator must be worn. If the air concentration level exceeds 4 ppm, an air supplying respirator must be worn. The air concentration level is measured by a direct reading detection device, such as a Dräger tube/pump.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category H on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Loose-fitting or well ventilated long-sleeved shirt and long pants or equivalent, e.g., a one-piece garment
- Shoes and socks
- Full-face shield or safety glasses with brow and temple shields (Do NOT wear goggles.)
- When the air concentration level of chloropicrin is above 0.1 ppm and a respirator is required, protect the eyes by wearing a full-face respirator.
- No respirator is required, if the air concentration level of chloropicrin in the working area is measured to be 0.1 ppm or less.
- A respirator is required under the following circumstances:
 - If the air concentration level exceeds 0.1 ppm at any time, applicators and other handlers must wear (a) a respirator with an organic-vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), OR (b) a respirator with a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P, or HE prefilter.
 - If the air concentration level exceeds 4 ppm at any time, applicators and other handlers must wear (a) a supplied-air respirator (MSHA/NIOSH approval number prefix TC-19C) OR (b) a self-contained breathing apparatus (SCBA) (MSHA/NIOSH approval number: prefix TC-13F).

WORK SAFETY REQUIREMENTS

- Do not wear jewelry, gloves, goggles, tight clothing, rubber protective clothing, or rubber boots when handling. Chloropicrin is heavier than air and can be trapped inside clothing and cause skin injury.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them.
- Clean PPE after each day's use. Immediately after contamination remove outer clothing, shoes, and socks and do not reuse until thoroughly aerated or ventilated. Keep such clothing and shoes outdoors until thoroughly aerated. Then follow the PPE manufacturer's instructions for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE and work clothing separately from other laundry.
- Follow PPE manufacturer's instructions for cleaning/maintaining protective eyewear, face shields and respirators.

USER SAFETY RECOMMENDATIONS

Users should:

- 1) Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- 2) Remove clothing immediately if pesticide gets on clothing. Then wash thoroughly and put on clean clothing.
- 3) Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.
- 4) Supply your physician with information on Chloropicrin, which is available from your Dealer Representative or the Distributor.

ENVIRONMENTAL HAZARD

This fumigant is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL HAZARD

Do not use containers or application equipment made of magnesium, aluminum, or their alloys, as under certain conditions this fumigant may be severely corrosive to such metals. Do not permit water to be used to clean the fumigant pressure system as corrosion will result. Diesel oil is satisfactory for this purpose.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

PLACARDING OF FUMIGATED AREAS

The applicator (or supervisor of the application) must placard all entrances to the fumigated area with signs bearing:

- skull and crossbones symbol
- "DANGER/PELIGRO"
- "Area under fumigation, DO NOT ENTER/NO ENTREE"
- "Chloropicrin Fumigant in use"
- the date and time of fumigation
- name, address, and telephone number of the applicator

Do not allow entry by unprotected persons into the fumigated area until the signs are removed. Such signs must only be removed when the air concentration level of chloropicrin is measured to be 0.1 ppm or less. Signs must remain legible during the entire posting period. Only a certified applicator (or someone under his/her supervision) may remove warning signs at entrances to fumigated structures.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements in this labeling about personal protective equipment, restricted-entry intervals, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS). No instructions elsewhere on this labeling relieve users from complying with the requirements of the WPS.

ENTRY RESTRICTIONS: Greenhouse Space Fumigation: Entry (including early entry that would otherwise be permitted under the WPS) by any person—other than a correctly trained and equipped handler who is performing a handling task permitted by the WPS—is PROHIBITED in the entire greenhouse (entire enclosed structure/building) from the start of application until aeration reduces the air concentration level of chloropicrin in the working area to 0.1 ppm or less.

Greenhouse Soil Fumigation: Entry (including early entry that would otherwise be permitted under the WPS) by any person—other than a correctly trained and equipped handler who is performing a handling task permitted by the WPS—is PROHIBITED in the entire greenhouse (entire enclosed building/structure) from the start of application until 48 hours after application AND until the air concentration level of chloropicrin in the working area is measured to be 0.1 ppm or less. Until the aeration of the soil is complete (usually 10-14 days), non-handlers are permitted in the greenhouse ONLY while the air concentration level of chloropicrin in the working area remains 0.1 ppm or less. If tarps are used for the application, non-handler entry is prohibited during tarp removal and until the air level is measured to be 0.1 ppm or less. **Outdoor Soil Fumigation:** Entry (including early entry that would otherwise be permitted under the WPS) by any person—other than a correctly trained and equipped handler who is performing a handling task permitted on this labeling—is PROHIBITED from the start of application until 48 hours after application. In addition, if tarps are used for the application, non-handler entry is prohibited while tarps are being removed.

NOTIFICATION: Notify workers of the application by warning them orally and by posting fumigant warning signs, as described in the "Placarding of Fumigated Areas" section of this labeling. Post the fumigant warning sign instead of the WPS sign for this application, but follow all WPS requirements pertaining to location, legibility, size, and timing of posting and removal. **Greenhouses—Soil or Space Fumigation:** Post the fumigant warning signs outside all entrances to the entire greenhouse (entire enclosed building/structure). **Outdoor Soil Fumigation:** Post the fumigant warning signs at entrances to treated areas.

PPE FOR ENTRY DURING ENTRY-RESTRICTED PERIOD: PPE for entry that is permitted by this labeling is listed in the "Hazards to Humans and Domestic Animals" section of this labeling.

PRECAUTIONS TO FOLLOW

PRIOR TO FUMIGATION: (1) Before using fumigant, read and follow all directions on the label and in the product literature. (2) Comply with all local regulations and ordinances. Obtain an application permit from Agricultural Regulatory agencies as required. (3) It is advisable to supply your physician with information on chloropicrin, which is available from the company. (4) Obtain medical assistance at once in case of illness after exposure, and do not allow conditions which could accidentally cause further exposure until recovery is complete. (5) Never fumigate alone. It is imperative to always have an assistant and proper protection equipment, as listed below, to aid in case of accidents. (6) Drivers of application equipment must advise other workers of all precautions and procedures. In addition, drivers must instruct their helpers in the mechanical operation of the tractor and how to work with the tractor and driver while fumigating. (7) Handle this fumigant in the open, when possible, with the operator "upwind" from the container where there is good ventilation. (8) Check the fumigant pressure system, when used, for leaks before beginning application. (9) A gas mask must be carried in each service vehicle. (10) Do not spill. If liquid fumigant splashes or spills on shoes or clothing, remove them at once as fumes from the contaminated area will be an intolerable source of irritation. If the liquid contacts skin where rings or bandages are worn, remove them and wash the exposed skin with soap and water. Air expose shoes or clothing outside and do not wear until free of all traces of fumigant. (11) Always have adequate clean water available to wash the skin.

DURING FIELD FUMIGATION: This fumigant should not be applied when there is an atmospheric inversion, since uncomfortable concentrations of chloropicrin may drift to nearby areas.

AFTER FIELD FUMIGATION: Do not feed domestic animals on crop residues unless an EPA tolerance exists for such use. Examples are, but not limited to, seeded or volunteer cover crops growing on soil which has been fumigated as a preplant treatment for a registered crop use.

NOTE CAREFULLY: Fumigation may temporarily raise the level of ammonia nitrogen and soluble salts in the soil. This is most likely to occur when heavy rates of fertilizer and fumigant are applied to soils that are either cold, wet, acid, or high in organic matter. To avoid injury to plant roots, fertilize as indicated by soil tests made after fumigation. To avoid ammonia injury and/or nitrate starvation to crops, avoid using fertilizers containing ammonia salts and use only fertilizers containing nitrates until after the crop is well established and the soil temperature is about 65 degrees F. Liming highly acid soils before fumigation stimulates nitrification and reduces the possibility of ammonia toxicity.

GENERAL INSTRUCTIONS

THIS FUMIGANT IS A HIGHLY HAZARDOUS MATERIAL AND SHOULD BE USED ONLY BY PERSONS TRAINED IN ITS PROPER USE. BEFORE USING, READ AND FOLLOW ALL LABEL PRECAUTIONS AND DIRECTIONS. ALL PERSONS WORKING WITH THIS FUMIGANT SHOULD BE TRAINED IN THE HAZARDS, THE USE OF REQUIRED RESPIRATOR EQUIPMENT, DETECTOR DEVICES, EMERGENCY PROCEDURES, AND THE PROPER USE OF THE FUMIGANT.

APPLICATION OF TRI-CLOR EC THROUGH DRIP LINE

TRI-CLOR EC is a fumigant for the control of soil-borne pests, such as wireworms and nematodes, and diseases caused by certain species of *Phythium*, *Phytophthora*, *Fusarium*, and *Verticillium*. It is to be used in soil to be planted to fruit, nut, vegetable, field, floral and nursery crops. This product may be applied under permanent plastic mulch or with open beds. If applied to open beds the drip line must be at least 6 inches below the bed surface. Keep pets, livestock, and other domestic animals out of the treated area during application and during the exposure period as specified in Directions for Use.

DOSAGE

- Preplant applications: 7.2 to 21.7 gallons Tri-Clor EC Fumigant per acre (100 to 300 pounds Tri-Clor EC Fumigant per acre).

GENERAL PREPARATION AND INSTRUCTIONS:

1. Plan the application by calculating the amount of TRI-CLOR EC required at the appropriate rate for the crop, acreage and target pest.
2. TRI-CLOR EC must be applied through a drip irrigation system to wet the soil thoroughly in the area being treated. Drip emitters should be spaced 8-12" apart.
3. TRI-CLOR EC must be metered into the water supply line and then passed through a mixing device, such as a centrifugal pump or static mixer, to assure proper agitation.
4. Meter TRI-CLOR EC into the drip system according to the dosage desired. An adequate concentration of active ingredient must be present in order to be effective. At no time should the concentration of active ingredient exceed 1,000 ppm in the drip line. For example, a 300 pounds per acre rate would require 38,000 gallons of water per acre for 1,000 ppm.
5. Field conditions prior to application are as follows:
 - A. Ground should be in seed-bed condition, no clods larger than 1 1/2" in diameter.
 - B. Beds should be listed, shaped and ready for planting.
 - C. Soil moisture should when possible be at 50% of field capacity in the top 2-3" at time of TRI-CLOR EC application.
6. After application of TRI-CLOR EC you should continue to irrigate the area with untreated water to flush the irrigation system. Do not permit TRI-CLOR EC to remain in the irrigation system after the application is complete. The total volume of water, including the amount used for flushing the irrigation system, should not exceed 1.5 acre-inches (40,000 gallons) of water per acre.

USE PRECAUTIONS:

1. Apply this product only through drip (trickle) irrigation systems. Do not apply this product through any other type of irrigation system.
2. Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from nonuniform distribution of treated water.
3. If you have questions about calibration, you should contact State Extension Service specialists, equipment manufacturers or other experts.
4. Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.
5. A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.
6. The system must contain a functional check valve, vacuum-relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.
7. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
8. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
9. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.
10. The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.
11. Use a metering system, such as a positive displacement injection pump (e.g., diaphragm pump), a positive pressure system, or a Venturi system, effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.
12. Posting of areas to be chemigated is required when: (a) any part of the treated area is within 300 feet of sensitive areas such as residential areas, labor camps, businesses, day care centers, hospitals, in-patient clinics, nursing homes, or any public areas such as schools, parks, playgrounds, or other public facilities not including public roads, or (b) when the chemigated area is open to the public, such as golf courses or retail greenhouses.


AERATION: Do not disturb treated soil for at least 2 weeks. Wet soil retards diffusion of the fumigant, thus requiring a longer aeration period. Aeration is usually complete when the odor of the fumigant is no longer evident.

GREENHOUSES

The use of chloropicrin in enclosed spaces presents a potential hazard to humans and plant life. Before fumigation, train all personnel involved in fumigation (including use of safety equipment). When used for fumigation of enclosed spaces, two persons trained in the use of this product must be present during introduction of the fumigant, initiation of aeration, and after aeration when testing for reentry. Follow USE PRECAUTIONS. Follow directions for row application with doors open, and fans running. After application and tarping, secure and post the structure to prevent unprotected persons and domestic animals from entering. After the exposure period, open doors and turn on fans prior to removing tarpaulins.

Do not allow any person to enter the fumigated structure without the appropriate protective equipment during the time of injection of the fumigant until acceptable air concentration level readings are obtained using an approved detector. To maintain adequate safety standards, the following equipment must be present and accessible on the site during the entire fumigation operation: (1) one or more self-contained breathing apparatus; (2) one or more replacement air bottles per breathing apparatus; and (3) one or more halide leak detectors.

After Fumigation: At the end of the exposure period, remove all seals and open all doors and windows that are operational. Allow for complete ventilation. Use ventilation fans whenever possible to remove fumigant from dead air pockets. Follow exactly the instructions in the entry restriction section of the Agricultural Use Requirements box."



STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, well-ventilated area under lock and key. Post as a pesticide storage area. Do not contaminate water, food, or feed by storage or disposal. Persons moving, handling, or opening containers must wear the personal protective equipment (including prescribed respirator) specified in the Hazards to Humans section of this labeling. Open container only in a well-ventilated area.

RETURN CYLINDERS TO: Shadow Mt. Products Corp. Shadow Mt. Products Corp.
8770 Highway 25 1029 Railroad Street
Hollister, CA 95023 Corona, CA 91720

Cylinders are the property of Shadow Mountain Products Corp. and should be returned promptly by collect auto freight. (1) When a cylinder is empty, the valve should be closed, the safety cap screwed onto the valve outlet, and the protection bonnet replaced prior to its return to the shipper. (2) Do not ship cylinders without safety caps or valve protection bonnets. (3) When a cylinder is partially full and there is no further requirement for the product, contact the company for return instructions. (4) Containers should never be refilled by the consumer or used for any other product or purpose.

SHIPPING: This fumigant is classified in the U.S. Department of Transportation Hazardous Materials Regulations as Chloropicrin, 6.1, UN 1580, PG I, Poison-Inhalation Hazard, Hazard Zone B and no exemptions from specifications, packaging, marking, or labeling are allowed. Describe empty cylinders as having last contained Chloropicrin (Inhalation Hazard). Do not ship with foods, feeds, or clothing.

HANDLING: (1) The valve protection bonnet and safety cap should be removed only when fumigant is about to be removed from the cylinder. The safety cap and valve protection bonnet must be replaced when the cylinder is not in use. (2) Cylinders should never be subjected to rough handling or to abnormal mechanical shock such as dropping, bumping, dragging, or sliding. (3) Ropes, slings, hooks, tongs, and similar handling devices should not be used for unloading cylinders. (4) A suitable hand truck, fork truck, or similar device to which the cylinders can be firmly secured should be used for transporting the heavier cylinders.

SPILL AND LEAK PROCEDURES: Evacuate everyone from the immediate area of the spill or leak. For entry into affected area to correct problem, wear the personal protective equipment (including prescribed respirator) specified in the Hazards to Humans section of this labeling. Move leaking or damaged containers outdoors or to an isolated location. Observe strict safety precautions. Work upwind, if possible. Allow spilled fumigant to evaporate or to absorb onto vermiculite, dry sand, earth, or similar absorbent material. Such material should be disposed of on site or at an approved disposal facility. Only correctly trained and PPE-equipped handlers are permitted to perform such cleanup. Do not permit entry into the spill or leak area by any other person until the concentration of chloropicrin is measured to be 0.1 ppm or less.

DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest E.P.A. Regional Office for guidance.

WARRANTY

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.

