23 NOV 1992

Mr. Carl E. Campbell Campbell Chemicals, Inc. 1664 Headland Drive Fenton, MO 63^26

Dear Mr. Campbell:

Subject: Revised Labeling in Response to PR Notice 91-7

Camicide Pyrethrin Formula 2X

EPA Reg. No. 58284-3

Submission dated October 19, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

- 1) Delete petroleum distillate from the active ingredient declaration on the label, and add the corresponding percentage to the inert ingredients. If you choose not to include the petroleum distillate with the inert ingredients, you are responsible for any data required to support its re-registration as an active ingredient.
- 2) Modify the existing precautionary statement, "Any exposed utensils or food handling surfaces should be thoroughly cleaned before using", to read: "Any exposed utensils or food handling surfaces should be thoroughly cleaned with an effective cleaning compound followed by a potable water rinse before using".
- 3) Modify the Environmental Hazards statement to read: "This pesticide is toxic to fish. Do not apply to water. Drift and runoff from treated sites may be hazardous to fish in adjacent waters."

Sincerely,

-gas

Joseph M. Tavano Acting Product Manager 10 Insecticide & Rodenticide Branch

Pegistration Division (N7505C) CONCURRENCES								
SYMBOL								
SURNAME								
DATE								
OFFICIAL FILE COPY								

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

\*U.S. Government Printing Office: 1992 -- 620-856/40672

HOMES RESTAURANTS KITCHENS BAFERIES

FOOD PLANTS BOTTLERS

SCHOOLS WAREHOUSES

Especially effective Li killing cockinaches, flies, silverlish,

# Precautionary Statements

# HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION! Harmful if swallowed or absorbed through skin. Avoid breathing of vapor or contact with eyes or skin. Vacate premises after treatment and ventilate before reoccupying. Do not use in commercial food processing or preparation areas. Avoid contamination of feed and foodstuffs. When using this product, food should be removed or covered during treatment or thoroughly cleaned before using. Do not apply over uncovered milk or lood products. Any exposed utensils or food handling surfaces should be thoroughly cleaned before using. Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS Do not use in areas where fish or reptiles

may be exposed to the spray. Do not spray directly on plants or shrubuery.

PHYSICAL OR CHEMICAL HAZARDS Contents under pressure. Do not use or store near fire, flame, sparks, or heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.


#### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink a large amount of milk or water. Do NOT induce vomiting because of aspiration hazard. Call a physician (or Poison Control Center) immediately, If in eyes: Flush with plenty of water. See a physician. If on skin: Remove contaminated clothing and wash affected areas with soap and water. If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.



CAMPBELL CHEMICALS, INC. \$t. Louis, MO 63026

### PLEASANTLY SCENTED



#### FLYING & CRAWLING INSECT KILLER

## **ACTIVE INGREDIENTS:** .40% Pyrethrins ....... \*Piperonyl butoxide, technical . . . . . . . . . 1.44% N-octyl bicycloheptene dicarboximide ..... 80% Petroleum distillate ..... INERT INGREDIENTS ......89.50% Total -- 100.00%

\*Equivalent to 1.16% (Cutylcarbityl) (6-propylpiperonyl) ether and .28% related compounds.

# KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements

Net Wt. 16 ounces

BEST AVAILABLE COPY

# DIRECTIONS FOR USE GENERAL-CLASSIFICATION

It is a violation of Paderal aw to use this in a manner inconsistent with its label

#### SHAKE BEFORE USING

Kills exposed accessible stages of ing insects when used as directed.

TO KILL ANTS, COCHROACHES, GR SILVERFISH, SPIDERS, and WATE Apply thoroughly to infested areas cont

many insects as possible. Pay special to cracks, crevices, and hidden areas be pliances, furniture, and around drains a warm, moist, or dark areas. Treat points and trails when possible. Repeat as n

TO KILL FLIES, MOSQUITOES, SMA ING MOTHS, WEBBING CLOTHES and GNATS: Close all doors and windor exposed lood, utensils, and lish aquari direct spray upward into center of roo slow, sweeping motion. Spray 5 to 10 ser average room. Exit room and keep room for 15 minutes after spraying. Ventilate to pletely before re-entry. Avoid breathing Remove and destroy downed insects.

TO KILL FLEAS: Remove and destroy bedding and thoroughly spray kennel or quarters. Spray cracks and crevices to and hidden insects. Allow spray to dry an Replace clean bedding when surfaces Repeat as needed.

TO KILL CARPET BEETLES: Directly many insects as possible. Spray both int exterior of upholstered furniture, and the bottoms of rugs and carpets. Pay spection to closets, shelves, borders of areas, and areas under furniture. Re needed.

TO KILL EXPOSED FORMS OF COLFLOUR BEETLES, SAW-TOOTHED BEETLES, LESSER GRAIN BORER, & WEEVILS: Find and destroy inlested goods. Remove all other items from a treated. Spray shelves and floors in pan pallets and shelves for warehouse storaces to dry completely before replace paper, utensils, or food ite ... Repeat as

TO KILL WASPS: Spray nests in early or late evening when insects are les Contact as many insects as possible. R needed.

## STORAGE AND DISPOSA

Disposal: Do Not Reuse Empty Cont Wrap and Put in Trash Coffe

Storage: Store in a Cool Dry Place. Container Closed.

Important Note: Buyer assumes all use, storage or handling of this mate in strict accordance with directions here. h.