



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (W7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
58284-21

Date of Issuance:
23 SEP 1992

NOTICE OF PESTICIDE:
 X Registration
 Reregistration

Term of Issuance:
Conditional

Name of Pesticide Product:
Camicide Formula 525
Fly Bomb

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Campbell Chemicals, Inc.
1664 Headland Drive
Fenton, MO 63026

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No.58284-21".
- b. Change the statement "Do not contaminate water by cleaning of equipment or disposal of wastes." to read "Do not contaminate water when disposing of equipment washwater."

Signature of Approving Official:

See page 2

Date:


September 23, 1992

3. Submit one (1) copy of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Richard F. Mountfort
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)

SPECIMEN LABEL

CAMICIDE FORMUAL 525 FLY BOMB

Front Panel

ACCEPTED
with COMMENTS
in EPA Letter Dated

23 SEP 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
58284-21

For Use on Cattle and Other Livestock and in Barns and Other Farm Structures

ACTIVE INGREDIENTS:

Pyrethrins.....	0.50%
*Piperonyl butoxide, Technical.....	2.50%
**INERT INGREDIENTS.....	97.00%
	<hr/> 100.00%

*Equivalent to 2.00 % (butylcarbityl) (6-propylpiperonyl) ether and 0.50 % related compounds.

**Contains petroleum distillate

PYROCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

Net Weight: 1 pound 10 ounces

Manufactured for:

CAMPBELL CHEMICALS, INC.

St. Louis, MO.

EPA Reg. No.

58284-

EPA Est. No.

58284-MO-1

Back Panel

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not apply directly to food, water or feed supplements. Do not contaminate milk or milk handling equipment. Wash udder and teats of dairy animals before milking.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic animals. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SPACE SPRAY to Kill Flies, Gnats and Mosquitoes: Direct spray upwards towards upper corners of structure being treated. Close all doors and windows and keep closed for 10-15 minutes. Ventilate prior to reentry. Sweep up and destroy fallen insects.

To Protect Dairy Cows and Cattle from Gnats, Horn Flies, Horse Flies, Houseflies, Mosquitoes, and Stable Flies: Animals should be sprayed daily before the morning or evening milking. Apply as a light mist from a distance of two feet, permitting the spray particles to collect upon the hair coat. Special attention should be given to shoulder blades, stomach and legs. Do not soak the hide. Wash udder and teats with soap and warm water prior to milking.

For Calves and Other Livestock such as Horses and Swine: Spray very lightly once or twice daily.

To Protect Cattle and Other Livestock from Attack by Fleas, Lice and Ticks: Spray bedding and walls of pen, particularly cracks and crevices. Livestock should be lightly sprayed and the spray immediately rubbed into the hair, paying particular attention to infested areas. Ticks must be contacted directly with the spray. Repeat as necessary.

To Protect Cattle and Other Livestock from Attack by Face Flies: Apply spray to a heavy cloth or sponge and wipe on face and around ears of livestock, paying particular attention to areas around eyes and nostrils. Avoid getting material in animal's eyes. Treatment should be made daily while the cattle

BEST AVAILABLE COPY

are stationed for the morning milking to give protection from face flies.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place inaccessible to children. Keep container closed.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.