

Reg # 58284-26

PM-13

173

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Until Reregistration

Camicide Pet & Plant Spray

Campbell Chemicals, Inc.
1664 Headland Drive
St. Louis, MO 63026

07 APR 1993

160 | 426877
18

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the following labeling changes before you release the product for shipment:

- a. Add the phrase, "EPA Registration No. 58284-26."
- b. Revise Environmental Hazards to read: "This product is highly toxic to fish and other aquatic animals. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters."

3. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager 13
Insecticide-Rodenticide Branch
Registration Division (M7505C)

| Enclosure | | CONCURRENCES | | | | |
|-----------|---------|--------------|--|--|--|--|
| SYMBOL | | | | | | |
| SURNAME | Allevit | | | | | |
| DATE | 4-7-93 | | | | | |

SPECIMEN LABEL

CAMICIDE PET & PLANT SPRAY

ACCEPTED
with COMMENTS
in EPA Letter Dated

07 APR 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
59284-26

ACTIVE INGREDIENTS:

| | |
|--|----------|
| Pyrethrins..... | 0.056X |
| Permethrin (*[3-Phenoxyphenyl] methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate)..... | 0.050X |
| Related compounds..... | 0.004X |
| INERT INGREDIENTS..... | 99.890X |
| | 100.000X |

*cis-trans isomer ratio: Min. 35% (+ or -) cis Max. 65% (+ or -) trans

EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center immediately.
- IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs. Do not use on nursing puppies or kittens under 3 months of age. Do not use this or any other pesticide on sick, old or debilitated pets.

Do not spray plants used for food or feed.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and other aquatic invertebrates. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of waste. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of EPA.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. HOLD CONTAINER UPRIGHT.

FOR PETS

This product will kill fleas up to 14 days on dogs and cats and will kill ticks for 4 days on dogs and 9 days on cats.

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered, including the legs and under the body. Using a protective mitt or glove, fluff the hair as you spray so the spray will penetrate to the skin. The spray should wet the ticks thoroughly. Do not, however, oversaturate the fur or skin of the animal. Do not spray in face, eyes or on genitalia. Repeat as needed.

For cats apply at the rate of 1 second per pound of body weight. For dogs apply at the rate of 2 seconds per pound of body weight for thin or short-haired dogs and up to 8 seconds per pound of body weight for heavy or long-haired dogs.

FOR PLANTS

For use on indoor houseplants, such as African Violet, Dieffenbachia, Gold-Brocade Plant, I., Madame Butterfly, Philodendron, Purple Passion, Schefflera and Silver Tree Plant. Certain indoor houseplants may be sensitive to burning of foliage or dropping of leaves. Before treating any plant, test by spraying one or two leaves and checking for damage.

| | |
|---------------------------------------|----------|
| dimethylcyclopropanecarboxylate)..... | 0.004% |
| Related compounds..... | 99.890% |
| INERT INGREDIENTS..... | 100.000% |

*cis-trans isomer ratio: Min. 35% (+ or -) cis Max. 65% (+ or -) trans
 EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

3 9 3

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately.
 IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if irritation persists.
 IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
 IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs. Do not use on nursing puppies or kittens under 3 months of age. Do not use this or any other pesticide on sick, old or debilitated pets.

Do not spray plants used for food or feed.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and other aquatic invertebrates. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of waste. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of EPA.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. HOLD CONTAINER UPRIGHT.

FOR PETS

This product will kill fleas up to 14 days on dogs and cats and will kill ticks for 4 days on dogs and 9 days on cats.

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered, including the legs and under the body. Using a protective mitt or glove, fluff the hair as you spray so the spray will penetrate to the skin. The spray should wet the ticks thoroughly. Do not, however, oversaturate the fur or skin of the animal. Do not spray in face, eyes or on genitalia. Repeat as needed.

For cats apply at the rate of 1 second per pound of body weight. For dogs apply at the rate of 2 seconds per pound of body weight for thin or short-haired dogs and up to 8 seconds per pound of body weight for heavy or long-haired dogs.

FOR PLANTS

For use on Indoor Houseplants, such as African Violet, Dieffenbachia, Gold-Brocade Plant, Ivy, Madame Butterfly, Philodendron, Purple Passion, Schefflera and Silver Tree Plant. Certain indoor houseplants may be sensitive to burning of foliage or dropping of leaves. Before treating any plant, test by spraying one or two leaves and checking for damage.

This product kills Aphids, Mealybugs, Whiteflies and Spider mites and provides up to two (2) weeks of control.

Spray both upper and lower leaf surfaces from a distance of 10-12 inches until visibly wet. Repeat as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

Net Weight 6 oz.

Manufactured for:

Campbell Chemicals, Inc.
 St. Louis, MO.

BEST AVAILABLE COPY