



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Antimicrobials Division (7510P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

58300-24

Date of Issuance:

7/27/16

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

WoodWorx™

Name and Address of Registrant (include ZIP Code):

ConSeal International, Inc.
 c/o Jean Killoren
 316 Highland Avenue
 Hartford, WI 53027

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Jacqueline Hardy, Product Manager (34)
 Regulatory Management Branch II
 Antimicrobials Division (7510P)

Date:

7/27/16

2. Be aware that proposed data requirements for Thiabendazole have been identified in a Work Plan. For more information on these proposed data requirements, you may obtain a copy in the docket EPA-HQ-OPP-2009-0306 at www.regulations.gov or contact the Reevaluation Team Leader (Team 36): <http://www2.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-antimicrobial-division>
3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 58300-24.”
4. Submit one copy of the final printed label for the record before you release the product for shipment.


Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 03/01/2016
- Alternate Formulation #1 dated 03/01/2016

If you have any questions, please contact Lorena Rivas by phone at 703-305-5027, or via email at rivas.lorena@epa.gov.

Sincerely,

A handwritten signature in red ink that reads "Jacqueline Hardy". The signature is written in a cursive style and is enclosed within a faint, light-colored rectangular border.

Jacqueline Hardy, Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510P)



WoodWorx™

ACCEPTED

07/27/2016

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 58300-24

- [Termiticide, Insecticide and Fungicide Concentrate
- For Protection and Treatment of Wood and Wood-foam Composite Structural Components, Against Decay Fungi and Wood-Destroying Insects, and Cellulose Insulation (Paper-Based) Against Decay Fungi.
- Also Controls Such Pests in Infested Wood.
- Ready to Use
- Odorless
- Dust [powder]
- Long Lasting Protection
- Stop Bugging Me!
- Effective against Termites, Beetles (wood destroying), Carpenter Ants
- Effective against algae, wood rot, mold and wood decaying fungi
- Kills Cockroaches, water bugs, palmetto bugs, ants and silverfish
- Effective against wood boring beetles (including Powder Post Beetles, Furniture Beetles, Old House Borers and Long horn Beetles
- Effective against cellulose insulation (paper-based) decaying fungi
- Controls Subterranean Termites, Dampwood Termites, Drywood Termites Formosan Termites and Carpenter Ants
- Effective for all [For use on] Interior and exterior wood, wood-foam composite and cellulose insulation
- Kills Dust Mites and Fleas
- Treatment of carpet and upholstered furniture against dust mites and fleas]

ACTIVE INGREDIENT

Disodium Octaborate Tetrahydrate 98%
(Na₂B₈O₁₃• 4H₂O)

INERT INGREDIENT.....2%

TOTAL.....100%

KEEP OUT OF REACH OF CHILDREN CAUTION

[See [booklet] [side] [back] panel for additional Precautionary Statements and First Aid]

EPA Reg. No: 58300-24

EPA Est. No: 58300-FL-1
58300-MA-1

Manufactured by:
ConSeal International, Inc.
90 Kerry Place, Suite 2 Norwood, MA 02062

Net Contents: ___ lb. (___ kg)
Batch code:

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or the restroom.

PERSONAL PROTECTION EQUIPMENT STATEMENT

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves (such as waterproof gloves)
- NIOSH/MSHA Certified Respirator

ENVIRONMENTAL HAZARDS

This product is toxic to fish or aquatic wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

{Note to reviewer: Boxed format and bullets will be used in First Aid section if label space permits. If label space is limited a paragraph format will be used.}

Woodworx is water soluble inorganic borate salt for the protection and treatment of lumber and wood-foam composite structural components, against decay fungi and wood boring beetles including Powder Post Beetles (Lyctidae), Furniture Beetles and Old House Borers (Anobildae), and Longhorn Beetles (Cerambycidae), and cellulose insulation (paper-based) against decay fungi. This treatment is not effective against wood staining fungi and may require mixing with compatible products. WoodWorx also controls Subterranean Termites (Reticulitermes, Coptotermes, Heterotermes), Dampwood Termites (zootermopsis), Drywood Termites (Kalotermes, Incisitermes), and Carpenter Ants (Camponotus). WoodWorx is recommended for all interior and exterior wood, wood-foam composite structural components, and cellulose insulation, which will be protected from rain and not in direct contact with soil. The treatment of lumber and cellulose insulation is permanent even after cutting and finishing providing the wood or insulation is not exposed to moisture or in contact with soil. This product is toxic to wood destroying insects but surface etching of treated wood, wood-foam composite structural components may occur.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

REMEDIAL TREATMENT

For remedial control of organisms attacking wood, apply a 10% aqueous solution of WoodWorx (1 lb./gallon solution).

Solution may be applied by brush or spray until surface is thoroughly wetted (approximately 7 – 10 gallons per 1000 sq. ft.). For timbers 2 inches in thickness or greater, apply a second application 6 to 24 hours after the initial treatment. Application may also be made by drilling and then injecting the solution directly into the infested area. Inject a sufficient amount of solution to cause runoff from exit holes drilled into the infested member.

Alternatively, apply WoodWorx dust to infested member by drill and injection directly into galleries or dust wood surfaces and wall voids at a rate of 2 to 3 pounds per 100 sq. ft.

PREPARATION OF SOLUTION: To prepare solution described above, water should be added to the tank to about 80% of the final volume solution required. While agitating, 1.0 pound of WoodWorx is then gradually added for each gallon of treating solution that is required. The remaining water is then added and the solution is agitated until the product has dissolved.

PRE-TREATMENT

Wood, wood-foam composite structural components may be treated to prevent infestation of attacking organisms using the spray application method described above. For timbers 2 inches in thickness or greater, apply a second application 6 to 24 hours after the first. Cellulose insulation may be treated to prevent infestation of attacking decay fungi by applying a 10% aqueous solution of WoodWorx (1 lb./gallon solution) by spraying surfaces uniformly during production or application (approximately one gallon per 500 pounds of cellulose insulation). Current specification and test methods should be followed to ensure adequate chemical loading.

TREATMENT AGAINST FLEAS AND DUST MITES

For treatment of Fleas and Dust Mites in carpet, rugs and upholstered furniture prepare a 10% aqueous solution of WoodWorx (1 lb./gallon solution). Solution may be applied by brush, mop, spray or stiff brush. Apply at a rate of ½ [0.5] gallon per 100 sq. ft. [square foot].

Vacuum area before treatment. To avoid the possibility of staining, test an inconspicuous area and allow to dry prior to treatment. Thoroughly treat [spray] infested areas, carpets, rugs, upholstered furniture, window coverings, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and localized areas of floor and floor covering. Allow rugs and cushions to dry before replacing. [Place fresh bedding in animal quarters following treatment. Concurrent treatment of animals is recommended.]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. {Homeowner – 5 lbs and less rigid container} Rinse thoroughly before discarding in trash.

{Bag sizes only} Completely empty bag into application equipment. Then offer for recycling, if available, or dispose of empty bag in sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

{Greater than 5 lb. rigid container} Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times.

{Greater than 50 lb. rigid container} Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank. Fill the container ¼ full with water and recap. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container in its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

{Note to reviewer: Boxed format will be used if label space permits. Paragraph format will be used if label is small.}

[NOTICE: Because of many varying conditions affecting use and application, manufacturer warns buyer that these may impair or vary the results or effects of the use of this product. In any event, complete prevention of decay by fungi or other organisms is not guaranteed. Neither manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or

instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with the label. Neither manufacturer nor seller makes, and their employees and agents are not permitted to make, any representation or warranties, express or implied by law, not specifically contained herein.

Or

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.]

[] optional text