

300  
43  
11 JUL 10 1990

Copley Pharmaceutical Inc.  
881 East First Street  
Boston, MASS. 02127

ATTN: Bernie Grubstein

Dear Mr. Grubstein

Subject: Lice-Eez Foam Shampoo Aerosol  
EPA File Symbol/Reg. No. 58325-1  
Your final printed labeling dated January 11, 1989

The labeling referred to above submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,



Phil Netton  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (R7505C)

51237:I:Bagley:H-12:KENCO:06/19/90:07/19/90:CL:sw:vole:k:dg

CONCURRENCES

SYMBOL									
SURNAME									
DATE									

2 of 2

LICE·ENZ

# FOAM then COMB

LICE KILLING SHAMPOO KIT  
KILLS HEAD, CRAB AND BODY LICE AND THEIR EGGS  
INSTRUCCIONES EN ESPAÑOL ADJUNTAS



2 fl. oz. (60 ml)

WARNING

KEEP OUT OF REACH OF CHILDREN  
FOR EXTERNAL USE ONLY.  
SEE PHYSICAL OR CHEMICAL HAZARDS  
AND OTHER PREPARATIONS ON REVERSE PANEL.

SHAKE  
WELL  
BEFORE  
USE

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

JUL 10 1990

BEST AVAILABLE

Approved and Recommended for use intended, for Use as Pesticide  
Under EPA Reg. No.  
58325-1

KEEP  
OUT OF  
EYES

## LICE·ENZ FOAM COMB LICE KILLING SHAMPOO KIT

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### ACTIVE INGREDIENTS:

Pyrethrins	0.3%
Pyrethrin-Based Pesticides	3.0%
MERT INGREDIENTS	96.7%
	100.0%

\*Equivalent to 2.4% (S)-butylcyclopropyl-10-propenyl ether and 0.6% related compounds.

### PRECAUTIONARY STATEMENTS

#### For External Use Only

CALCIUM & SODIUM AND DOMESTIC ANIMALS

CAUTION! \*\*\*Should Not Be Used by Pregnant or Nursing Persons\*\*\*

CAUTION: For external use only. Harmful if swallowed. Do not inhale. Keep out of eyes and avoid contact with mucous membranes. In case of eye contact, flush immediately with water. In case of infection or skin irritation discontinue use and consult a physician. Consult a physician if infestation of eyebrows and eyelashes occur. Avoid contamination of food or feed stuffs. Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN

POTENTIAL OR CHEMICAL HAZARD: Contents under-pressure. Do not use or store near heat or open flame. Do not puncture or incinerate can-liner. Exposure to temperatures above 120°F may cause bursting.

STORAGE: Store away from heat, sparks and open flame and in an area inaccessible to children.

DISPOSAL: Do not reuse empty container. Replace cap and discard container in trash.

Do not incinerate or puncture.

EPA REG. NO. 58325-1 EPA EST. NO. 5540 MA 1

IFP - 30245 626-12

FOR LOT NO. AND EXP. DATE - SEE BOTTOM OF CAN

MANUFACTURED FOR

## COPEY

PHARMACEUTICAL INC.  
CONSUMER PRODUCTS DIVISION  
BROOKLINE, MASS. 02146

## LICE·ENZ

# FOAM then COMB



LICE KILLING SHAMPOO KIT  
CONTAINS UP TO FOUR APPLICATIONS

### Steps to treat lice infestation

1. See directions for activating metered valve on side panel.
2. Shake well. Apply as much FOAM then COMB as needed to the hair and scalp or any other infested areas until relatively wet. Do not use on eyelashes or eyebrows.
3. Allow FOAM then COMB treatment to remain in hair for 10 minutes, but no longer.
4. Wash hair thoroughly with warm water and shampoo or soap.
5. If desired, apply creme rinse to ease the nit removal process.
6. Comb hair with special no-nit comb (included) to remove dead lice and eggs.
7. After combing, rinse hair thoroughly.
8. Repeat treatment in 7-10 days if reinfestation has occurred.
9. Do not exceed 2 consecutive applications within 24 hours.

To help eliminate infestation, it is important to sterilize all clothing and bedding of infested person at time of treatment.

Directions for activating  
metered valve.



1. Pull off and throw away the white tab on the side of the valve. (Note: in some instances the white tab may be missing due to shipping and handling. This does not affect the function or safety of the product.)
2. Line up the half circle under the valve cap until it fits over the nozzle.
3. Shake well.
4. Aim nozzle. Press down on valve cap and hold. A pre-measured amount of shampoo foam is delivered from the can each time you press down and release the valve cap.
5. See back panel for treatment instructions.
6. After treatment, turn valve cap back so that half circle is no longer over nozzle. (This prevents accidental release of foam.)
7. Store can at room temperature.

Note: The manufacturer of this product endorses the National Pediculosis Association's "No Nit" policy. (See Important report inside)

INSTRUCCIONES EN ESPAÑOL ADJUNTAS