

NOTICE OF PESTICIDE: REGISTRATION REREISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

TERM OF REGISTRATION

Until Reregistration

NAME OF PESTICIDE PRODUCT

Dairy Feed Contains Rabon Oral Larvicide

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Wendland's Farm Products, Inc.
405 South 2nd Street
P.O. Box 40
Temple, TX 76503

160 / 212360
14 / 2

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 58349-3."
- b. The phrase "Contains Rabon Oral Larvicide" should be part of the product name to denote that the product is a pesticide in addition to being a feed.
- c. The words "ACTIVE INGREDIENT(S)" and "INERT INGREDIENT(S)" must be printed in type of the same size and be given equal prominence. The words "ACTIVE INGREDIENT(S)" AND "INERT INGREDIENT(S)" must be aligned to the same margin.
- d. Change INGREDIENTS to FEED INGREDIENTS.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

9/15/88

- of equipment used in the analysis.
1. Change dimensions of sample and to direct your attention to the instructions for use.
 2. Use the full product name or "this product" similar to instructions for use.
 3. Please provide the NUD or accession number for the analytical methods, not the pesticide petition No. 485047.
 4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the 4-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George F. Labocca
Product Manager (15)
Insecticide-Planticide Branch
Registration Division (79-767C)

Enclosures

58349-3

Cattle
Preven
flies

pcal flies in manure of treated cattle.
horn flies, house flies and stable
E.

ACTIVE INGREDIENT

	<u>by Weight</u>
2-Chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	0.15%*
Inert Ingredients	99.985%**
TOTAL	<u>100.00%</u>

*Rabon insecticide-contains 0.068 grams of Rabon per pound.
**Refers only to ingredients which are not larvicidal.

GUARANTEED ANALYSIS

Crude Protein, minimum.....	16.00%
Crude Fat, minimum.....	3.00%
Crude Fiber, maximum.....	5.00%

INGREDIENTS


Grain products, plant protein products, processed grain by-products, forage products, calcium carbonate, molasses product, potassium chloride, monocalcium phosphate, salt, sodium bicarbonate, magnesium oxide, niacin, vitamin A supplement, d-activated animal sterol (source of vitamin D3), vitamin E supplement, manganous oxide, zinc oxide, ferrous sulfate, copper oxide, cobalt sulfate, sodium selenite and artificial flavor.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

Precautionary Statements
Hazards to Humans

CAUTION: Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician.



ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE and DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place in original container.

CONTAINER DISPOSAL: Completely empty bag of contents. Then dispose of empty packaging in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Pesticide Disposal: Wastes resulting from the use of this may be disposed of on-site or at an approved waste disposal facility.

DIRECTIONS FOR FEEDING USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Rations containing this product may be fed up to slaughter and to lactating dairy cows without withholding the milk from market during or after treatment.

Wendland's Dairy Feed is designed to be fed along with your regular roughage. Do not further dilute with grain. Feed no less than one pound per 100 pounds of body weight daily. In general feed at the rate of one pound of feed for each two pounds of milk for Holstein, Ayrshire and Brown Swiss (plus other similar breeds). For Jersey and other high butterfat similar breeds feed one pound of feed for each 1.5 pounds of milk above a base of 15 pounds of milk. This method of feeding is very accurate up to 80 pounds of milk per cow per day, beyond that an individual evaluation per cow must be made.

When fed, this product passes through the digestive system into the animal's manure where it kills fly larvae on contact shortly after fly eggs hatch.

It prevents the development of fly larvae in the manure of treated animals, but is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around cattle lots and barns to control adult house flies and stable flies which can breed not only in manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, this product should be used in conjunction with other good management and sanitation practices.

MANUFACTURED BY
WENDLAND'S FARM PRODUCTS, INC.
TEMPLE, TEXAS 76503

NOTICE OF PESTICIDE:

REGISTRATION
RENEWAL

NAME OF PESTICIDE PRODUCT

Under the Federal Insecticide, Fungicide,
and Rodenticide Act

NAME AND ADDRESS OF REGISTRANT (Include ZIP Code)

160 | 212360
14 | 2

NOTE: Changes in labeling formula, or the active substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label for commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned here with.

Registration in no way to be construed as an endorsement or approval of the product by this Agency. In order to protect health and the environment, the Administrator, at any time, in dependence on the registration of a pesticide in accordance with the Act, The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclude others from the name or to its use if it has been covered by others.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

9/15/88

- e. Change "Do not contaminate water by cleaning of equipment or disposal of wastes" to "Do not contaminate water when disposing of equipment washwaters."
- f. Change DIRECTIONS FOR FEEDING USE to DIRECTIONS FOR USE.
- g. Use the full product name or "this product" within the Directions for Use.

3. Please provide the ERID or Accession Number for the analytical methods, not the Pesticide Petition No. 485047.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
 Product Manager (15)
 Insecticide-Rodenticide Branch
 Registration Division (TS-767C)

Enclosures

Net Weight 50-lbs.

WENDLAND'S
DAIRY FEED

(contains Rabon[®] Oral Larvicide)

Cattle (beef & dairy): Control of fecal flies in manure of treated cattle. Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle.

ACTIVE INGREDIENT

	<u>by Weight</u>
2-Chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	0.15%*
Inert Ingredients	99.985%**
TOTAL	<u>100.00%</u>

*Rabon insecticide-contains 0.068 grams of Rabon per pound.
**Refers only to ingredients which are not larvicidal.

GUARANTEED ANALYSIS

Crude Protein, minimum.....	16.00%
Crude Fat, minimum.....	3.00%
Crude Fiber, maximum.....	5.00%

INGREDIENTS

Grain products, plant protein products, processed grain by-products, forage products, calcium carbonate, molasses product, potassium chloride, monocalcium phosphate, salt, sodium bicarbonate, magnesium oxide, niacin, vitamin A supplement, d-activated animal sterol (source of vitamin D3), vitamin E supplement, manganous oxide, zinc oxide, ferrous sulfate, copper oxide, cobalt sulfate, sodium selenite and artificial flavor.

KEEP OUT OF REACH OF CHILDREN.

BEST AVAILABLE COPY

CAUTION

Precautionary Statements
Hazards to Humans

CAUTION: Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician.

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 15 1988

United States Environmental Protection Agency
EPA Office of Pesticide Programs
amended for the pesticide
registered under EPA Reg. No.

58344-3

Wendland's Dairy Feed
page 2

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE and DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place in original container.

CONTAINER DISPOSAL: Completely empty bag of contents. Then dispose of empty packaging in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Pesticide Disposal: Wastes resulting from the use of this may be disposed of on-site or at an approved waste disposal facility.

DIRECTIONS FOR FEEDING USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Rations containing this product may be fed up to slaughter and to lactating dairy cows without withholding the milk from market during or after treatment.

Wendland's Dairy Feed is designed to be fed along with your regular roughage. Do not further dilute with grain. Feed no less than one pound per 100 pound of body weight daily. In general feed at the rate of one pound of feed for each two pounds of milk for Holstein, Ayrshire and Brown Swiss (plus other similar breeds). For Jersey and other high butterfat similar breeds feed one pound of feed for each 1.5 pounds of milk above a base of 15 pounds of milk. This method of feeding is very accurate up to 80 pounds of milk per cow per day, beyond that an individual evaluation per cow must be made.

When fed, this product passes through the digestive system into the animal's manure where it kills fly larvae on contact shortly after fly eggs hatch.

It prevents the development of fly larvae in the manure of treated animals, but is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around cattle lots and barns to control adult house flies and stable flies which can breed not only in manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, this product should be used in conjunction with other good management and sanitation practices.

MANUFACTURED BY
WENDLAND'S FARM PRODUCTS, INC.
TEMPLE, TEXAS 76503

EPA Reg. No. 58349
EPA Est. No. 58349-TX-001

BEST AVAILABLE COPY