l la	EPA REGISTRATION NO. DATE OF ISSUANCE			
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767)	58349-5 SEP 5 988			
WASHINGTON, DC 20480	Until Reregistration			
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUCT			
LJ REREGISTRATION	Horse Feed Contains Rabon			
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Oral Barvicide			
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	1230			
F	7 100/2/2			
Vendland's Parm Products, Inc.				
405 Jouth 2nd Street 💢	() (
P.C. Box 40				
Temple, TX 76503				
L				
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.				
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereby Registered/Reregistered under			
A copy of the labeling accepted in connection with this Re	egistration/Reregistration is returned herewith.			
health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any na	nt or approval of this product by this Agency. In order to protect on, may at any time suspend or cancel the registration of a pest ame in connection with the registration of a product under this to exclusive use of the name or to its use if it has been covered			
This product is conditionally respection $J(z)(\overline{z})(\overline{z})$ provided that you.	gistered in accordance with PIPSA			
 Submit/cite all data require your product under FIFRA section 3(c) registrants or similar reducts to su 				
 Mase the labeling changes of product for shipment; 	isted below buttere you release the			
i. Wil the phrase "AVA sept	stration io. 56349-5."			
·	on trai baryscide" should be part of out that the product is a posticion in !.			
c. The words "ACTIVE INGREDIENT(E)" on "LagRE INGREDIENT(S)" that be printed in type of the one case and be given equal prominence. The words "ACTIVE EXAMPLEMT(S)" AND "INLET EASEDIED"(S)" must be aliance to the same margin.				
ra Lande (Notal) P Nation Con FE	D51 178-9.000 P (#185•			
ATTACHMENT IS APPLICABLE SIGNATURE OF APPROVING OFFICIAL	DATE / L. V.			

- e. Change "Do not contaminate water by cleaning of equipment or disposal of wastes" to "Do not contaminate water when disposing of equipment washwaters."
- f. Change DIRECTIONS FOR PREDING USE to DIRECTIONS FOR USE.
- g. Use the full product name or "this product" within the Directions for Use.
- 3. Please provide the MRID or Accession Number for the analytical methods, not the Pesticide Petition No. 485047.
 - 4. Complete Item 17 on the Confidential Statement of Formula.
- 5. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the λ -79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 15 1988

Under the Federal insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

58349-5

NET WEIGHT 50-1bs.

WENDLAND'S HORSE FEED

ns Rabon Oral Larvicide)

Horses: Control of fecal thies in manure of treated horses. Prevents development of house flies, and stable flies in manure of treated horses.

ACTIVE INGREDIENT

	by Weight
2-Chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	0.015% *
Inert Ingredients TOTAL	99.985% ** 100.000%

*Contains 68.1 milligrams of Rabon per pound. **Refers only to ingredients which are not larvicidal.

GUARANTEED ANALYSIS

Crude	Protein, minimum	12.00%
Crude	Fat, minimum	2.50%
Crude	Fiber, maximum	10.50%

INGREDIENTS

Grain products, plant protein products, processed grain by-products, forage products, roughage products, animal protein products, molasses product, salt, molasses product, calcium carbonate, monocalcium phosphate, vitamin A supplement, d-activated animal sterol (source of vitamin D3), vitamin E supplement, choline chloride, vitamin B-12 supplement, riboftavin supplement, niacin supplement, d-calcium pantothenate, menadione sodium bisulfite complex, thiamine mononitrate, d-biotin, folic acid, pyridoxine HCl, Potassium sulfate, magnesium sulfate, magnesium oxide, manganous oxide, zinc oxide, ferrous sulfate, copper oxide, ethylenediamine dihydriodide and sodium selenite.

KEEP OUT OF REACH OF CHILDREN	1 1 4 4 4 1	•
CAUTION Precautionary Statements Hazards to Humans	· · · · · · · · · · · · · · · · · · ·	•••••

CAUTION: Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician.

:...

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE and DISPOSAL
Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place in original container.

CONTAINER DISPOSAL: Completely empty bag or contents. Then dispose of empty packaging in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Pesticide Disposal: Wastes resulting from the use of this may be disposed of on-site or at an approved waste disposal facility.

DIRECTIONS FOR FEEDING USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Start feeding Rabon larvicidal feeds early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts (ly activity.

When fed, this product passes through the digestive system into the animal's manure where it kills fly larvae on contact shortly after fly eggs hatch.

It prevents the development of fly larvae in the manure of treated animals, but is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around horse pens and barns to control adult house flies and stable flies which can breed not only in manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, this product should be used in conjunction with other good management and sanitation practices.

Wendland's Horse Feed is designed to be fed along with your regular roughage source. Do not further dilute with grain. Feed at a rate of not less than one pound per 100 pounds of body weight daily.

Manufactured by WENDLAND'S FARM PRODUCTS, INC. TEMPLE, TEXAS 76503

EPA Reg. No. 58349-EPA Est. No. 58349-TX-001