58349-8 , PM15 10
EPA REGISTRATION NO. DATE OF ISSUANCE
58349-8 OLF 12 1988
TERM OF ISSUANCE
Until Reragistered
Fly Control Protein Supplement
- (
7 1001212 JCT 18 2
1600
14 2
_
······································
om that accepted in connection with this registration must be to use of the label in commerce. In any correspondence on this
ber,
above named pesticide is hereby Registered/Reregistered under
sistration/Reregistration is returned herewith.
•
or approval of this product by this Agency. In order to protect
n, may at any time suspend or cancel the registration of a pest-
me in connection with the registration of a product under this
exclusive use of the name or to its use if it has been covered
istered in accordance with FIERA section
for registration/rem pistation of your
on the Agency requires all registrants
1.
ted a low brithe you polease the produce
tration (). 58349-4."
• • • • •
ENT(S)" and "IMERS INSULA WIRS)"
, the same size and no given equal
CITVE INGPEDIER: (S)" and "LO.KT
spointe the care materin.
S BARBINAN,
water by cleaners of surrout
water by cleaning of surport "bo not contaminate water when
water by clear, where an present
water by clearing of surport "be not contaminate water when twethers,"
water by clearing of surport "be not contaminate water when twethers,"
Water by cleaning of gurment "be not containmate water when the term." BEST AVAILABLE COPY
water by cleaning of purpoint "be not containmate water when the terms" BEST AVAILABLE COPY :9/21/88:rw:vo:ek:de
Water by cleaning of gurment "be not containmate water when the term." BEST AVAILABLE COPY

•

e. Change DIRECTIONS FOR PEEDING USE tO DIRECTIONS FOR USE.

2065

- f. Use the full product name or "this product" within the Directions for Use.
- g. Insert single and double asterisks at appropriate points on front panel to agree with footnotes.
- 3. Please provide the following Data Matrix requirements:
 - a. Discussion of Formation of [Unintentional] Ingredients--a brief description of impurities formed during the manufacturing/formulation process, in packaging, or during storage. If you do not expect any impurities during these stages, please so state.
 - b. <u>Analytical Method</u>--provide the methods used to analyze for the active ingredients. Provide either the MRID or Accession Number, not the Pesticide Petition Number.

4. Correct column 14.b. on the Confidential Statement of Formula to 0.35 for the active ingredient.

5. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

ê - 51/21

oz 5

1

ACCEPTED

with COMMENTS

Detade

NET WEIGHT 50-1bs.

WENDLAND'S

FLY CONTROL PROTEIN SUPPLEMENT

(contains Rabon[®] Oral Larvicide)

Cattle (beef & dairy): Control of fecal flies in manure of treated cattle. Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle.

Horses: Control of fecal flies in manure of treated horses. Prevents development of house flies, and stable flies in manure of treated horses.

Swine: Control of fecal flies in manure of treated swine. Prevents development of house flies in the manure of created swine.

ACTIVE INGREDIENT

	<u>by Weight</u>
2-Chloro-1-(2,4,5-trichlorophenyl)	
vinyl dimethyl phosphate	0.35%
Inert Ingredients	99.65%
TOTAL	100.00%

*Contains_1.6 grams of Rabon per pound. **Refers only to ingredients which are not larvicidal.

GUARANTEED ANALYSIS

Crug Egglein, minimum	40.00%	in EPA Letter Dated.
Cruce rac, minimum	2.00%	SEP 12 388
Crude Fiber, maximum	7.00%	•
Calcium (Ca), minimum Calcium (Ca), maximum	2.00%	Under the Federal Insecticide,
Calcium (Ca), maximum	3.00%	Fungicile, and Redemicide Act as
Phosphorus (P), minimum,	1.30%	registered under EPA Reg. No.
Salt (NaCl), minimum	1.90%	19349-8
Salt (NaCl), maximum	2.00%	3 8077 8

INGREDIENTS

Plant protein products, animal protein products, monocalcium phosphate, calcium carbonate, dl-methionine, l-lysine, vitamin A supplement, d-activated animal sterol (source of vitamin D3), vitamin E supplement, cholide chloride, vitamin B12 supplement, riboflavin supplement, niacin supplement, d-calcium pantothenate, menadione sodium bisulfite complex, thiamine mononibrate, d-biotin, folic acid, pyridoxine Hcl, potassium sulfate, magnesium sulfate, magnesium oxide, iron oxide, manganous oxide, zinc oxide, ferrous sulfate, copper oxide, ethylenediamine dihydriodide and sodium selentte.

KEEP OUT OF REACH OF CHILDREN

CAUTION

×.

Precautionary Statements Hazards to Humans

CAUTION: Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician.

Wendland's Fly Control Protein Supplement page 2

ENVIRONMENTAL HAZARDS This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE and DISPOSAL Do not contaminate water, food or feed by storage or disposal.

(

STORAGE: Store in a dry place in original container.

CONTAINER DISPOSAL: Completely empty bag of contents. Then dispose of empty packaging in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Pesticide Disposal: Wastes resulting from the use of this may be disposed of on-site or at an approved waste disposal facility.

DIRECTIONS FOR FEEDING USE

· · · ·

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Rations containing this product may be fed up to slaughter and to lactating dairy cows without withholding the milk from market during or after treatment.

Start feeding Rabon larvicidal feeds early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

When fed, this product passes through the digestive system into the animal's manure where it kills fly larvae on contact shortly after fly eggs hatch.

It prevents the development of fly larvae in the manure of treated animals, but is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around cattle lots and barns to control adult house flies and stable flies which can breed not only in manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, this product should be used in conjunction with other good management and sanitation practices.

Wendland's Fly Control Protein Supplement may be fed as a top dress or blended into the total ration as long as a minimum of 0.044 lbs./cwt./day Fly Control Protein Supplement is consumed by cattle (beef or dairy).or Horses and 0.0315 lbs./cwt day is consumed by Swine.

This product will mix uniformly in feeds when standard mixing procedures are followed.

L.

•

(

(FOR CATTLE & HORSES) MIXING DIRECTIONS

POUNDS OF CONCENTRATE	POUNDS OF WENDLAND'S
CONSUMED PER ANIMAL	FLY CONTROL PROTEIN
(CATTLE OR HORSE) PER DAY	SUPPLEMENT PER
(ASSUME A 1000 15. ANIMAL)	TON OF CONCENTRATE
0.5	1760 880
1.0 1.5	587
2.0	440
5.0	176
10.0	88
15.0	59
20.0	44
25.0	35.2
30.0	29.3

(FOR SWINE) FEEDING DIRECTIONS

(use as a partial replacement for protein supplement portion of ration)

LIVE WEIGHT lbs.	APPROXIMATE DAILY FEED CONSUMPTION (1bs.)	POUNDS OF WENDLAND'S FLY CONTROL PROTEIN SUPPLEMENT PER TON COMPLETE FEED
40	3.3	7.64
80	4.8	10.5
120	6.2	12.19
160	7.0	14.4
200	8.5	14.82
240	9.0	16.80

MANUFACTURED BY WENDLAND'S FARM PRODUCTS, INC. TEMPLE, TEXAS 76501		•
EPA REG. NO. 58349	• • • •	•