e. Change "Do not contaminate water by cleaning of equipment or disposal of wastes" to "Do not contaminate water when disposing of equipment washwaters."

6 80cm

- f. Change DIRECTIONS FOR FEEDING USE to DIRECTIONS FOR USE.
- g. Use the full product name or "this product" within the Directions for Use.
- 3. On the Confidential Statement of Formula (CSF) please provide the following:
 - a. Provide the upper and lower certified limits based on the pure active ingredients rather than the technical or concentrate. Note that the lower limit of the active must be the same as the label claim.
 - b. Provide the chemical identity and Material Data Safety Data Sheet for the following:
 - 1) Grain products;
 - 2) Animal protein products;
 - 3) Plant protein products; and
 - 4) Roughage products.

The supplier may contact us directly referencing your EPA Registration Number in their response.

- c. Please provide the following Data Matrix requirements:
 - 1) Discussion of Formation of [Unintentional] Ingredients—a brief description of impurities formed during the manufacturing/formulation process, in packaging, or during storage. If you do not expect any impurities during these stages, please so state.
 - 2) Analytical Method--provide the methods used to analyze for the active ingredients. Provide either the MRID or Accession Number, not the Pesticide Petition Number.
- 4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

NET WEIGHT 50-LBS.

WENDLAND'S FLY CONTROL ENERGY SUPPLEMENT

(contains Raben[®] Oral Larvicide)

Cattle (beef & dairy): Control of fecal flies in manure of treated cattle. Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle.

Horses: Control of fecal flies in manure of treated horses. Prevents development of house flies, and stable flies in manure of treated horses.

Swine: Control of fecal flies in manure of treated swine. Prevents development of house flies in the manure of treated swine.

ACTIVE INGREDIENT

	by Weight	
2-Chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	0.35%	(
Inert Ingredients TOTAL	$\frac{99.65\%}{100.00\%}$	ACCEPTED with COMMENTS in EPA Letter Dated:
*Contains 1.6 grams of Rabon per pound. **Refers only to ingredients which are not larvici	SEP (11 173	
GUARANTEED ANALYSIS		Under the Pederal Inserticide, Fungicide, and Redenticide Act as amended, for the pesticide registered under EPA Reg. No.
Crude Protein, minimum	. 3.00%	58349-9

INGREDIENTS

Grain products, processed grain by-products, roughage products (20%), plant protein products, molasses product, animal protein product, calcium carbonate, salt, sodium bicarbonate, vitamin A supplement, d-activated animal sterol (source of vitamin D3), vitamin E supplement, copper oxide, cobalt sulfate, manganous oxide, ferrous sulfate, ethylenediamine dihydriodide and sodium selenite.....

KEEP OUT OF REACH OF CHILDREN

CAUTION

Precautionary Statements Hazards to Humans

CAUTION: Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Wendland's Fly Control Energy Supplement page 2

STORAGE and DISPOSAL
Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place in original container.

CONTAINER DISPOSAL: Completely empty bag of contents. Then dispose of empty packaging in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Pesticide Disposal: Wastes resulting from the use of this may be disposed of on-site or at an approved waste disposal facility.

DIRECTIONS FOR FEEDING USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Rations containing this product may be fed up to slaughter and to lactating dairy cows without withholding the milk from market during or after treatment.

Start feeding Rabon larvicidal feeds early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

When fed, this product passes through the digestive system into the animal's manure where it kills fly larvae on contact shortly after fly eggs hatch.

It prevents the development of fly larvae in the manure of treated animals, but is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around cattle lots and barns to control adult house flies and stable flies which can breed not only in manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, this product should be used in conjunction with other good management and sanitation practices.

Wendland's Fly Control Energy Supplement may be fed as a partial direct substitute for the grain portion of the ration as a top dress of blended into the total ration as long as a minimum of 0.044 lbs./cwt./day.nf.. Fly Control Energy Supplement is consumed by Cattle (beef or dairy) or Horses and 0.0315 lbs./cwt day is consumed by Swine.

This product will mix uniformly in feeds when standard mixing procedures are followed.

(For Cattle & Horses) Feeding Directions

POUNDS OF ENERGY SUPPLEMENT TO BE CONSUMED PER DAY	ANIMAL LIVE WEIGHT LBS.		
0.176	400		
0.176	400		
0.22	500		
0.264	600		
0.308	700		
0.352	800		
0.40	900		
0.44	1000		
0.484	1100		
0.53	1200		

(For Swine)
Feeding Directions
(Use as a partial direct substitute for grain portion of ration.)

Live Wei lbs.		mate Daily nsumption (1bs.)	Pounds of WENDLAND'S FLY CONTROL ENERGY SUPPLEMENT PER TON COMPLETE FEED		
40 80 120 160 200 240		3.3 4.8 6.2 7.0 8.5 9.0		7.64 10.5 12.19 14.4 14.82 16.80	
EPA Reg. No. EPA Est. No.	WENDLAND'S TEMPLE,	FACTURED BY FARM PRODUCTS, TEXAS 76503	·		·:· ·:· ·:·