
-32	2 oz.	TO CONTROL ALGAE IN YOUR SWIMMING POOL SIMPLY ADD
		LO-CHLOR POOL ALGICIDE EVERY THREE MONTHS.
		YOUR POOL WATER WILL SPARKLE LIKE NEVER BEFORE.
-30) oz.	KEEP ALGAE AT BAY THE LO-CHLOR WAY.
-28		DIRECTIONS FOR USE:
		It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
-26	oz.	DOSAGE RATES :
		EVERY THREE MONTHS: 16 ft. oz. LO-CHLOR POOL ALGICIDE per 10,000
		gallons pool water (or 500mL per 40,000L) will prevent algae growth in all
-24	~~	pool types.
		SEVERE ALGAE TREATMENT: 32 fl. oz. LO-CHLOR POOL ALGICIDE per 10,000 gallons pool water for 1 Liter per 40,000 L).
		general period traces for 1 man box 40,000 mg.
-22	uz.	GENERAL DIRECTIONS:
		 Maintain pool water in the pH range 7.2 to 7.8. Adjust pH to 7.2 for severe algae.
		Ensure that filtration system is working properly and that filtration cycle is adequate 3. A regular brushing program will assist in the removal of stubborn algae.
-20		Calculate the volume of LO-CHLOR POOL ALGICIDE required for your pool.
-		5. Add the product directly to the pool, distributing over as wide an area as possible
		6. While LO-CHLOR POOL ALGICIDE controls algae it is important that adequate
-18	3 oz.	levels of sanitizer (chlorine) be maintained to control bacterial growth.
		MANUFACTURED BY: LO-CHLOR CHEMICALS L.L.C.
-16		5841 Powerline Rd., Suite 202
		Ft. Lauderdale, FL 33309-2074
İ		www.lo-chlor.com
-14	oz.	EPA Registration No. 58412-1
		EPA Est. No. 58412-FL-001
i		
-12	OZ.	<u> </u>
ł		T
		1 A



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if inhaled. Avoid breathing vapor. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AND	
SWALLOWED	Call poison control center or ductor immediately for treatment advice. Have person sip a glass of water if abin to sention. Do not induce vanilling unless teld to do so by the painon central center or ductor.
IF ON SICIN OR CLOTHING	Take off conteminated classing. Rape stain immediately with planty of water for 15–20 minutes. Call a poison control center or dector interediately for treatment advice.
F IN EYES	Hold eye open and rises slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinning eye. Call a poisse control contar or doctor for treatment advice.
F DOWNED	 Move person to irrach air. If person is not breathing, call 971 or an ambatance, then give artificial respiration, protectiby by mouth-to-steach; if possible. Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	Here the product container or label with you when calling a poleon control conter or doctor, or going for irredition. You may also contect 1-000-424-3300 for emergency medical treatment information.

ENVIRONMENT HAZARDS


This product is toxic to fish. Treated effluent should not be discharged in lakes. ponds or public water.

DISPOSAL BISTRUCTIONS

If empty: Do not reuse this container. Place in trash or offer for recycling if available. if partly filled: Call your local solid waste agency or (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE

Neither LO-CHLOR CHEMICALS L.L.C. nor the seller of this product can accept any responsibility where the product is not used according to directions and for



NET CONTENTS: 1 qt. 32 fl. oz. (946 ml)

-6 oz.

-10 oz.

-8 oz.

-4 oz.