− 32 oz.	TO CONTROL ALGAE IN YOUR SWIMMING POOL SIMPLY ADD LO-CHLOR POOL ALGICIDE EVERY THREE MONTHS.
—30 oz.	YOUR POOL WATER WILL SPARKLE LIKE NEVER BEFORE. KEEP ALGAE AT BAY THE LO-CHLOR WAY.

-28 OZ. DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent. with its labeling.

-26 OZ. DOSAGE RATES: EVERY THREE MONTHS: 16 fl. oz. LO-CHLOR POOL ALGICIDE per 10,000 gallons pool water (or 500mL per 40,000L) will prevent algae growth in all

-24 oz. SEVERE ALGAE TREATMENT: 32 fl. oz. LO-CHLOR POOL ALGICIDE per 10,000 gallons pool water (or 1 Liter per 40,000 L).

GENERAL DIRECTIONS: −22 oz. 1. Maintain pool water in the pH range 7.2 to 7.8. Adjust pH to 7.2 for severe algae. 2. Ensure that filtration system is working properly and that filtration cycle is adequate. 3. A regular brushing program will assist in the removal of stubborn algae.

-20 oz. 4. Calculate the volume of LO-CHLOR POOL ALGICIDE required for your pool. 5. Add the product directly to the pool, distributing over as wide an area as possible. 6. While LO-CHLOR POOL ALGICIDE controls algae it is important that adequate levels of sanitizer (chlorine) be maintained to control bacterial growth.

-- 18 oz.

MANUFACTURED BY: LO-CHLOR L.C.

-16 0Z. 5841 Powerline Rd., Suite 202 Ft. Lauderdale, FL 33309-2074 www.lo-chlor.com

—14 OZ. EPA Registration No. 58412-1 EPA Est. No. 58412-FL-001

-12 oz.



-8 oz.



-£ 0z.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

FRIST AND	
SWALLOWED	Call palson control center or doctor insumediately for treatment stricts. Have person sip a glass of vestor if able to beselbow. Do not give anywhise by soculate an unconscriptor person. Do not give anywhise by soculate son unconscriptor person.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Risse skill immediately with planty of water for 15–20 minutes. Call a poison control center or doctor immediately for treatment advice.
IF IN EYES	 Hold eye open and rince stowly and gently with water for 15-20 minutes. Remove contact fenses, if present, after the first 5 minutes, then continue ringing eye. Call a poison control center or doctor for treatment artrice.
IF INHALED	 Move person to fresh air. If person is not breething, call \$11 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency modical treatment information.

ENVIRONMENT HAZARDS


This product is toxic to fish. Treated effluent should not be discharged in lakes, ponds or public water.

DISPOSAL INSTRUCTIONS

If emoty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE

Neither LO-CHLOR L.C. nor the seller of this product can accept any responsibility where the product is not used according to directions and for the manner in which it was intended.



Rodenfields Act as amended, for the pasticida, redistriça inder EPA Rog. No. 🗶



ACTIVE INGREDIENT:

Copper Sutphate Pentahydrate MERT MGREDIENTS -- 88.17% Total _100%

(*Copper as elemental from Triethanolamine complex 3.03%)

• USE AGAINST BLUE-GREEN, BLACK AND MUSTARD ALGAE

> · SINGLE TREATMENT LASTS 3 MONTHS

· NON-STAINING FORMULA

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE FIRST AID STATEMENT ON SIDE PANEL

NET CONTENTS: 1 qt. 32 fl. oz. (946 ml)

-4 oz.