

DIRECTION FOR USE

It is a violation of Federal Law to use this product in a USE MENTRICTIONS, FOR INDOOR USE ONLY For Snakes: Product should be applied only in small :. Varpel Rope 8 may be used to temporarily repel Norwa warehouses, storerooms, garages, utility sheds, and simcarolinensis) from ames.

Do not apply this product in gardens or any other outde used for seed.

Make sure that artics where this product is used are sea prevented. Varnel Rone & should not be used to renel so sufficient build-up of product odor.

Testing of this product has indicated that it can serve as specific responses will vary according to individual app APPLICATION DIRECTIONS:

Rais and Mice: Using gloved hands, apply Varpel Rope Enclosures should be placed on the floor 12 to 18 inchtimes when rodents are most active (dusk to dawn) and Varpel Rope 8 to its original container when not in use Squirrels: Locate the openings that squirrels are using : such a section of Varpel Rope's inside each access poir approximately 50 feet of Varnet Rope# per 5,000cubic may be needed for large attics. Once you are sure that . concrete, steel wire mesh, copper shavings, or other per Ropell and reseal it in its original container. For Snakes: Locate the entry cutt points that snakes are

Using gloved hands, cut off the desired amount of Vary excluded and/or repelled. Recommended application rule width a height). Varpel Rope# should be left in place to the remaining access point should be blocked with con-original container when not in use.

PRECAUTIONARY STATEMENTS HAZARDS TO WARNING:

Causes substantial but temporary eye injury. Causes of on clothing. Avoid breathing dust or vapors. Use with PHYSICAL OR CHEMICAL HAZARDS

nmable. Do not use or store near heat or open flan: of fire, extinguish with water spray, foam, carbon diox. STATEMENT OF PRACTICAL TREATMENT If we although

- Call posson control center or ductor immediately for to
- · Have person sip a glass of water if able to swallow
- Do not induce vomiting unless told to do so by a pos-Do not give anything by mouth to an unconscious per-
- If on skin or clothing: - Take off contaminated clothing
- Rinse skin immediately with plenty of water for 15 to - Call a posson control center or doctor for treatment ad if inhaled: --

- If person is not breathing, call 9-1-1 or an ambulance Call a poison control center or doctor for treatment ad-
- Hold eye open and ruse slowly and gently with water
- Call a poison control censer or doctor for treatment ad-Storage and Disposal: STORAGE: Store only in original container, in a coor.

DISPOSAL: If empty: Do not reuse this container. Pla-If partly filled: Call your local solid waste agency or 80 or or outdoor drain

Notice: Buyer assumes all risks of use, storage and har



DR

ACCEPTED

JUL 29 2004

Under the Federal Insecticide. Fungicide, and Rodenticide Act. as amended, for the pesticide Registered under

EPA Reg. No. 58630-3



It is systems of Federal Law to use this goodlest is a manner anomalised with its labeling. Use restrictions: Fore indicade Use Comity, APPLY VARPEL ROPE ONLY AS DERECTED BY THIS LABELL.

For Seakest Product should be applied only in small, included and/or confined spaces

Variet Rope's may be used to temporantly repel Norway may (Radius non-egucus) and house mise (Mus museulus) from ynudust-enclosed at each west source west source is variety when the second control gray adunted (Norway and to repel gray) adunted (Norway)

emplanems) from action. Do not apply this product in pardens or any other noticine fuzation. Do not apply on or new grain used for food or fixed. Do not apply on or need grain

med for seed.

Make suce that struct where this product is used are scaled off from Iving spaces so that pencitation of product odors in such areas is minimal. It not prevented. Varied Rupeth should not be used to repet squareds from attex constituted and its ventilated or ways which would be thirdly in process.

of this product has indicated that it can serve as a temporary deterrent for commensal rodents, gray squireds, and certain types of soulce test

and Mice. Using gloved bench, apply Varpel Rope & by enclosing the area to be protected within the rope and then cut the rope to desired ferror series about the phased on the floor 12 to 18 inches away from stem to be protected at the memora point. Varpel Rope's about the applied Journal when realests are meant actors (dask to dawn) and removed during the day when notined daily extirity typically keeps indents in hidde. Recenor will vary according to individual application conditions.

times when rulents are must active (dusk to dawn) and to Varyel Ropes) to its original container when not in use

Solution. Locate the openings that squares are saint to gain access into the atter. Using placed hands, out off 3-5 feet of Varpel Rope R, and place a section of Varpel Rope R, and place are a section of Varpel Rope R, the section of Varpel Rope R and access point. These distribute the tentumber of the post-lage contents throughout the mite. Apply squares are setting the section of Varpel Rope R and R and

Using gived hands, cut off the desired amount of Variet Rope's and place a section of Variet Rope's Rope's the area from which the water should exclude and/or registed. Recommended applications are a sergicularies of 20 files of Variet Rope's Rope's first of specific and recommended applications are approximately 30 files of Variet Rope's abound the left in place for a few hours or until the variet have left the area. Variet Rope's abound the before the few hours or until the variet have left the area. Variet Rope's abound the before the few hours or until the variet have left to a few hours or until the variet have been seen and the property of the variety of the few hours of the property of the place of the p Ear Snakes. Locate the casary/exit prints that anakes are using to gain access itsis the area and seat off all but one, leaving an exit point for the seaks.

original container when not us use.
PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DONESTIC ANIMALS

Casers administs but temporary eye injury. Causes intradion to eyes, skin and tespitatory, tract. Harmful if we showed. Do not get in eyes, on skin, no choking. Avoid breathing dust or sports. Use with adequate ventilation. Wash thosoughly with toap and water after handling. PHYSICAL OR CHEMICAL HAZANDS

able. Do not use or notice near hear or open flame. Plackpoint inminium of 150 degrees F (to degrees C) combinable vapor and liquid. In a of fire, estinguish with water spray, from, extron decarde, dry chemical or any class B extinguishing agent STATEMENT OF PRACTICAL TREATMENT

control center or durier immediately for treatment advise.

Here person sign a glass of water if able to swalking.
 Do not induce vuesting urless lodd to the so by a potent control center or ductor.
 Do not give asychisting primorals to an unconservous person.
 Ben and are refullerative.

plenty of water for 15 to 20 minutes comment center or doctor for treatment advace. Marc 4 m

If persons is not breaduag, call 9-1-1 or an ambulance, then give artificial copitation, preferably mouth-to mouth if provible Call a posson control center or doctor for treatment advice.

Mold eye open and rinne alowly and gently with water for 15 to 20 minutes. Remove contact terace, if present, after the fina 5 minutes, then continue

commod center or ductor for treatment whitee.

Secretar and Diagonal:

Startings and Diagonal:

STATIANGE, STORM only in original constanct; in a cool, dry place, unaccessible to children and pets.

BISTURAL: If compay: Do not resuse that container: Place in transh or offer for recycling if available.

If partly filled: Call your houst noted waste agents; or 8004-CLEANUP (1-808-25) 2047) for diagonal matractions. Never place unused product down risks of use, storage and handling of this product not in strict accordance with its label directions.



EPA Reg. No. 58630-3

,

DIRECTION FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: FOR INDOOR USE ONLY, APPLY VARPELROPE ONLY AS DIRECTED BY THIS LABEL.

For Snakes: Product should be applied only in small, enclosed and/or confined spaces.

Varpel Rope® may be used to temporarily repel Norway rats (Rattus norvegicus) and house mice (Mus musculus) from product-enclosed areas within warehouses, storerooms, garages, utility sheds, and similar indoor storage areas. Varpel Rope® may also be used to repel gray squirrels (Sciurus carolinensis) from attics.

Do not apply this product in gardens or any other outdoor location. Do not apply on or near grain used for food or feed. Do not apply on or near grain used for seed.

Make sure that attics where this product is used are sealed off from living spaces so that penetration of product odors to such areas is minimal, if not prevented. Varpel Rope® should not be used to repel squirrels from attics constructed and/or ventilated in ways which would be likely to prevent sufficient build-up of product odor.

Testing of this product has indicated that it can serve as a temporary deterrent for commensal rodents, gray squirrels, and certain types of snakes; but specific responses will vary according to individual application conditions.

APPLICATION DIRECTIONS:

Rats and Mice: Using gloved hands, apply Varpel Rope® by enclosing the area to be protected within the rope and then cut the rope to desired length. Enclosures should be placed on the floor 12 to 18 inches away from item to be protected at its nearest point. Varpel Rope® should be applied during times when rodents are most active (dusk to dawn) and removed during the day when normal daily activity typically keeps rodents in hiding. Return Varpel Rope® to its original container when not in use.

Squirrels: Locate the openings that squirrels are using to gain access into the attic. Using gloved hands, cut off 3-5 feet of Varpel Rope®, and place such a section of Varpel Rope® inside each access point. Then distribute the remainder of the package contents throughout the attic. Apply approximately 50 feet of Varpel Rope® per 5,000cubic feet of attic space (attic volume =length XwidthX1/2height). More than one package of product may be needed for large attics. Once you are sure that all squirrels have left the attic, remove all Varpel Rope® and close of all access points using concrete, steel wire mesh, copper shavings, or other permanent sealants appropriate for the openings to be sealed. When not in use, retrieve Varpel Rope® and reseal it in its original container.

For Cnakes: Locate the entry/exit points that snakes are using to gain access into the area and seal off all but one, leaving an exit point for the snakes.

U. gloved hands, cut off the desired amount of Varpel Rope® and place a section of Varpel Rope® inside the area from which the snakes should be excluded and/or repelled. Recommended application rates are approximately 50 feet of Varpel Rope® per 5,000 cubic feet of space (volume = length x width x height). Varpel Rope® should be left in place for a few hours or until the snakes have left the area. Varpel Rope® should then be removed and the remaining access point should be blocked with concrete, steel wire mesh, copper shavings, or other permanent sealant. Return Varpel Rope® to its original container when not in use.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANSAND DOMESTIC ANIMALS

WARNING:

Causes substantial but temporary eye injury. Causes irritation to eyes, skin and respiratory tract. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid breathing dust or vapors. Use with adequate ventilation. Wash thoroughly with soap and water after handling. PHYSICAL OR CHEMICAL HAZARDS

Flammable. Do not use or store near heat or open flame. Flashpoint minimum of 150 degrees F (66 degrees C) combustible vapor and liquid. In case of fire, extinguish with water spray, foam, carbon dioxide, dry chemical or any class B extinguishing agent.

STATEMENT OF PRACTICAL TREATMENT

If swallowed:

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If e skin or clothing:

- i off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.
- Call a poison control center or doctor for treatment advice.

If Inhaled:

- Move person to fresh air.
- If person is not breathing, call 9-1-1 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible.
- Call a poison control center or doctor for treatment advice.

It in eves:

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Storage and Disposal:

STORAGE: Store only in original container, in a cool, dry place, inaccessible to children and pets.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 800-CLEANUP (1-800-253-2687) for disposal instructions. Never place unused product down any indoor or outdoor drain.

Notice: Buyer assumes all risks of use, storage and handling of this product not in strict accordance with its label directions.



DR. T'S NATURE PRODUCTS INC. P.O. Box 682 PELHAM, GA 31779 WWW. REPELL.COM ACCEPTED
JUL 29 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 58630-3