

CHLORINE

LIQUIFIED GAS UNDER PRESSURE

For use by trained personnel from large stationary containers such as tank cars, tank trucks, 1 ton and 150 pound cylinders as a disinfectant, algicide, and/or slimicide in municipal water treatment plants, sewage plants, industrial/commercial cooling systems, paper mills, and/or industrial/commercial swimming pools. This product cannot be transferred to **portable** cylinders. Pool service operators with portable cylinders must obtain their own registrations with the EPA.

ACTIVE INGREDIENT

Chlorine

INERT INGREDIENTS

99.9%

1%

100.0%

KEEP OUT OF REACH OF CHILDREN



NOT PESTICIDE

**DANGER
POISON**



FATAL IF INHALED

LIQUID CAUSES SEVERE BURNS

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: If inhaled, remove to fresh air. If not breathing, give artificial respiration; preferably mouth to mouth. If breathing is difficult, give oxygen, preferably with a physician's advice. Keep warm by covering with a blanket and keep quiet.

In case of skin contact, wash immediately. Flush all affected areas with large amounts of running water for at least 15 minutes while removing contaminated clothing and shoes. If eyes are affected, hold eyes apart during the flushing to insure removal of the outer eyelids. Remove eyewear and lids with water. Call a physician immediately.

NET CONTENTS

TONS CHLORINE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Fatal if inhaled. Do not breathe vapor. Inhalation causes eye and skin damage. Do not get in eyes, on skin or on clothing. Avoid skin contact by wearing protective clothing and rubber gloves when handling. Do not heat containers.

ENVIRONMENTAL HAZARDS: Transport dangerous to fish. Do not discharge into lakes, streams, ponds or public waters unless under permit. Obtain a NPDES permit. Follow guidelines in the regional office of the U.S. Environmental Protection Agency.

HAZARD AS A FLAMMABLE LIQUID: Chlorine is flammable liquid under pressure. Do not drop chlorine cylinders or allow them to fall or get them hot. Store in the presence of moist ice.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

Chlorine is a strong bleaching agent and can damage skin and eyes. It is also a strong irritant to mucous membranes. Chlorine is extremely dangerous if inhaled. It is a strong oxidizer and can cause violent reactions with many other chemicals. Chlorine is extremely dangerous if swallowed.

Have an attorney and/or a lawyer on the very ready by the U.S. Bureau of Mines or the National Institute of Occupational Safety and Health. File your claim in accordance with practices recommended in the COMPENSATION MATERIAL section, which is located in the front of the book. We are not affiliated with any organization.

STORAGE AND DISPOSAL

STORAGE: Cylinders and ton containers of chlorine should be stored in a dry area away from other compressed gases and never stored near hydrocarbons, finely divided metals, turpentine, ether, anhydrous ammonia or other flammable materials. All storage containers must have a weather resistant label attached near the outlet valve and must not be accessible to general public.

DISPOSAL OF CONTAINER: All chlorine containers are returnable and should be properly identified with return tags and returned as promptly as possible to supplier according to prescribed instructions and practices recommended by the Chlorine Institute. All valves must be closed tight and closures or caps secured. It is illegal to ship a leaking chlorine container.

EPA Reg No 58687 1

EPA Est No 58687

Georgia Gulf Corporation, H.W. 405, P.O. Box 629, Plaquemine, LA 70765-0629