

PM 91

58866-11

5/15/97

15

Please read instructions on reverse before completing form. Form Approved, OMB No. 2070-0060. Approval expires 05-31-98

EPA United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 230537
	Application for Pesticide - Section I	

1. Company/Product Number 58866-11	2. EPA Product Manager Janet Andersen	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Cinnacure P1005™	PM# BPPD	
5. Name and Address of Applicant (Include ZIP Code) ProGuard, Inc. P.O. Box 550 Suisun, CA 94585 <u>Please Direct All Correspondence to the Contact Point Listed Below</u> <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II


<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Notification <input type="checkbox"/> Other - Explain below
--	--

Explanation: Use additional page(s) if necessary. (For Section I and Section II.) **MAY 15 1997 NOTIFICATION**
 Notification per PR Notice 95-2 to add pests to the product label.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No <i>*Certification must be submitted</i>	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt. No. per container	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section - IV

I. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name Kari E. Mavian, Lewis & Harrison 122 C Street, NW #740, WDC 20001	Title Agent	Telephone No. (Include Area Code) 202-393-3903
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Agent	
4. Typed Name Kari E. Mavian	5. Date 5/2/97	

USER SAFETY RECOMMENDATIONS:

User should:

1. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
2. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

SHAKE WELL BEFORE USE. USE DILUTION IMMEDIATELY. DO NOT STORE DILUTED SOLUTION.

- This product may be applied using either hand or ground broadcast spray equipment.
- Do not mix CINNACURE™ with oxidizing agents such as bleach, or strong acids or bases as they will destabilize the product.
- Apply in early to mid-morning or late afternoon. This is especially important with adults of whiteflies and thrips which tend to be less active at these times.
- Spraying directly onto pest(s) or disease(s) increases effectiveness.
- Spray solution should be used within several hours of preparation for maximum effectiveness. Cinnacure™ in diluted solution should be maintained at pH between 3-8. Use outside of the pH range may cause product degradation.
- Do not apply to wilted or obviously stressed plants, or to newly transplanted material prior to root establishment.

Turfgrass: Rhizoctonia, Pythium and Dollar Spot. Dilute 2 gals. per 100 gals. of water (2.6 fl. ozs./gal. of water or 18 fl. ozs. per 7 gal. of water). Apply 305 gallons of dilute solution per acre (7 gallons per 1,000 sq. ft.) As a preventative treatment, apply when conditions are favorable for disease development or apply when disease first appears. Avoid overlapping of sprays. Repeat as necessary.

FLORICULTURE, OUTDOOR FIELD FLOWERS, BEDDING PLANTS, LANDSCAPE ORNAMENTALS AND INTERIOR PLANTS such as:

Ornamentals, Roses, Flowers, Carnations and Chrysanthemums: Powdery Mildew, Aphids, Two-spotted Spider Mites, White Flies, Thrips. Outdoors, dilute 10 gals./ 100 gals. of water (13 fl. ozs./gal. of water). Apply when disease or insects first appear. In greenhouses or indoor environments, dilute 7 fl. ozs. per 1 gal. of water. Apply as a thorough foliar spray including underside of leaves. Repeat as necessary. As a preventative measure, apply at three week intervals.

Algae, Algae Scum or Moss on Turfgrass: For prevention or eradication of algae, algae scum or moss, dilute 10 gals./100 gals. of water (13 fluid ounces per gallon of water). Apply on a 28 day schedule. Apply 305 gallons per acre (7 gallons per 1000 sq. ft.). When algae, algae scum or moss is well established, every attempt should be made to dry out the afflicted areas. Once dry, spiking or verticutting should be done to enhance turfgrass recovery in conjunction with treatment. Under severe algae, algae scum or moss conditions use a higher rate and apply on 14 day schedule. Only a preventative program of treatment will prevent a recurrence of the algae, algae scum or moss when environmental conditions are favorable for growth.

Glasshouse Algae, Moss and Liverworts/Hornworts/Pearlworts: For prevention or eradication of algae, moss, liverworts, hornworts or pearlwort on glass, other glasshouse structural surfaces or in containers, pots or storage bins, apply at the rate of 7.7 ozs. per 1 gal. of water as needed. When algae, moss or liverworts are well established, every attempt should be made to dry out the afflicted area. Do not spray directly on glasshouse plants. Spray in a manner that minimizes contact with desired plants. Only a preventative program of treatment will prevent a recurrence of the algae, moss, liverwort, hornwort or pearlwort when environmental conditions are favorable for growth.

