



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511C)
1200 Pennsylvania Avenue NW
Washington, DC 20460

EPA Reg. Number:

58866-13

Date of Issuance:

2/25/03

Term of Issuance:

Unconditional

Name of Pesticide Product:

Cinnacure Ready to Use

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

ProGuard, Inc.
Christina M. Swick
Lewis & Harrison
122 C Street, NW, Suite 740
Washington, DC 20001

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This registration does not eliminate the need for continual reassessment of the pesticide. If EPA determines at any time, that additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under section 3(c)(2)(B) of FIFRA.

This product is registered in accordance with FIFRA section 3(c)(5) and is subject to the following terms and conditions:

1. Make the following modifications to your label before you release your product for shipment:
 - a. Revise the EPA Registration Number to read "EPA Reg. No. 58866-13"

Signature of Approving Official:

[Handwritten signature] see next pages
(See second page for signature)

Date:

2/25/03

Page 2

2. Submit five (5) copies of the revised final printed labeling before you release the product for shipment.

A stamped copy of the label is enclosed for your records.

Sincerely,



Janet L. Andersen, Director
Biopesticides and Pollution Prevention Division

CINNACURE™

Ready To Use

A BROAD SPECTRUM INSECTICIDE / MITICIDE / FUNGICIDE

A ready to use multi-purpose spray for the control of certain insects, mites and fungal diseases including aphids, whiteflies, spider mites, thrips and powdery mildew. Can be used on a variety of indoor and outdoor plants including edible food crops.

SHAKE WELL BEFORE EACH USE.

Active Ingredient:		
Cinnamaldehyde.....	0.255%	
Inert Ingredients.....	99.745%	
Total:	100.000%	

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements


FIRST AID	
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

EPA Reg. No. 58866-

EPA Est. No. 58866-CA-1

International and United States Patents Pending

PROGUARD, INC.
SUISUN, CA 94585



NET CONTENTS:

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if absorbed through the skin. Causes eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

SHAKE WELL BEFORE USING

- CINNACURE™ is a broad spectrum food grade fungicide / insecticide / miticide. CINNACURE™ kills all life stages of spider mites, aphids and whiteflies. Both eradicates and helps prevent reinfection from fungal disease, such as powdery mildew.
- CINNACURE™ uses the active ingredient in Cinnamon oil to safely eliminate insect, spider mite and disease pests of roses, other ornamentals, vegetable plants and tomatoes.
- CINNACURE™ has not been tested on all plant varieties. Injury could result to some species at sensitive stages of growth or to the open blooms of certain plants. Test on a small number of plants or plant parts prior to broad scale use.
- CINNACURE™ is a contact pesticide. Hold sprayer approximately 12" from target pest. Thorough spray coverage of the pest or pathogen is essential for good control.
- Apply in early morning or late afternoon when temperatures are cooler and pests tend to be less active. This will help to ensure good spray contact of hard to kill pests such as adult thrips and whiteflies.
- For maximum effectiveness and plant safety avoid use in direct sunlight or during the hottest part of the day.
- For best results, CINNACURE™ should be applied at a 7 to 14 day interval or until sufficient control is achieved.
- CINNACURE™ is derived from food grade natural products.

INSECTICIDE/MITICIDE USE:

CINNACURE™ is effective against spider mites, aphids, whiteflies, thrips, mealy bug, lygus bug, squash bug, stink bug and codling moth on roses and other ornamental shrubs and trees. May also be used on all types of vegetable plants, tomatoes, herbs, spices, small fruits and berries including grapes and kiwi. May be safely applied up to the day of harvest. Complete coverage of upper and lower leaf surfaces, plant stems and buds is essential for maximum product effectiveness. Best performance and maximum plant safety will be achieved in the cooler hours of the day (mornings and evenings). Apply at a 7 to 14 day interval until pests are no longer present.

FUNGICIDE USE:

CINNACURE™ effectively control and/or prevents a number of fungal diseases including powdery mildew, black spot, rust and botrytis. Eradicates powdery mildew on contact and helps prevent the establishment and spread of pathogens on rose and other ornamental shrubs, trees and flowers. May also be used on all types of vegetable plants, tomatoes, herbs, spices, small fruits and berries including grapes and kiwi. May be safely applied up to the day of harvest. Spray to run-off. Complete coverage of upper and lower leaf surfaces, plant stems and buds is essential for product effectiveness. Best performance and maximum plant safety will be achieved by spraying in the cooler hours of the day (mornings and evenings). Apply at a 7 to 14 day interval until disease is not longer present. Applying CINNACURE™ on a 14-day schedule during periods of high disease pressure can help prevent disease establishment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container. Store in a cool dry place. Use within 3 months of opening container. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.