

FD 13

58996-1

7

<p style="text-align: center;">US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS 767) WASHINGTON, DC 20460</p> <p>NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> RENEWAL <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 2px;">EPA REGISTRATION NO. 58996-1</td> <td style="width: 50%; padding: 2px;">DATE OF ISSUANCE SEP 30 1991</td> </tr> <tr> <td colspan="2" style="padding: 2px;">TERM OF ISSUANCE Until Reregistration</td> </tr> <tr> <td colspan="2" style="padding: 2px;">NAME OF PESTICIDE PRODUCT Aerofil Flying & Crawling Insecticide</td> </tr> </table>	EPA REGISTRATION NO. 58996-1	DATE OF ISSUANCE SEP 30 1991	TERM OF ISSUANCE Until Reregistration		NAME OF PESTICIDE PRODUCT Aerofil Flying & Crawling Insecticide	
EPA REGISTRATION NO. 58996-1	DATE OF ISSUANCE SEP 30 1991						
TERM OF ISSUANCE Until Reregistration							
NAME OF PESTICIDE PRODUCT Aerofil Flying & Crawling Insecticide							
<p>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</p> <div style="text-align: right; margin-right: 50px;"> $\frac{160}{18} \frac{37722}{2}$ </div> <p>Aerofil Technology, Inc. 225 Industrial Drive Sullivan, MO 63080</p>							
<p>NOTE Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) since you have agreed to:</p> <ol style="list-style-type: none"> 1. Submit/cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling change listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phrase, "EPA Registration No. 58996-1." b. Replace the statement "Do not use in commercial food processing..." with the following precautions. These precautions should be added under the Directions for Use: <p style="margin-left: 40px;">Do not use in the food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.</p> <p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>							
SIGNATURE OF APPROVING OFFICIAL	DATE						

7mc

9/30/91

continued

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Nonfood/feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

c. Use in food handling establishments can imply use in U.S. Department of Agriculture (USDA) Meat and Poultry Plants. Therefore, either add the statement "Not for Use in USDA Meat and Poultry Plants" or submit an application to USDA requesting use in these areas. If granted, you can then indicate on the label that the product can be used in these areas.

d. Revise the Precautionary Statements as follows:

Harmful if swallowed. May be absorbed through skin. Avoid inhalation of spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before smoking or eating. Avoid contamination of food or feedstuffs. Remove pets and birds and cover fish aquaria before space spraying or surface applications. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry. Do not apply this product in patient rooms or in any rooms while occupied by the elderly or infirm. Do not apply to classrooms when in use.

This product is not for use on humans...

e. Add an Environmental Hazards statement as follows:

This product is toxic to fish. Do not apply directly to any body of water.

f. Under "Fleas and Ticks" add the following:

Allow all treated articles to dry thoroughly before use.

g. Change "Active Ingredients" to the singular.

h. Add a statement identifying use sites to the front panel,
e.g.:

For use in households, offices, garages, kennels, and the non-food areas of restaurants, industrial buildings, schools, warehouses, theaters, motels, and hospitals.

- i. Add your company name and address to the product label.
- j. The product name should appear on the label as indicated on the application form.

3. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

4 8 7
SPECIMEN LABEL

FRONT PANEL

Flying & Crawling Insecticide
Multi-use Insecticide Spray

Controls residential, industrial and garden insects. For use on dogs and on premises to control fleas and ticks.

Contains the synthetic pyrethroid..... Permanone
Aqueous, stable.

Controls pests for up to four weeks.

Active Ingredients:

(*Permethrin0.50%
Inert Ingredients.....99.50%
100.00%

*(3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)2,
2-dimethylcyclopropanecarboxylate Cis/Trans ratio: Min. 35% (+/-)
cis and max. 65% (+/-) trans.

Keep Out of Reach of Children

CAUTION

See rear panel for additional precautions

Net Contents _____

EPA Reg. NO. 58996-

EPA Est. NO. 58966-Mo-001

58996-1

SPECIMEN LABEL

REAR PANEL

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not use in the edible product areas of food/feed processing plants, restaurants or other areas where food/feed is commercially prepared or served. Do not use in serving areas while food is exposed.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

Remove birds and cover fish aquariums before spraying.

Houseflies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Blow Flies and Small Flying Moths: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Repeat treatment as necessary.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Snowbugs, and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

In animal quarters and milk rooms: For rapid control of **House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths**, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

To treat livestock: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of **Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats:** Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from face flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

For Swine: Do not ship animals for slaughter within 5 days of last treatment.

BEST AVAILABLE COPY

SPECIMEN LABEL

REAR PANEL CONT'D

Fleas and Ticks: (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

To Control Fleas, Ticks and Lice on Dogs. Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Repeat application weekly if necessary to control infestations. **NOTE:** Not recommended for use on puppies less than four weeks old.

For the Control of Garden Insects: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F.

Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

Precautionary Statements

Hazards to Humans & Domestic Animals

CAUTION

Avoid spraying in eyes. Avoid breathing spray mist. Avoid contact with skin. Wash hands thoroughly after use. Vacate room after treatment and ventilate before reoccupying. Avoid contamination of feed and foodstuffs. Cover or remove fishbowls. **This product is not for use on humans.** If lice infestations should occur on humans, consult either your physician or pharmacist for a product for use on humans.

Animals: Do not spray directly in/on eyes, mouth or genitalia. Do not cause exposure to puppies less than four weeks old.

BEST AVAILABLE COPY

SPECIMEN LABEL

REAR PANEL CONT'D

Statement of Practical Treatment

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Wash affected areas immediately with soap and water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.