2-1-2001

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

FEB - 1 2001

Slack Chemical Co., Inc. 465 South Clinton Street Carthage, NY 13619

Attention:

Joseph M. Butler

QA Director

Subject:

Superchlor

EPA Registration Number 59074-20001 Your Amendment Dated November 21, 2000

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

Please be aware that when the Agency accepts a new stamped label, the previously stamped label is no longer accepted. If you wish to submit additional "Use Directions" you should submit a master label with all uses from the Sodium and Calcium Hypochlorite RED Standard that you intend to use for your product.

A stamped copy is enclosed for your records. Submit one copy of the final printed label before you release the product for shipment bearing the amended label.

If you have any questions concerning this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,

Robert S. Brennis

Product Manager (32)

Regulatory Management Branch II Antimicrobials Division (7510C)

		CONCURRENCES		
SYMBOL				
SURNAME]	
DATE				
EPA Form 1220 14 (1/00)	<u>'</u>	Printed on Parisid P	<u></u>	OFFICIAL FILE COPY

EPA FORTH 1320-1A (1/90)

Printed on Recycled Paper

ACCEPTED
with COMMENTS
in 1114 Letter Dated:

FEB - 1 2001

The state of the posticide of the body of the posticide of the posticide of the body of the state of the stat

59074-20001

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

COOLING TOWER/EVAPORATIVE CONDENSER WATER

SLUG FEED METHOD – Initial Dose: When system is noticeably fouled, apply 52 to 104 oz. of this product per 10,000 gallons of water in the system to obtain from 5 to 10 ppm available chlorine. Repeat until control is achieved.

Subsequent Dose: When microbial control is evident, add 11 oz. of this product per 10,000 gallons of water in the system daily, or as needed to maintain control and keep the chlorine residual at 1 ppm. Badly fouled systems must be cleaned before treatment is begun.

INTERMITTENT FEED METHOD – Initial Dose: When system is noticeably fouled, apply 52 to 104 oz. of this product per 10,000 gallons of water in the system to obtain 5 to 10 ppm available chlorine. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, or 1/5) of the water in the system has been lost by blowdown.

Subsequent Dose: when microbial control is evident, add 11 oz. of this product per 10,000 gallons of water in the system to obtain a 1 ppm residual. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, or 1/5) of the water in the system has been lost by blowdown. Badly louled systems must be cleaned before treatment is begun.

CONTINUOUS FEED METHOD – Initial Dose: When system is noticeably fouled, apply 52 to 104 oz. of this product per 10,000 gallons of water in the system to obtain 5 to 10 ppm available chlorine.

Subsequent Dose: Maintain this treatment level by starting a continuous feed of 1 oz. of this product per 1,000 gallons of water lost by blowdown to maintain a 1 ppm residual. Badiy fouled systems must be cleaned before treatment is begun.

BRIQUETTES OR TABLETS – Initially stug dose the system with 52 oz. of this product per 10,000 gallons of water in the system. Badly touled systems must be cleaned before treatment is begun.

Subsequent Dose: When microbial control is evident, add 11 oz. of this product per 10,000 gallons of water in the system daily, or as needed to maintain control and keep the chlorine residual at 1 ppm. Badly fouled systems must be cleaned before treatment is begun.

RQ STORE IN UPRIGHT POSITION.

Net Contents 55 Gallons
\$35.00 Drum Deposit



SUPERCHLOR

HYPOCHLORITE SOLUTION

UN 1791

FIRST AID			
if inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.		
It on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control center or doctor for freatment advice.		
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or dector for treatment advice.		
If swallowed	Call poison control center or doctor immediately for		

HOT LINE NUMBER

control center or doctor.

Have person sip a plass of water if able to swallow.

Do not induce vomiting unless told to do so by the poison

Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9380 for emergency medical treatment information.

NOTE TO PHYSICIANS

Probable mucosal damage may contraindicate the use of gastric lavage.

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT:

Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents, or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

Distributed by:

SLACK CHEMICAL CO., INC.

465 S. Clinton Street, P.O. Box 30 CARTHAGE, NEW YORK 13619 (315) 493-0430

EPA REG. NO. 59074-20001

EPA EST. NO. 59074-NY-1



HEALTH 2
FLAMMABILITY 0

PERSONAL PROTECTION

2 2