FILE COPY

59074-20001

08-10-2007

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



#### United States Environmental Protection Office of Pesticide Programs

August 10, 2007

Joseph M. Butler Slack Chemical Co., Inc. 465 S. Clinton Street Carthage, NY 13619

Subject: Super Chlor EPA Registration No. 59074-20001 Submission Dated: July 19, 2007 Receipt Date: July 19, 2007

Dear Mr. Butler:

The following amendment submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended to revise the label, is accepted with comments.

1. You must provide the amount of available chlorine on the propose label.

2. The drum deposit information which is unacceptable on the FIFRA label has been removed.

## **General Comments**

A stamped copy of the labeling is enclosed. Submit one copy of your final printed labeling before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please call Wanda Henson at (703) 308-6345.

Sincerely,

Emily H. Mitchell Product Manager - Team 32 Regulatory Management Branch II Antimicrobials Division (7510P)

### **DIRECTIONS FOR USE** IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

#### Cooling Tower/Evaporative Condenser Water

**Slug Feed Method**-<u>Initial dose</u>: When system is noticeably fouled, apply 52 to 104 oz. of this product per 10,000 gallons of water in the system to obtain from 5 to 10 ppm available chlorine. Repeat until control is achieved.

<u>Subsequent dose</u>: when microbial control is evident, add 11 oz. of this product per 10,000 gallons of water in the system daily, or as needed to maintain control and keep the chlorine residual at 1 ppm. Badly fouled systems must be cleaned before treatment is begun.

**Intermittent Feed Method**-<u>Initial dose</u>: When system is noticeably fouled, apply 52 to 104 oz. of this product per 10,000 gallons of water in the system to obtain 5 to 10 ppm available chlorine. Apply half (or 1/3,  $\frac{1}{3}$ , or 1/5) of this initial dose when half or  $(1/3, \frac{1}{3}, \frac{1}{5})$  of the water in the system has been lost by blowdown.

<u>Subsequent Dose</u>: when residual control is evident, add 11 oz. of this product per 10,000 gallons of water in the system to obtain a 1 ppm residual. Apply half (or 1/3, 1/4 or 1/5) of this initial dose when half (or 1/3, 1/4 or 1/5) of the water in the system has been lost by blowdown. Badly fouled systems must be cleaned before treatment has begun.

**Continuous Feed Method-**<u>Initial Dose</u>: when system is noticeably fouled, apply 52 to 104 oz. of this product per 10,000 gallons of water in the system to obtain 5 to 10 ppm available chlorine. <u>Subsequent Dose</u>: Maintain this treatment level by starting a continuous feed of 1 oz. of this product per 1,000 gallons of water lost by blowdown to maintain a 1 ppm residual. Badly fouled systems must be cleaned before treatment is begun.

**Briquettes or Tablets:** Initially slug dose the system with 52 oz. of this product per 10,000 gallons of water in the system. Badly fouled systems must be cleaned before treatment is begun.

Subsequent Dose: When microbial control is evident, add 11 oz. of this product per 10,000 gallons of water in the system daily, or as needed to maintain control and keep the chlorine residual at 1 ppm. Badly fouled systems must be cleaned before treatment is begun.

RQ

STORE IN UPRIGHT POSITITION Net Contents 55 Gallons SLACK

# SUPERCHLOR HYPOCHLORITE

SOLUTION UN 1791

FIRST AID	
If inhaled	<ul> <li>Move person to fresh air.</li> </ul>
	<ul> <li>If person is not breathing, call 911 or an</li> </ul>
	ambulance, then give artificial respiration,
	preferably mouth-to-mouth, if possible.
	Call a poison control center or doctor for
	further treatment advice.
If on skin or	Take off contaminated clothing.
clothing	Rinse skin immediately with plenty of water
	for 15-20 minutes.
	• Call a poison control center or doctor for
	treatment advice.
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently</li> </ul>
	with water for 15-20 minutes.
	• Remove contact lenses, if present, after the
	first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for
	treatment.
lf	Call a poison control center or doctor
swallowed	immediately for treatment advice.
	• Have person sip a glass of water if able to
	swallow.
	<ul> <li>Do not induce vomiting unless told to do so</li> </ul>
	by the poison control center or doctor.
	• Do not give anything by mouth to an
	unconscious person.
HOTLINE NUMBER	
Have this product container or label with your when calling poison	
control center or doctor, or getting treatment. You may also contact 1-	
800-624-9300 for emergency medical treatment information.	
NOTE TO PHYSICIANS	
Probable mucosal damage may contraindicate the use of gastric	
lavage	

> KEEP OUT OF REACH OF CHILDREN d: DANGER

ACCEPTED with COMMENTS EPA Letter Dated:

AUG 1 0 2007

Under the Federal Insecticide, Fungicide and Rodenticide Act as amendeo for the pesticide, registered under EPA Reg. No. 59074-2000/

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Corrosive may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT:

Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, or with ammonia, acids, detergents, or other chemicals may release hazardous gases irritating to eyes, lungs, and mucous membranes.

Distributed by: SLACK CHEMICAL CO., INC. 465 S. Clinton St., PO BOX 30 Carthage, New York 13619 (315) 493-0430

EPA REG NO.

59074-20001