

[Front Panel]

Rx FOR FLEAS PLUS

KILLS FLEAS

ALSO KILLS COCKROACHES, ANTS, AND SILVERFISH
ODORLESS PATENTED NON-STAINING

Active Ingredient:	
Orthoboric Acid	64.00%
Inert Ingredients:	<u>36.00%</u>
Total:	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT: If swallowed, contact physician immediately. If in eyes, flush eyes with plenty of water. Get medical attention if irritation persists.

NET CONTENTS 30lb. (13.59 kg)


See Side Panel For Additional Cautions

Manufactured For
Rx FOR FLEAS[®], INC.
6555 N.W. 9th Avenue Suite 411
Ft. Lauderdale, FL 33309

EPA REG. No. 59111-1
EPA EST. No. 44757-AZ-1

GUARANTEE: If not completely satisfied, return unused portion with proof of purchase directly to Rx FOR FLEAS, INC. for a full refund.

Made in U.S.A. Pat. Nos. 4289682 and 4156654 with additional patents pending. Canadian Pat. No. 1107909



[SIDE PANEL]

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION:

HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. AVOID EYE CONTACT. WASH THOROUGHLY AFTER HANDLING.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may be used in homes, restaurants, and other food and food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theatres, ships, boats, trains, trucks, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities and sewers.

DOMESTIC (HOMEOWNER USE) FLEAS

Use Restrictions: Children and pets should not be in treatment area until after application is complete. Avoid contamination of feed and foodstuffs.

Application Directions for Flea Control: Apply directly on carpets where pets frequently traffic or sleep at the rate of one pound per 300 square feet. Work powder deep into fibers and mat. Any powder visible after application must be brushed into carpet fibers or vacuumed. Allow powder to remain for a period of three weeks to achieve maximum flea control in carpets. Remove the cushions of upholstered furniture only and apply powder lightly into wells. Work powder deep into wells and the surrounding hidden furniture fabric until it disappears. Any powder visible after application must be removed by vacuuming before replacing cushions. Reapply as necessary.

Additional Use Sites and Application Instructions: Remove the cushions of upholstered furniture only and apply powder lightly into wells. Work powder deep into wells and the surrounding hidden furniture fabric until it disappears. Any powder visible after application must be removed by vacuuming before replacing cushions. Apply powder lightly to hardwood floor surfaces. Using a broom, completely work any visible powder into all cracks and crevices.

DOMESTIC (HOMEOWNER USE) COCKROACHES, ANTS AND SILVERFISH

Use Restrictions: Children and pets should not be in treatment area until after application is complete. Avoid contamination of feed and foodstuffs.

Application Directions for Cockroaches, Ant and Silverfish Control: apply liberally scattering under and behind refrigerator, stove, sink, dishwasher, washing machine and dryer, tubs; into openings around drains, water pipes and electrical conduits; and in cracks and crevices along baseboards and corners of cabinets, cupboards, and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then scatter liberally in drawer wells. Any powder visible after application must be brushed into cracks and crevices or removed. Reapply as necessary.

NON-DOMESTIC USE (NONEDIBLE PRODUCT AREAS ONLY)

Use Restrictions: Children and pets should not be in treatment area until after application is complete. Do not use in edible product areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Directions for Applying in New and Existing Construction to Control Cockroaches: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, dust liberally using dusting application equipment.

Directions for Applying in Sewers and Manhole Cavities: Apply this product at a rate not to exceed 12 oz. per 190 sq. ft. using portable blowers or air pressure tanks.

Directions for Applying as a Mop Solution to Control Cockroaches:

Mixing and Application Directions: Add 1 cup of powder to each gallon of rinse water. Apply to floor areas only. Make only enough for each application. Supplemental treatment only.

Reapply as necessary. Any powder visible after application must be brushed into cracks and crevices or removed. Avoid contamination of feed and foodstuffs.

FOOD HANDLING ESTABLISHMENTS

Places other than private residences in which food or feed is held, processed, prepared, or served.

1. FOOD AREAS (INCLUDING SOME SERVING AREAS)

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Also includes some SERVING AREAS.

FOOD SERVING AREAS

SERVING AREAS are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered FOOD AREAS when food is exposed and the facility is in operation.

Follow application directions in this section. If food is not exposed and facility is not in operation, follow application directions under NONFOOD SERVING AREAS below.

Use Restrictions: FOOD AREA application is limited to CRACK AND CREVICE TREATMENT ONLY. Applications to other areas are not permitted.

Application Directions: Apply in small amounts directly into cracks and crevices using a bulbous duster or other suitable equipment capable of applying insecticides directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housing and electrical switch boxes where cockroaches hide.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

2. NONFOOD AREAS (INCLUDING SOME SERVING AREAS)

Includes garbage rooms, lavatories, floor drains (to sewer), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Also includes some SERVING AREAS.

NONFOOD SERVING AREAS

SERVING AREAS are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered NONFOOD AREAS when food is not exposed and the facility is not in operation.

Follow application directions in this section. If food is exposed and the facility is in operation, follow application directions under FOOD SERVING AREAS.

Application Directions: Apply as a spot treatment to selective surfaces such as baseboards, under elements of constructions into cracks and crevices. Avoid treating surfaces likely to be contacted by food.

OTHER NONFOOD AREAS

Application Directions: Apply to baseboards areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.