PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION:HARMFUL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. CAUSES EYE IRRITATION. AVOID CONTACT WITH SKIN, EYES, OR CLOTHING, WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may be used in homes, restaurants, and other food and food handling establishments, markets, schools, warehouses. factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theatres, ships, boats, trains, trucks, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities and sewers.

FOR RESIDENTIAL USE TO CONTROL FLEAS AND DUST MITES

Use Restrictions: Children and pets should not be in treatment area until after application is completed. Do not treat pets with this product. Avoid contamination of feed and foodstuffs. Avoid contamination of ornamental plants.

Application Directions for Flea and Dust Mite Control: Apply to dry surfaces only. Apply directly on carpets where pets frequently traffic or sleep at the rate of one pound per 300 square feet. Work powder deep into fibers and mat with a broom or rug rake. Any powder visible after application must be brushed into carpet fibers or removed by vacuuming. Allow powder to remain for a period of three weeks to achieve maximum flea control in carpets. Re-apply as necessary.

Additional Use Sites and Application Instructions: Apply powder lightly to hardwood floor surfaces. Using a broom, completely work any visible powder into all cracks and surfaces.

FOR RESIDENTIAL USE TO CONTROL COCKROACHES, ANTS AND SILVERFISH

Use Restrictions: Children and pets should not be in treatment area until after application is completed. Do not treat pets with this product. Avoid contamination of feed and foodstuffs. Avoid contamination of ornamental plants.

Application directions for Cockroaches, Ant and Silverfish Control: Apply sparingly, scattering under and behind refrigerator, stove, sink, dishwasher, washing machine and dryfr, Atubs; into openings around drains, water pipes and electrical conduits and in cracks and crevices along baseboards and corners of cabinets, cupboards and closets. Remove all lower that the conduits are the conduits and conduits and conduits and conduits and conduits. drawers in kitchen and bathroom cabinets, bedroom dresse and chests of drawers, then scatter liberally in drawer wel Any powder visible after application must be removed. Re-a ply after 30 days if necessary.

NON-DOMESTIC USE (NON-EDIBLE PRODUCT AREAS ONLY)

Use Restrictions: Children and pets should not be in treatment area until after application is completed. Do not use in edible product areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Directions for Applying in New and Existing Construction to Control Cockroaches: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, dust liberally using dusting application equipment.

Directions for Applying in Sewers and Manhole Cavities: Apply this product at a rate not to exceed 12 oz. per 190 sq. ft. using portable blowers or air pressure tanks.



FLEAS

SO KILLS COCKROACHES, ANTS, SILVERFISH, DUST MITE

JUN 12 2007 LESS

PATENTED

NON-STAINING

Under the Federal Inscollable Fungicide, and Redenlicide &

as emended, for the pesticide

registered under WA Reg. No. 59/

TIVE INGREDIENT:

ORTHOBORIC ACID INERT INGREDIENTS: 64.00% 36.00%

TOTAL:

100.00%

KEEP OUT OF REACH OF CHILDREN **CAUTION - FIRST AID**

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Calla poison control center or

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial repiration, preferably mouth to mouth if pos a poison control center or doctor for further treatment advice. If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, ther

rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NET CONTENTS 30lb. (13.59 kg) See Side Panel For Additional Precautions

MANUFACTURED FOR RX FOR FLEAS? INC. 6555 N.W. 9th Avenue. Suite 412, Fort Lauderdale, FL 33309 EPA REG. No. 59111-1 / EPA EST. No. 44757-AZ-1

GUARANTEE: If not completely satisfied, return unused portion with proof of purchase directly to Rx FOR FLEAS, INC. for a full refund. Made in U.S.A. Pat. Nos. 4289662 and 4156654 with additional patents pending. Canadian Pat. No. 1107909.



ILLS FLEAS

LLS COCKROACHES, ANTS, SILVERFISH, DUST MITES

ODOFLESS · PATENTED · NON-STAINING

CTIVE INGREDIENT: ORTHOBORIC ACID 64.00% INERT INGREDIENTS: 36.00% TOTAL: 100.00%

/ KEEP OUT OF REACH OF CHILDREN
CAUTION - FIRST AID

on control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting poison control center or doctor. Do not give anything by mouth to an unconscious person.

ake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Calla poison control center or doctor for

o fresh air. If person is not breathing, call 911 or an ambulance, then give artificial repiration, preferably mouth to mouth if possible. Call doctor for further treatment advice.

and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue control center or doctor for treatment advice.

ar or label with you when calling a poison control center or doctor or going for treatment.

NET CONTENTS 30lb. (13.59 kg) See Side Panel For Additional Precautions

3JARANTEE: If not completely satisfied, return unused portion with proof of purchase directly to Rx FOR FLEAS, INC. for a full refund. Made in U.S.A. Pat. Nos. 4289662 and 4156554 with additional patents pending. Canadian Pat. No. 1107909.

Directions for Applying as a Mop Solution to Control Cock-

Mixing and Application Directions: Add one cup of powder to each gailon of rinse water. Apply to floor areas only. Make only enough for each application. Supplemental treatment only. Reapply as necessary. Any powder visible after application must be brushed into cracks and crevices or removed. Avoid contamination of feed and foodstuffs.

FOOD HANDLING ESTABLISHMENTS

Places other than private residences in which food or feed is held, processed, prepared or served.

1. FOOD AREAS (INCLUDING SOME SERVING AREAS) Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Also includes some SERVING AREAS.

FOOD SERVING AREAS

SERVING AREAS are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered FOOD AREAS when food is exposed and the facility is in operation. Follow application directions in this section. If food is not exposed and facility is not in operation, follow application directions under NON-FOOD SERVING AREAS below.

Use Restrictions: FOOD AREA application is limited to CRACK AND CREVICE TREATMENT ONLY. Applications to other areas are not permitted.

Application Directions: Apply in small amounts directly into cracks and crevices using a bulbous duster or other suitable equipment capable of applying insecticides directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housing and electrical switch boxes where cockroaches hide.

Do not apply this product to exposed food or food contact surfaces. Do not apply dust into the air.

2. NON-FOOD AREAS (INCLUDING SOME SERVING AREAS)

Includes garbage rooms, lavatories, floor drains (to sewer), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling), Also includes some SERVING AREAS.

NON-FOOD SERVING AREAS

SERVING AREAS are facilities where food is served, such as dining rooms, but **not** where food is prepared or held. These areas are considered NON-FOOD AREAS when food is **not** exposed and the facility is not in operation:

Follow application directions in this section. If food is exposed and the facility is in operation, follow application directions under FOOD SERVING AREAS.

Application Directions: Apply as a spot treatment to selective surfaces such as baseboards, under elements of constructions into cracks and crevices. Avoid treating surfaces likely to be contacted by food.

OTHER NON-FOOD AREAS

Application Directions: Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

STORAGE AND DISPOSAL

If Empty: Do not reuse this container.

If Partially Filled: Call your local solid waste agency or 800-666-3532 for disposal instructions. Never place unused product down any indoor or outdoor drain