



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

July 5, 2019

Jean Killoren
Authorized Agent for Rx For Fleas, Inc.
Killoren Regulatory Consulting
316 Highland Ave.
Hartford, WI 53027

Subject: Registration Review Label Mitigation for Boric Acid/Sodium Salts
Product Name: Rx for Fleas Plus
EPA Registration Number: 59111-1
Application Date: 10/12/2018
Decision Number: 551675

Dear Ms. Killoren:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Boric Acid/Sodium Salts Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

A copy of your label stamped "Accepted" is enclosed. Products shipped after 12 months from the date of this amendment must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions about this letter, please contact Jaclyn Pyne by phone at 703-347-0445, or via email at pyne.jaclyn@epa.gov.

Page 2 of 2
EPA Reg. No. 59111-1
Decision No. 551675

Sincerely,

A handwritten signature in blue ink, appearing to read 'Linda Arrington', with a long horizontal flourish extending to the right.

Linda Arrington, Branch Chief
Risk Management and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

Enclosure

Residential/Domestic Use

ORTHOBORIC ACID	GROUP: 8D	INSECTICIDE
----------------------------	------------------	--------------------

{Black Caps, Bold face upper right corner}**Rx for Fleas® Plus**

- [Kills Fleas
- Also Kills Cockroaches, Ants, Silverfish, Dust Mites
- Odorless
- Patented
- Non-Staining]

Active Ingredient:

Orthoboric Acid 64.0%

Inert Ingredients: 36.0%

Total 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

[See [side] [back] panel for additional Precautionary Statements [and First Aid]]

Net Contents: 30lbs. (13.59 kg)


Manufactured for:

Rx FOR FLEAS®, INC.
6555 N.W. 9th Avenue, Suite 412
Fort Lauderdale, FL. 33309

EPA Reg. No.: 59111-1

EPA Est. No.: 44757-AZ-1

Guarantee: If not completely satisfied, return unused portion with proof of purchase directly to Rx FOR FLEAS INC. for a full refund. Made in the U.S.A. Pat. Nos. 4289662 and 4156654 with additional patents pending. Canadian Pat. No. 1107909



Residential/Domestic Use

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

{First Aid statements will be placed in box format, space providing, if not in paragraph format.}

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respirations, preferably mouth to mouth if possible. • Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may be used in [homes, restaurants, and other food and food handling establishments, markets, schools, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, theaters, boats, trains, trucks, yachts, camps, mobile homes, buses, zoos, kennels, military bases, and libraries].

Use Restrictions:

- Children and pets should not be in treatment area until after application is complete.
- Do not treat pets with this product.
- Avoid contamination of feed and foodstuff.
- Avoid contamination of ornamental plants.
- Do not apply with pressurized application methods except for use with crack and crevice spot, or void treatments.
- Use of this product for control of bed bugs is prohibited

RESISTANCE MANAGEMENT RECOMMENDATIONS:

For resistance management, Rx for Fleas Plus [this product] contains a Group 8D insecticide. Any ant population may contain individuals naturally resistant to Rx for Fleas Plus [this product] and other Group 8D insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed. Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.

Residential/Domestic Use

FOR RESIDENTIAL USE TO CONTROL FLEAS AND DUST MITES

Application Directions for Fleas and Dust Mite Control: Apply to dry surfaces only. Apply directly on carpets where pets frequently traffic or sleep at the rate of one pound per 300 square feet. Work powder deep into fibers and mat with a broom or rug rake. Any powder visible after application must be brushed into carpet fibers or removed by vacuuming. Allow powder to remain for a period of three weeks to achieve maximum flea control in carpets. Re-apply as necessary.

Additional Use Sites and Application Instructions: Apply powder lightly to hardwood floor surfaces. Using a broom, completely work any visible powder into all cracks and surfaces.

FOR RESIDENTIAL USE TO CONTROL COCKROACHES, ANTS AND SILVERFISH

Application directions for Cockroaches, Ants and Silverfish Control: Apply sparingly, scattering under and behind refrigerator, stove, sink, dishwasher, washing machine and dryer, tubs, into openings around drains, water pipes and electrical conduits; and in cracks and crevices along baseboards and corners of cabinets, cupboards, and closets. Remove all lower draws in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then scatter liberally in drawer wells. Any powder visible after application must be removed. Reapply after 30 days if necessary.

Directions for Applying as a Mop Solution to Control Cockroaches:

Mixing and Application Directions: Add 1 [one] cup of powder to each gallon of rinse water. Apply to hard floor areas only. Liquid application of this product is prohibited to carpet areas. Make only enough for each application. Supplemental treatment only. Reapply as necessary. Avoid contamination of feed and food stuff.

FOOD HANDLING ESTABLISHMENTS

Use Restrictions: Children and pets should not be in treatment area until after application is completed. Do not use in edible product areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Places other than private residences, in which food or feed is held, processed, prepared, or served.

1. FOOD AREAS (including some serving areas)

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, and syrups). Also includes some SERVING AREAS.

FOOD SERVING AREA

SERVING AREAS are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered FOOD AREAS when food is exposed, and the facility is in operation. Follow application directions in this section, if food is not exposed and facility is not in operation, follow application directions under NON-FOOD SERVICE AREAS below.

Use Restrictions: FOOD AREA application is limited to CRACK AND CREVICE TREATMENT ONLY. Applications to other areas are not permitted. **Application directions:** Apply in small amounts directly into cracks and crevices using a bulbous duster or other suitable equipment capable of applying insecticides directly into cracks and crevices, in points between different elements of construction, between equipment and floors, opening leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housing and electrical switch boxes where cockroach hide.

Do not apply this product to exposed food or food contact surfaces. Do not apply dust into the air.

2. NONFOOD AREAS (including some service areas)

Includes garbage room, lavatories, floor drains (to sewer), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Also includes some SERVING AREAS.

Residential/Domestic Use

NONFOOD SERVING AREAS

SERVING AREAS are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered NON-FOOD AREAS when food is not exposed, and facility is not in the operation. Follow application directions in this section. If food is exposed and facility is in operation, follow application directions under FOOD SERVING AREAS.

Application Directions: Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treatment surfaces likely to be contacted by food.

OTHER NONFOOD AREAS

Application Directions: Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insect hide or through which they may enter.

{Storage and Disposal statements will be placed in box format, space providing, if not in paragraph format.}

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage

Store in a dry place. Do not store where children or animals may gain access.

Container Disposal: Non-refillable container. Do not reuse or refill this container.

If Empty: Place in trash or offer for recycling if available.

If Partially Filled: Call your local solid waste agency [or 800-666-3532] for disposal instructions. Never place unused product down any indoor or outdoor drain.

Commercial/Professional Product

ORTHOBORIC ACID	GROUP: 8D	INSECTICIDE
----------------------------	------------------	--------------------

{Black Caps, Bold face upper right corner}

Rx for Fleas® Plus

- [Kills Fleas
- Also Kills Cockroaches, Ants, Silverfish, Dust Mites
- Odorless
- Patented
- Non-Staining]

Active Ingredient:

Orthoboric Acid 64.0%

Inert Ingredients: 36.0%

Total 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

[See [side] [back] panel for additional Precautionary Statements [and First Aid]]

Net Contents: 30lbs. (13.59 kg)

Manufactured for:

Rx FOR FLEAS®, INC.
6555 N.W. 9th Avenue, Suite 412
Fort Lauderdale, FL. 33309

EPA Reg. No.: 59111-1

EPA Est. No.: 44757-AZ-1

Guarantee: If not completely satisfied, return unused portion with proof of purchase directly to Rx FOR FLEAS INC. for a full refund. Made in the U.S.A. Pat. Nos. 4289662 and 4156654 with additional patents pending. Canadian Pat. No. 1107909

Commercial/Professional Product**PRECAUTIONARY STATEMENT****HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

CAUTION: Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear long-sleeve shirt, long pants, shoes and socks. When using pressurized equipment to load and apply dust products to structural building components wear a minimum of a NIOSH-approved particulate filtering facepiece respirator with any N, R or P filter; OR a NIOSH-approved elastomeric particulate respirator with any N, R or P filter; OR a NIOSH-approved powered air purifying respirator with HE filters.

{First Aid statements will be placed in box format, space providing, if not in paragraph format.}

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respirations, preferably mouth to mouth if possible. • Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may be used in [homes, restaurants, and other food and food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, trucks, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities, and sewers].

Use Restrictions:

- Children and pets should not be in treatment area until after application is complete.
- Do not treat pets with this product.
- Avoid contamination of feed and foodstuff.
- Avoid contamination of ornamental plants.
- Do not apply with pressurized application methods except for use with crack and crevice spot, or void treatments.
- Use of this product for control of bed bugs is prohibited

Commercial/Professional Product

RESISTANCE MANAGEMENT RECOMMENDATIONS:

For resistance management, Rx for Fleas Plus [this product] contains a Group 8D insecticide. Any ant population may contain individuals naturally resistant to Rx for Fleas Plus [this product] and other Group 8D insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed. Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.

{for any product requiring a respirator and containing directions for use includes Non-WPS Use sites}

Respirator fit testing, medical qualification, and training

Using a program that conforms to OSHA's requirements (see 29 CFR Part 1910.134), employers must verify that any handler who uses a respirator is:

- Fit-tested and fit-checked,
- Trained, and
- Examined by a qualified medical practitioner to ensure physical ability to safely wear the style of respirator to be worn. A qualified medical practitioner is a physician or other licensed health care professional who will evaluate the ability of a worker to wear a respirator. The initial evaluation consists of a questionnaire that asks about medical conditions (such as a heart condition) that would be problematic for respirator use. If concerns are identified, then additional evaluations, such as a physical exam, might be necessary. The initial evaluation must be done before respirator use begins. Handlers must be reexamined by a qualified medical practitioner if their health status or respirator style or use-conditions change.
- Upon request by local/state/federal/tribal enforcement personnel, employers must provide documentation demonstrating how they have complied with these requirements.

FOR RESIDENTIAL USE TO CONTROL FLEAS AND DUST MITES

Application Directions for Fleas and Dust Mite Control: Apply to dry surfaces only. Apply directly on carpets where pets frequently traffic or sleep at the rate of one pound per 300 square feet. Work powder deep into fibers and mat with a broom or rug rake. Any powder visible after application must be brushed into carpet fibers or removed by vacuuming. Allow powder to remain for a period of three weeks to achieve maximum flea control in carpets. Re-apply as necessary.

Additional Use Sites and Application Instructions: Apply powder lightly to hardwood floor surfaces. Using a broom, completely work any visible powder into all cracks and surfaces.

FOR RESIDENTIAL USE TO CONTROL COCKROACHES, ANTS AND SILVERFISH

Application directions for Cockroaches, Ants and Silverfish Control: Apply sparingly, scattering under and behind refrigerator, stove, sink, dishwasher, washing machine and dryer, tubs, into openings around drains, water pipes and electrical conduits; and in cracks and crevices along baseboards and corners of cabinets, cupboards, and closets. Remove all lower draws in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then scatter liberally in drawer wells. Any powder visible after application must be removed. Reapply after 30 days if necessary.

Directions for Applying as a Mop Solution to Control Cockroaches:

Mixing and Application Directions: Add 1 [one] cup of powder to each gallon of rinse water. Apply to hard floor areas only. Liquid application of this product is prohibited to carpet areas. Make only enough for each application. Supplemental treatment only. Reapply as necessary. Avoid contamination of feed and food stuff.

[NON-DOMESTIC USE (NONEDIBLE PRODUCT AREAS ONLY)]

Directions for Applying in New and Existing Construction to Control Cockroaches: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, dust liberally using dusting application equipment.

Directions for Applying in Sewers and Manhole Cavities: Apply this product at a rate not to exceed 12 oz. per 190 sq. ft. using portable blowers, air pressure tanks

Commercial/Professional Product

FOOD HANDLING ESTABLISHMENTS

Use Restrictions: Children and pets should not be in treatment area until after application is completed. Do not use in edible product areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Places other than private residences, in which food or feed is held, processed, prepared, or served.

1. FOOD AREAS (including some serving areas)

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, and syrups). Also includes some SERVING AREAS.

FOOD SERVING AREA

SERVING AREAS are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered FOOD AREAS when food is exposed, and the facility is in operation. Follow application directions in this section, if food is not exposed and facility is not in operation, follow application directions under NON-FOOD SERVICE AREAS below.

Use Restrictions: FOOD AREA application is limited to CRACK AND CREVICE TREATMENT ONLY. Applications to other areas are not permitted. **Application directions:** Apply in small amounts directly into cracks and crevices using a bulbous duster or other suitable equipment capable of applying insecticides directly into cracks and crevices, in points between different elements of construction, between equipment and floors, opening leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housing and electrical switch boxes where cockroach hide.

Do not apply this product to exposed food or food contact surfaces. Do not apply dust into the air.

2. NONFOOD AREAS (including some service areas)

Includes garbage room, lavatories, floor drains (to sewer), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Also includes some SERVING AREAS.

NONFOOD SERVING AREAS

SERVING AREAS are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered NON-FOOD AREAS when food is not exposed, and facility is not in the operation. Follow application directions in this section. If food is exposed and facility is in operation, follow application directions under FOOD SERVING AREAS.

Application Directions: Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treatment surfaces likely to be contacted by food.

OTHER NONFOOD AREAS

Application Directions: Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insect hide or through which they may enter.

{Storage and Disposal statements will be placed in box format, space providing, if not in paragraph format.}

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a dry place. Do not store where children or animals may gain access.

Container Disposal: Non-refillable container. Do not reuse or refill this container.

If Empty: Place in trash or offer for recycling if available.

If Partially Filled: Call your local solid waste agency [or 800-656-3532] for disposal instructions. Never place unused product down any indoor or outdoor drain.