59144			5-1	Ψ-,	2003			1	5
Please read instructions on				•	F	orm App	roved. OMB		
	United Stat				Registrat	ion	OPP Identifi	er Numbe	er
	nmental Prote	-	су		Amendm	ent			
	0 Pennsylvania A Vashington, DC 20				Other				:
	w in the second s			Pesticide – Section I					
1. Company/Product Numb		pplication t	2. EPA Pro			12 04	oposed Class	ification	
	Reg. No. 59144	-1		ariiyn Ma				-	
4. Company/ Product (Nan	ne)	· · · · · · · · · · · · · · · · · · ·	PM #				None		stricted
	ion 50% Insect S								
5. Name and Address of A Gro Tec, Inc.	oplicant (<i>include ZIP</i> C	ode)	6. Exped		view. In duct is simili		ance with F		
c/o RegWest Compa	ny, LLC		labeling to:					mpoarae	
30856 Rocky Road	•								
Greeley, CO 80631-9	375		EPA Reg.	No					
	eck if this is a new add	Iress	Product Na	ame					
			Section – II		· · · · · · · · · · · · · · · · · · ·				
Amendment – Explain	below			inted label	s in response	in Anena		FICAT	ION
Resubmission in respo		tod		o" Applicat					
Notification – Explain b	• •	neo	·	Explain b			MAY	142	003
Explanation: Use ad		sean (For Sectio		- Explain D	GIUW.			<u>.</u>	
Revise Disposal directions per PR Notice 2001-6; revise <i>If Inhaled</i> statements per EPA letter of 03/25/02. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR § 152.46, and no other changes have been made the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any far statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR § 152.46 this proc may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.									
		S	ection – III			<u> </u>			
1. Material This Product V									
Child Resistant Packaging			Water Soluble Pack	aging		ype of Co Netal	ontainer		
Yes*	Yes					Plastic			
Certification must	If "Yes"	No. Per	If "Yes"	No. Pe		Slass			
be submitted	Unit Packaging Wgt.		Packaging Wgt.	Conta	iner 🖵 F	Paper			
3. Location of Net Contents	Information	4. Size(s) Retail	Container			Other (Sp n of Labe	pecify): al Directions		
			Containo,		On La	4			
🖵 Label	Container						companying	Product	
6. Manner in Which Label is	s Affixed to Product	Litt	Lithograph Stenciled						
		_	per glued	🔲 Othe					
			Section - IV						
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application									
Name		Title			Telephone	No. (Incl	ude Area Coo	de)	
Kim Davis, CC, A	PC. Manager	Go	nsultant/Agent			(97))) 353-031	1	
	o, managoi	Certificatio			1		6. Date Ap	plication	
I certify that the state	ements I have ma			hments	thereto are	true,	Roceive		•
accurate and complete				eading s	statement n	nay be	(ar	amped)	n Robert Robert
punishable by fine or i	mprisonment or bo								
2. Signature		3. Titl	e	3					
R) R			Consul						
4. Typed Name	2	5. Da	te						
Kim Davis. C	C, APC, Manager		May 5, 2003						

4

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.



ELIMINATOR.

Malathion 50% Insect Spray Spray Concentrate

este A

091600335F -

- For Flowers & Shrubs
- For Fruits & Vegetables
- Provides Quick Kill Upon Direct Contact With Listed Pests

For More Information CALL 888-648-9855

IN CASE OF EMERGENCY CALL 800-424-9300

BEliminator is a registered trademark of Gro Tec, Inc.
Distributed by Gro Tec, Inc.
P.O. Box 290 Madison, GA 30650
Form 282-01

Form 282-01 EPA REG. NO. 59144-1 EPA EST. NO. 59144-GA-1a, 67422-GA-1a, 62478-FL-1a, 44616-MO-1e, 572-NJ-1e, 67572-GA-1h Subscript used Is first letter of run code on container



CLOSE BOOKLET HERE

PEEL HERE

Directions For USe: It is a violation of federal aw to use this product in a mumor indensitemt with its backing. Not for use on plants being yown for sale or other commet-cial use, or for occommercial seed production, or for research purposes for use, on plants immediated for asserted purposes or chmatic modification and being yorum in home orienter-net threaping any type of irrigation system.

To protect most ituit, set a regular spray schedule at 10 to 14 day intervals after the trees have bhormed and the small thui the former. For best results consult your focal Agricultural Extension Service for spray schedules and proper timing of applications

Apples: To control Aphlds, Bud Moth, Forbes Scale, Coding Moth, Pum Cutuality, Red Bauer Lastrollars and Sparer Nais, mix 2 tespoorts in 1 galbon of varler. Make Who of more applications for mittes and one or mure for aphlds and spare for applications of the state of the state

Grapes: For Learnoppers, Spider Miles and Meay Buys, mild 1 reasyons in 1 gation to water. On one upply table than 3 days before lanvest. Wey cause flapiny to totage of cartan varieties. As a test, spiay several leaves of the plant first and observe uter. In colorage course is a saile to apply. The incoming course is a saile to apply. The incoming course is a saile to apply while in colorage course is a saile to apply. The incoming course is a saile to apply the incompletes. The incoming course is a saile to apply the incompletes and the incoming course is a saile to apply the income to be on on apply table. That a days before larvest. May informe to large in the income varieties. Test spiray, as for grapes, before application.

Pears: To control Cooling Morth, Furit Tree Leatroffers, Pear Psyla, Plurn Coculio and Red Banded Leatoffers, use 2 tac-spons per gallon of walter. Do not apply later than 1 day before harvest. May injure Bosc pears under certain cond-tions in the Northeastein States.

Peaches: For Spider Mites, Oriental Fruit Moth and Plum Counton mits 2 tessponses in 1 gailon of water. Spray when Ganage is lists seen or anticipated. Do not apply later than 7 days before liarvest.

.....

Perans: Follow a suggested stray schedule from your percent intersprit currents Service of control Sopher Miles, Aphilis, Percen Mit Casebearer and Pecan Phyloxiera Mis 2 kar-sprons in 1 galbun di water and apply with a pressure supports rear when misers are first seen or hiele damage is anticipated Contact a ficensed commercial spray service to spray large trees. Strawbertist: For control of Spider Mites and AphUs mix 1 Bostoon in 1 offician of water. Teat when inscrib first appear to not apply Vater than 3 days before harvest. NOTE, Do not apply when firm is in blown and bees are present. For best results, plan on a regular spray application to furit at 1 to 2 week intervals through the growing section.

Outdoor Ornamental Insect Control When To Use: May be used on a wide variety of Flowers. Shade frees and Shutois and for the freeds as Risted below. Due to possible plantingry do not use on the foldowing plates: Ferros. Hickory, Whote Plantana, Crassula, Cannarti Juniper, Buston Ferros. Peris Ferris. Madienhair ferros, Periural, Shall Leal Spirtz, Whete Plue or Maptics.

How To Use: Mix the proper amount in a Hose-End Sprayer designed for use on structis, or a hand pressure or upinp appendix theroughly spray all portions of the plant including the underkicles of leaves, stems and buds. Repeat as needed for control. How To Mix: For all insects other than Pine Needle or Wax Scale use 2 teaspoons per gallon of water. For Pine Needle and Next Scale use Heaspoons per gallon of water. Treat when insects are lists seen action their damage its first onticed. Repeat as needed for control.

Aphlos, Bagrooms, Birch Leal Mine, Bowood Leaf Miner, European Pine Strom Moh, Four-linod Leal Bow. Japanese Beelle Anuti, Laze Bugs, Meahburg, Cak Kernes, Pratio Leathopper, Rose Leathopper, Spöder Mires, Tanished Plani Bou, Font Caterplati, Thronis coposot stage): Scale Inscott: District Caterplati, Thronis Coposit, Scale Xatela Scale, Manneby Pine Scale, Pine Leaf Scale, Fotowhers, Soft Brown Scale, Wonterey Pine Scale, Pine Neede Scale, Wax Scale, "Apply when catwless have stated on the Instage, "Apply when catwless have stated on the Instage, "Apply when catwless have stated on the Instage." Apply when catwless have stated on the Instage. Tubility of State applications at 10 day intervals.

<u>0</u>4

i

i

Vegetable Garden Insect Control How To Spray: Mix the proper amount is a Hoss-End Garden Type Sprayer or a heard hed garden pressure strayer. Thoroughly mix and apply to all portions of the plant (under-sedes of kaves, stems, buds, and developing fruit). Do not spray blooms.

When To Use: Freat in the spring and/or when insects are tists seen or their damage is noticed. Do not spray tater than the number of day(s) as shown in the chart for the "Prehavers" Spray interval" column; otherwise repeat as needed Do not apply to wet wire corps.

-

1

How To Mix: Mix 2 teaspoons per gallon of water.	er gallon of water.	
Beans	Aphids. Spider Miles, Cucumber Beetles, Leafhoppers	1 day
Celery	Aphids, Spider Mites	7 days
Cucumbers, Squash, Melons	Aphids, Spider Mites, Cucumber Beetles, Leafhoppers	1 day
Cabbage, Broccoli, Mustard, Turnips, Head Lettuce	Aphtbs, Imported Calibrage Worm, Cabbage Looper, Leoftroppers	7 days

.

_	ţ			-	ž	
	-	-			~	
						;
			-			
						1
~						
	_	_	_	_		
	-					-
			•			
-					-	
	÷	÷				
			٠			÷
						1
	18	*	٣	٠		ł
щ÷					-	4
	۳	۳	٠	4		1
					_	the second se
-	2					1
-					Ĵ.	

••••• -

C.

Vegetable Garden Insect Control (Continued)

Eggplant	Aphids, Spider Mites	3 days
Onions	Exposed Thrips	3 days
Peppers	Aphids	3 days
Potatoes	Aphids, Leathoppers, Meaby Bugs	0 days
Radishes	Aphids	7 days
Tomatoes	Aphids, Spider Mites	1 day
Conversions: 1 ts	čonversions: 1 tsp./gal=1 Pt./100 ga#ons - 2 tsp./gal=2 Pts./100 ga#ons	

For More Information CALL: 888-648-9855

÷

315

3.4. GHL 经关单 Hazard's to Humans and Domestic Animals WARNING

Cause: substantial but temporary eye injury. De not get in eyes or on clothing. Wear protective eyewear (safety glasses.) Harmful II swattowed. Avoid breathing spray mist or vapors. Avoid contact with skin Thoroughly wash with soap and water after use. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Do not treat areas frequented by children and do not allow children in treated areas until the soray has dried. Use only with adequate ventilation, After using this product in greenhouses thoroughly ventilate before occupying enclosed spaces. Do not allow contact with treated surfaces until sprays have dried. Do not apply this product in such a manner as to directly or through drift, expose workers or other

First Aid


It is Eves: • Hold eye open and rinse slowly and gently with water for 15-20 minutes, • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

It Suralizered: * Immediately call a poison control center or doc-tor. * Do not induce vomiting unless told to do so by a poison control or doctor, * Do not give ANY liquid to the person. * Do not give anything by mouth to an unconscious person.

It On Skin or Clothing: • Take off contaminated clothing, • Immediately rinse skin with pienty of water for 15-20 minutes. • Call a polson control center or doctor for treatment advice.

It inhaled: . Move person to fresh air. . If person is not breath-Ing. call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible, • Call a poison control center or doctor for further treatment advice.

7



This product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accor-dance with directions under normal conditions of use. Manufacture is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably forseeable to the manufacturer and/or seller, and buyer assumes the risk of any such use, (032502 EPAVPR2001-6).

	4										i	
1		ŧ	1		÷ é	i			1		F #1, 4400322	
1								4			an an Anna an A	
4			•		ŧ			÷	1			
ŧ	*	e		•			¢			1	4 4 4	

		E			•		Ł	
6		٢			ι		+	
ſ	۰,	÷		•	ŧ		1	
1		<	£		1	٩		
E					1		٤	
				4	•	 ,	1	



FedEx





May 5, 2003

Ms. Sherada Hobgood Document Processing Desk – *NOTIF* Office of Pesticide Programs – *7504C* **U.S. Environmental Protection Agency** 1921 Jefferson Davis Highway Crystal Mall #2, Room 266A Arlington, VA 22202-4501

Dear Ms. Hobgood:

Subject: Gro Tec, Inc. Malathion 50% Insect Spray EPA Reg. No. 59144-1

On behalf of its client *Gro Tec, Inc.*, RegWest Company, LCC is submitting the attached materials as notification of a label revision for subject product. RegWest Company, LLC will act as sole agent in this endeavor.

Attached are the following documents:

- 1. Application for Pesticide: Other
- 2. One Reference Label
- 3. Three copies of final printed labeling

Please refer to the *Reference Label* for an illustration of the label revisions. They entail updating the *Disposal* directions per PR Notice 2001-6 and revising the *If Swallowed* statements per the EPA letter of March 25, 2002 (and PR Notice 2001-1).

Please contact me at (970) 353-0611 or at regwestco@aol.com if you have any questions concerning this submission.

Regards, RegWest Company, LLC

Kim Davis, CC, APC, Manager Consultant/Agent

Attachments

pc: CPI - Hacker, S.

30856 Rocky Road Greeley, GD 80631-9375 970-353-0611 970-353-0613 Fax regwestco@aol.com