

PM19 59144-3

5518312

300/10/4
17

APR 14 1997

H.R. McLane
7210 Red Road
Suite 206
Miami, FL 33143-5321

Subject: Green Charm® Sevin® 5% Dust
EPA Registration No. 59144-3
Amendment dated January 15, 1997
Response to Agency letter dated 10/1/96

Dear Mr. McLane:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Make the following changes to your label:

- a) In the Directions for Use "FLEAS ON DOGS & CATS", delete the sentence "Do not treat kittens under 2 months old." The correct age is 12 weeks which appears earlier on your label.
- b) In the Direction for Use "FLEAS ON DOGS & CATS", change the sentence "Repeat as needed" to "Repeat as needed, but not more than once a week."
- c) In the Directions for Use on ASPARAGUS, delete the sentence "Do not apply more often than once every 3 days."
- d) In the Directions for Use on BRUSSELS SPROUTS..., delete "5 to" from "treat every 5 to 7 days..."
- e) In the Directions for Use on CORN, change "...treat corn silks every 3 days..." to "...treat corn silks every 7 days..."

Bedwards A-159144/3-3 4/13/97

2044


- f) In the Directions for Use on LETTUCE, delete "5 to" from "...treat every 5 to 7 days.."
- g) In the Directions for Use on ORNAMENTALS, change the sentence "Repeat as needed for continued control" to "Repeat as needed for continued control, but not more than once a week."

2. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,


Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

DUST

Controls Insects on Vegetables, Lawns,
Ornamentals and Fruits
For Fleas on Dogs and Cats

ACCEPTED
with COMMENTS
in EPA Letter Dated

APR 14 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

59144-3



ACTIVE INGREDIENT:

Carbaryl; 1 Naphthyl N-methylcarbamate - - 5.0%

INERT INGREDIENTS: - - - - - 95.0%

Total 100.0%

SEVIN® in a Registered Trademark of Rhone Poulenc for Carbaryl Insecticides

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este
producto hasta que le etiqueta haya sido explicado ampliamente

See Back Panel for Additional Precautionary Statements

EPA Reg. No. 59144-3 EPA EST. NO. 59144-GA-1, 6720-FL-1, 51036 GA-1, 768-GA-1, 44818-MO-1, 19713-GA-1
Subscript is first letter of run code on container (59-3bag2.pm5Vfruit/veg/pet use req & pre.caution101-14-97).

NET WEIGHT 4 POUNDS

GROTEC

P.O. BOX 290 - Madison, GA 30650

4044

GREEN CHARM®

SEVIN® 5%

brand carbaryl insecticide

DUST

EPA Reg. No. 59144-3

NET WEIGHT 4 POUNDS

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician of Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists. **IF INHALED:** Remove victim to fresh air. Apply Artificial Respiration if indicated. Get medical attention.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Do not breathe dust. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of feed and food-stuffs. **NOTE TO PHYSICIAN:** Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

USER SAFETY REQUIREMENTS

Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product. Change clothing as soon as possible after use. Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet. Do not allow children or pets to contact treated area until dust has settled.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the proposed treatment areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR FRUITS AND VEGETABLES while wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin even deposit of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering. For plants above the chest height, consider using a liquid carbaryl product. Do not repeat application more than once a week.

FOR USE ON PETS use product only outside or in a well-ventilated area. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin. This product should not be applied by children. Do not use on pregnant dogs. Do not use on kittens or puppies under 12 weeks of age. Dust bedding and doghouse using a shaker can or other dust applicator.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original container in a cool, dry, locked place out of reach of children. **DISPOSAL:** Do not re-use empty container. Rinse thoroughly before discarding in trash.

READ ENTIRE LABEL BEFORE USING

GREEN CHARM SEVIN 5% Brand Carbaryl insecticide DUST may be applied with any suitable dust applicator. For best results make application in the morning or evening when the air is still. Be sure to treat both upper and lower surfaces of leaves. Apply (down wind) to give thorough coverage but avoid applying in excess. Applications should be started when insects first appear. Repeat as necessary. Apply at 7 to 10 day intervals, or 3 to 5 day intervals in rainy weather. Listed below are the crops with the pests controlled followed by the time interval to stop applications prior to harvest. As a general rule apply enough dust to give thorough coverage to all plant parts or 11 to 15 ounces per 1,000 sq.ft. (equal to 30 to 40 lbs. dust per acre.)

TURF & PERIMETER INSECTS

Apply 8 oz. to cover 250 sq.ft. of turf or around building foundation area to control Earwigs - Millipedes - Sod Webworms - Leafhoppers and Ants. Area should be lightly sprinkled after application to wash dust off foliage. Repeat as necessary. Keep children and pets off treated areas until grass has been sprinkled and area is dry.

FLEAS ON DOGS & CATS

For control of Fleas, and Brown Dog Ticks, rub 1/2 to 1 level tablespoonful into pet's skin. Also treat sleeping, loafing and other infested quarters. Replace with fresh bedding. Treat entire pet especially in area where insects are seen. Avoid getting into pet's eyes. Groom the pet several hours after treatment. Do not treat kittens under 2 months old. Use lower rate and apply sparingly for cats. Repeat as needed. Do not use on pregnant dogs.

VEGETABLES and FRUIT

ASPARAGUS: Asparagus Beetles. Do not apply later than 1 day before harvest. Do not apply more often than once every 3 days.

BEANS: Mexican Bean Beetle, Bean Leaf Beetle, Leafhoppers, Flea Beetles, Corn Earworms, Lygus Bugs, Stink Bugs, Lima Bean Pod Borer, Japanese Beetle. Can be applied day of harvest.

BEETS (table): Armyworms, Flea Beetles, Leafhoppers. 3 days before harvest. 14 days before harvest if tops are used for food or feed.

BRUSSELS SPROUTS, BROCCOLI, CABBAGE, CAULIFLOWER: Small Cabbage Looper, (treat every 5 to 7 days for control), Armyworms, Flea Beetles. Do not apply later than 3 days before harvest.

CARROTS: Leafhoppers, Flea Beetles. Can be applied day of harvest.

CITRUS: Black Scale, California Red Scale, Soft Brown Scale, Orange Tortrix, California Orange Dog, Fruit Tree Leaf Rollers. For Scale Insects best results are obtained when crawlers are present. Apply 5 days before harvest.

COLLARDS, KALE, MUSTARD GREENS, RADISHES, RUTABAGAS, CHINESE CABBAGE, HORSERADISH and TURNIPS: Flea Beetles, Harlequin Bug, Leafhoppers, Armyworm, Imported Cabbageworm, Tarnished Plant Bug and Stink Bugs, (3 days of harvest on horseradish, radishes, rutabagas and turnip roots; 14 days on Chinese cabbage, collards, kale, mustard greens and turnip tops).

CORN (Sweet): Corn Earworm, Flea Beetles, Leafhoppers, Fall Armyworms. For Corn Earworm control treat corn silks every 3 days until silks dry. Can apply day of harvest.

CUCUMBERS, MELONS, SQUASH, PUMPKINS, CANTALOUPE: Squash Bugs, Leafhoppers, Cucumber Beetles, Flea Beetles. Do not apply to Melons or Cucumbers when temperatures exceed 80° F or when vines are wet. Can be applied day of harvest.

EGGPLANT: Corn Earworm, Flea Beetles, Hornworms, Cucumber Beetles. Can be applied day of harvest.

LETTUCE: Armyworms, Small Cabbage Looper (treat every 5 to 7 days for control), Leafhoppers, Salt Marsh Caterpillars. For Head Lettuce; 3 days before harvest. Leaf Lettuce; 14 days before harvest.

PEPPERS: Corn Earworm, Leafhoppers, Flea Beetles. Can be applied up to day of harvest.

POTATOES (White): Flea Beetles, Leafhoppers. Can apply day of harvest.

TOMATOES: Tomato Fruit Worm, Tomato Hornworm, Flea Beetles, Stink Bug, Leafhoppers. Apply day of harvest.

STRAWBERRIES: Leaf Rollers, Lygus Bugs, Salt Marsh Caterpillar. One day before harvest.

ORNAMENTALS

ORNAMENTAL FLOWERS, SHRUBS AND TREES

Apply this product to thoroughly cover the plant foliage for control of the following pests. Repeat as needed for continued control.

Apple Aphid	Leaf Rollers	Rose Slug
Bagworm	Mealy Bugs	- SCALE -
Blister Beetles	Mimosa Webworm	Soft Brown
Boxelder Bug	Oak Leaf Miner	European Elm
Elm Leaf Beetle	Orange Tortrix	Oak Kermes
Flea Beetle	Periodical Cicadae	Oystershell
Japanese Beetle	Plant Bugs	Black
June Beetle	Psyllids	Cottony Maple
Leafhoppers	Rose Aphids	Thrips (Exposed)

For best scale insect control apply when newly hatched "crawlers" are present. Do not apply to BOSTON IVY as plant injury will result. (59-3bag2.pn5fruitveg/pet use req & pre.caution01-14-97).

WARRANTY AND DISCLAIMER: Subject to the limitation of liability herein set forth, Gro Tec, Inc. warrants that the product sold is as described on the container, within recognized tolerances. Liability on this warranty is limited to the purchase price of the product. In no event shall Gro Tec, Inc. be liable for indirect, consequential, or other damages in excess of the purchase price. Gro Tec, Inc. makes no other warranty either expressed or implied as to merchantability or fitness for a particular purpose of the product. The product is sold at the price quoted only upon the condition that the above disclaimer of warranty and the limitation of damages are part of the basis of the bargain. Products not accepted under these terms should be returned within 2 days in the original, unopened container and Buyer will receive his choice of either return of purchase price or a price quotation which includes such warranties as desired as the basis of the bargain (provided such quote is obtainable which is dependent upon the nature of the products sold). (59-3BAG2.PM4 (03-01-92) accptd. 08-03-90/12-15-92./Notif. Amd. PR Notice 93 3 & 8/12-01-93).

GRO TEC
P.O. BOX 290 - Madison, GA 30650