US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (73-767) WASHINGTON, DC 20480

NOTICE	OF PESTICIDE:	

MEGISTRATION
REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

59144-5 TERM OF ISSUANCE

PAREGISTRATION NO.

September 20, 1990

Until King Trai

10% Sevin Brand Carbaryl Insecticide Dust

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

_

Gro Tec, Inc. P.O. Box 290 Madison, GA 30650

L

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration—ivision prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 59144-5."
 - b. Revise the Confidential Statement of Formula to reflect the upper certified limit of pure active ingredient (column 14a) as 10.24%, 10.5% of 97.5% pure technical is 10.24% and not 10.2%.

X ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

... H Sawarden

1/30/16

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

51683:I:WP5.0:Kumar:C.Disk:KENCO:09/19/90:DD:VO:EK:DD

c. Revise the disposal statement to read as follows, per PR Notice 83-3:

PESTICIDE DISPOSAL: Wastes reculting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of anoke.

- 3. A 1-year storage stability study is required within 15 months from the date of this Registration Notice. The formulated product must be analyzed for its active ingredient at time zero and during a year of storage. The storage should be in warehouse conditions of temperature and humidity and stored in similar containers you will be using in the trade. For the Storage Stability study you cannot reference the concentrate you are using to formulate your product.
- 4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (E7505C)

Enclosures

10% SEVIN Brand Carbaryl Insecticide

DUST

FOR CONTROL OF INSECT PESTS ON **VEGETABLES, FRUIT AND** ORNAMENTAL PLANTS - Fire Ant Control -

ACTIVE INGREDIENT:

Carbaryl:1-Napthyl N-methylcarbamate - - 10.0% INERT INGREDIENTS: - - - 90.0%

Total 100.0%

SEVIN to a registered Trademark of Phone Poulenc for Carbaryl Insecticides.

KEEP OUT OF REACH OF CHILDREN CAUTION

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente" STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician of Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if

irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists. IF INHALED: Remove victim to fresh air. Apply Artificial Respiration if indicated. Get medical attention.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Do not breathe dust. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of feed and foodstuffs, NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is amidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the proposed treatment areas.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 59144-

EPA Est. No. 59144-GA-1

backerght 4 Pound GRO TEC, INC. P.G. BOX 290 MADISON, GA 30650

See the back for stamp

DIRECTIONS FOR USE
It is a violution of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store product in original container in a cool, dry, locked place out of reach of children. DISPOSAL: Do not re-use empty container. Rinse thoroughly before discarding in trash.

READ ENTIRE LABEL BEFORE USING

10% SEVIN Brand Carbaryl Insecticide DUST can be applied with any suitable hand or power duster. For best results make application in the morning or evening when the air is still. Treat both upper and lower surfaces of leaves. Applications should be started when insects first appear and repeated at 7 to 10 day intervals, or 5 to 7 days in rainy weather. Crops with the pests are listed below. Observe number of days to stop treatment before harvest. Apply to deposit a light visible dusting to all plant and fruit parts or 4 to 8 ounces per 1,000 Sq.Ft.; which is equal to approximately 10 to 20 lbs./acre. Use the low rate when insects are first seen or are anticipated; the high rate when insects are present in damaging numbers.

VEGETABLES and FRUIT

ASPARAGUS: Asparagus Beetles, 1 day before harvest. Do not apply more often than once every 3 days.

BEANS: Mexican Bean Beetle, Bean Leaf Beetle, Leafhoppers, Flea Beetles, Corn Earworms, Lygus Bugs, Stink Bugs, Lima Bean Pod Borer, Japanese Beetle. Can be applied day of harvest.

BEETS (table): Armyworms, Flea Beetles, Leathoppers. 3 days. 14 days if tops are used for food or feed.

BRUSSELS SPROUTS, BROCCOU, CABBAGE, CAULFLOWER: Small Cabbage Looper, (treat every 5 to 7 days for control), Armyworms, Flea Beetles. 3 days before harvest.

CARROTS: Leafhoppers, Flea Beetles. Can be applied day of harvest.

CITRUS: Black Scale, California Red Scale, Soft Brown Scale, Orange Tortrix, California Orange Dog, Fruit Tree Leaf Rollers. For Scale Insects best results are obtained when crawlers are present. 5 days before harvest.

COLLARDS, KALE, MUSTARD GREENS, RADISHES, RUTABAGAS, CHINESE CABBAGE, HORSERADISH and TURNIPS: Flee Beetles, Harlequin Bug, Leefhoppers, Armyworm, Imported Cabbageworm, Tarnished Plant Bug and Stink Bugs, (3 days of harvest on horseradish, radishes, rutabagas and turnip roots; 14 days on chinese cabbage, collards, kale, mustard greens and turnip tops).

CORN(Sweet and Field): Corn Earworm, Flea Beetles, Leafhoppers, Fall Armyworms. For Com Earworm control treat corn silks every 3 days until silks dry. Can apply day of harvest. Wait 7 days before foraging.

CUCUMBERS, MELONS, SQUASH, PUMPKINS: Squash Bugs, Leaf-hoppers, Cucumber Beetles, Flea Beetles. Do not apply to Melons or Cucumbers when temperatures exceed 80° F or when vines are wet. Can be applied day of harvest.

EGGPLANT: Com Earworm, Flea Beetles, Hornworms, Cucumber Beetles. Can be applied day of harvest.

GRAPES: Grape Leafhopper, Grape Leaf Folder, Grape Berry Moth, European Fruit Lecanium, Grape Leaf Skeletonizer, Japanese Beetles, June Beetles, Red Banded Leaf Roller. Day of Harvest.

HEAD and LEAF LETTUCE; treat every 5 to 7 days for co lars. 3 days before harvest of Leaf Lettuce.

OKRA: Corn Earworm, Flee May be applied day of herve

PEANUTS AND COMPEAS Beetles, Thrips, Leathoppers, ber Beetles, Bean Leaf Beetle Velvetbean Caterpillar, Gree Corn Earworms, Stink Bugs, (within 3 days of harvest; pea

PEPPERS: Corn Earworm, Le

POTATOES: (White); Flee Be

TOMATOES: Tomato Fruit \ Stink Bug, Leafhoppers. Ap

STRAWBERRIES: Loaf Rolle One day before harvest.

SUGAR BEETS: Leafhoppe pers. 14 day Pre-harvest inte

ORNA ORNAMENTAL FLO

Apply this product to thorous the following pests. Repeat

Apple Aphid Boxelder Bug Elm Leaf Beetls Flee Seetle June Beetle Leafhoppers Leaf Rollers Mealy Bugs

Perido Payllic Rose. Rose: Thripe

Mimo

Oak L

Orang

For best scale insect control : present. Do not apply to B

TURF & PEA

Apply 4 oz. to cover 250 eq.(and home recreational areas ANTS, CHIGGERS, EARWIG WEBWORMS, SOWBUGS lightly sprinkled after applic necessary. Keep children a been aprinkled and area is o

IMPORTED F

Apply 2 Oz.(8 level tablesp mound. After application, minimum of 1 quart of water results; do not disturb the r apply in cool weather 65-5 evening. Treat new mounds

NOTICE This product conforms to purpose stated on the label, when conditions of use. Manufacturer is no label instructions, or under abnormal cable to the manufacturer and/or self-03-01-80

ACCEPTED
with COMMENTS
in EPA Leuer Dates

SEP 2 6 1990

Under the Federal Insections Fungicide, and Redenticide Act as amended, for the posticide registered under EPA Reg. No.

59144-5