Tuder the Federal Inserticida Pu Folde, and I mi we to be an monded, for the pitch mele tred at the Life here.

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its

This product may be used indoors and out-of-doors or in a home greenhouse throughout the season, or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

This product is Ready-To-Use. To control insects named in chart, apply to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. It may be applied on the day of harvest of vegetables.

ROSES & FLOWERS INSECTS PLANTS.

Jew. Asters, Cornations, Chrysanthemums, Geraniums,

African Violets, Azaleas, Be. For Aphids, Flea Beetles, Leafhoppers, Thrips, ponias, Camelias, Dahila, lant Bug, Rose Chafer, Cutworms, Spider Mites Dogwood, Roses, Wandering and White Files

Gladiolus, Marigolds.	<u> </u>	
VEGETABLES INSECTS		
Asparagus	Asperagus Beetles	
Beans	Aphids, Leafhoppers, White Flies, Mexican Bean Beetles, 12 Spothed Cucumber Beetles, Spider Mites	
Broccoli, Cauliflower, Cabbage, Brussels Sprouts	Aphids, Cabbage Looper, Cross-striped Cabbage Worm, Diamond Back Moth larvae, Flea Beetles, Harlequin Bug, Imported Cabbage Worm, Stink Bug	
Celery	Green Peach Aphild, Cabbage Looper, Leaftier	
Cranberries	Fireworms, Leafhoppers	
Egoplant	Bister Beetles, Colorado Potato Beetles, Flea Beetles, Green Peach Aphid	
Lettuce	Cabbage Looper, Green Peach Aphid, Diamond Back Moth larvae, Imported Cabbage worm	
Mustard Greens, Kale, Collards, Turnips	Imported Cabbage Worm, Diamond Back Moth larvae, Aphida, Cabbage Worm	
Peppers	Green Peach Aphid	
Potatoes	Aprilds, Colorado Patato Béetles, Fiea Beetles, Leaf- Roppers	
Radishes	Aprilits, Fiee Beeffes	
Spinach	Aphids, Cabbage Looper, Webworms	
Tomaloes	Green Peach Aphid, Colorado Potato Beetles, Stink	

NSEC

An Effective Insecticide For use On Tomatoes. Vegetables, Roses and Flowers

> A Concentrate Micro-Emulsion Ready To Use

ACTIVE INGREDIENTS:

Pyrethrins - - - -Piperonyl Butoxide* - - - -0.20% INERT INGREDIENTS: - - - 99,78%

Total 100.00%

*Equivalent to 0.16% (Butylcarbityl) (6-propyl-piperonyl) ether and 0.04% related compounds.

> **KEEP OUT OF REACH OF CHILDREN** CAUTION

See Side panel For Additional Precautionary statements EPA Reg. No. 59144-EPA Est. No. 59144-GA-1

NET CONTENTS 1 QUART



P.O. BOX 290 - MADISON, GA 30560

DIRECTIONS FOR USE (Cont.)

NOTE: For best insect control on vegetables plan on two applications the first and second week since this spray is not residual. A light mist on the plant foliage is all that is necessary. Do not spray to point of run-off. Shake container before use.

INDOORINSECTCONTROL

Adjust sprayer to give a fine floating mist as a space spray to control Files, Fruit Files, Mosquitoes, Griefs and Small Flying Insect Moths. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct the spay mist toward the upper portions of the enclosure, filling the room with the mist and hitting as many insects with the spray as possible Use 2 to 4 ounces per 1,000 cubic feet of space. Keep area closed for at least 30 minutes Vacate treated areas and vertilate before reoccupying. Repeat treatment as necessary.

OUT-OF-DOORS ON TREES & SHRUBS

To control Gypsy Moth Caterpillars, adult Japanese Beetles and Eastern and Forest Tent Caterpillars on contact, treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat applications in 7 days as necessary for control

ADULT MOSQUITO CONTROL

Apply as a fine mist to thoroughly treat the entire area. For best results treat when the wind velocity does not exceed 5 miles per hour, (treat when it is calm). Treat shrubbery and vegetation where mosquitoes may rest particularly around mosquito breeding places such as swamps, marshes, stagnant water pools and ponds. Apply at the rate of 4 ounces of this product per 21,000 square feet of area, (5 to 6 quarts per acre.)
PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Hermful if evallowed or absorbed through the skin, Avoid breathing vapors. Avoid contact with eyes, sidn or clothing. In case of contact, immediately flush eyes and skin with plen'y of water. Get medical attention if irritation persists. Remove pets, birds, and cover ish aquariums before spraying

STATEMENTS OF PRACTICAL TREATMENT

Swellowed: Call a physician or Polson Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Never give anything by mouth to an unconscious person, if In Eyes, Flush eyes with plenty of water, if Irritation persists get medical attention. If On Skin, Wash with plenty of scep and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface viater is present or to intertidal areas below the mean high water mark. Shrimp and Crab may be littled at application rates recommended on this label. Do not apply where these are important resources. On not contaminate water by cleaning of equipment or disposal of waste.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash collection. NOTICE - Buyer assumes all risk and liability of use, storage and or handling of this material not in accordance with the terms of this label (59-R&VSP PM5V06-13-94)

BEST AVAILABLE COPY

GRO TEC, INC. P.O.Box 290 Madison, GA 30650

Nate: Clauses in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration assumer.

On the basis of information furnished by the registrant, the above named posticide is hereby registered/reregistered under the Federal Insecticide, Pungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 59144-22".
 - b. Change the statement, "Do not contaminate water by cleaning of equipment or disposal of wastes.", to read "Do not contaminate water when disposing of equipment washwaters.".
 - c. The additional brand name, Tomato & Vegetable Insect Spray, is acceptable.

Signature of Appropring Official:		Date:
Lelucea.	S. Cool	2/21/95

page 2 EPA Reg. No.

1 (

3. Submit one (1) copy of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Rebecca S. Cool Acting Product Manager 10 Insecticide & Rodenticide Branch Registration Division (H7505C)