

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. When using indoors remove pets, birds and cover fish aquariums before spraying.

First Aid

If Swallowed	<ul style="list-style-type: none"> • Immediately call poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Immediately rinse skin with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	

Environmental Hazards

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in a cool, dry (preferably locked) storage area inaccessible to children and pets. **Pesticide Disposal:** Securely wrap original container and put in trash. **Container Disposal:** Do not reuse empty container. Thoroughly rinse container before discarding in trash.

{For domestic/homeowner use products in 1 gallon or less containers:}

[Storage and Disposal]

Storage: Store in original container in a cool, dry (preferably locked) storage area inaccessible to children and pets. **Disposal:** Do not reuse empty container; wrap and put in trash.

This product may be used indoors and out-of-doors or in a home greenhouse throughout the season, or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

This product is ready-to-use. **Shake well before each use.** To control insects named in the chart, apply to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. Vegetables may be treated on the day of harvest.

Roses & Flowers

Plants	Insects
African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlia, Dogwood, Geraniums, Gladiolus, Marigolds, Roses and Wandering Jew	For Aphids, Cutworms, Flea Beetles, Leafhoppers, Plant Bug, Rose Chafer, Spider Mites, Thrips and White Flies

Vegetables

Plants	Insects
Asparagus	Asparagus Beetles
Beans	Aphids, Leafhoppers, Mexican Bean Beetles, Spider Mites, 12 Spotted Cucumber Beetles, White Flies

Plants	Insects
Broccoli, Brussels Sprouts, Cabbage, Cauliflower	Aphids, Cabbage Looper, Cross-striped Cabbage Worm, Diamond Black Moth Larvae, Flea Beetles, Harlequin Bug, Imported Cabbage Worm, Stink Bug
Celery	Cabbage Looper, Green Peach Aphid, Leaf-tier.
Collards, Kale, Mustard Greens, Turnips	Aphids, Cabbage Worm, Diamond Back Moth Larvae, Imported Cabbage Worm
Cranberries	Fireworms, Leafhoppers
Eggplant	Blister Beetles, Colorado Potato Beetles, Flea Beetles, Green Peach Aphid
Lettuce	Cabbage Looper, Diamond Back Moth Larvae, Green Peach Aphids, Imported Cabbageworm
Peppers	Green Peach Aphid
Potatoes	Aphids, Colorado Potato Beetles, Flea Beetles, Leafhoppers
Spinach	Aphids, Cabbage Looper, Webworms
Tomatoes	Colorado Potato Beetles, Flea Beetles, Green Peach Aphid, Spider Mites, Stink Bug, White Flies

Note: This spray is not residual, therefore for best insect control on vegetables apply two applications one week apart. A light mist on the plant foliage is all that is necessary. Do not spray to point of runoff.

Indoor Insect Control

For use as a space spray, adjust sprayer to give a fine floating mist to control Flies, Fruit Flies, Gnats, Mosquitoes and Small Flying Insect Moths. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct the spray mist toward the upper portions of the enclosure, filling the room with the mist and hitting as many insects as possible with the spray. Use 2 to 4 ounces per 1,000 cubic feet of space. Keep area closed for at least 30 minutes. Vacate treated areas and ventilate before reoccupying. Repeat treatment as necessary.

Warranty and Disclaimer: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, under abnormal conditions or under conditions not reasonably foreseeable to the manufacturer and/or seller, and buyer assumes the risk of any such use.

{Note: The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}